

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
100	STAFF	1	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
100	STAFF	2	1050	TITLE_OF_COURTESY	VARCHAR2	6		Courtesy Title
100	STAFF	3	388	FIRST_NAME	VARCHAR2	20		
100	STAFF	4	485	MIDDLE_NAME	VARCHAR2	20		
100	STAFF	5	452	LAST_NAME	VARCHAR2	30		
100	STAFF	6	499	NAME_SUFFIX	VARCHAR2	5		
100	STAFF	7	632	PHONE_1	VARCHAR2	14		
100	STAFF	8	145	CNTY_STAFF_NUM	VARCHAR2	10		County staff number
100	STAFF	9	884	READ_ACCESS_CD	CHAR	1		Relates to a staff member's security authorization level
100	STAFF	10	836	USER_ID	VARCHAR2	8		County-defined user identification.
100	STAFF	11	574	PASSWORD	VARCHAR2	40		User password
100	STAFF	12	768	STAFF_ROLE_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF_ROLE table row. May also be used as a data element. To initialize, must be set to spaces.
100	STAFF	13	1040	COUNTY_EMPL_CD	CHAR	1		County employee type: county employee, volunteer, collaborative staff
100	STAFF	14	897	TITLE	VARCHAR2	40		Staff member title: worker, case aide, supervisor
100	STAFF	15	1084	TEMP_ROLE_ID	NUMBER	10	0	A unique system-generated identifier for a temporary role assigned to a staff person.
100	STAFF	16	1083	TEMPROLE_START_DT	DATE	7		Temporary role start date
100	STAFF	17	1082	TEMPROLE_END_DT	DATE	7		Temporary role end date
100	STAFF	18	1282	WG_READWRITE_IND	CHAR	1		
100	STAFF	19	139	CNTY_OF_SVC_CD	CHAR	2		County of service
100	STAFF	20	1666	STAFF_ACTIVITY_IND	CHAR	1		
100	STAFF	21	2441	INTAKE_ACC_REST_CD	CHAR	1		
100	STAFF	22	2440	INTAKE_UNIT_ID	NUMBER	10	0	
100	STAFF	23	2459	PASSWORD_CHG_DT	DATE	7		
100	STAFF	24	2575	EMAIL_ADDRESS	VARCHAR2	100		
100	STAFF	25	2846	COUNTY_ENTITY_CD	VARCHAR2	1		
100	STAFF	26	2845	MHAI_IND	VARCHAR2	1		
100	STAFF	27	2844	RTC_IND	VARCHAR2	1		
100	STAFF	28	2843	RTC_HOST_CNTY_CD	VARCHAR2	2		
100	STAFF	29	3611	DOC_CREDENTIALS	VARCHAR2	40		
100	STAFF	30	3612	AGENCY_CONTACT_IND	VARCHAR2	1		
100	STAFF	31		LAST_CHGD_BY	NUMBER	10	0	Last changed by
100	STAFF	32		LAST_CHGD_DT	DATE	7		Last changed date
110	DEPARTMENT	1	199	DEPT_ID	NUMBER	10	0	Unique, system-generated identifier for a DEPARTMENT table row. May also be used as a data element. To initialize, must be set to spaces.
110	DEPARTMENT	2	198	DEPARTMENT_NAME	VARCHAR2	50		County-assigned security group name
110	DEPARTMENT	3	133	CNTY_CD	CHAR	2		
110	DEPARTMENT	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
110	DEPARTMENT	5		LAST_CHGD_DT	DATE	7		Last changed date
115	STAFF_UNIT	1	831	UNIT_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF_UNIT table row. Also may be used as a data element. To initialize, must be set to spaces.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
115	STAFF_UNIT	2	199	DEPT_ID	NUMBER	10	0	Unique, system-generated identifier for a DEPARTMENT table row. May also be used as a data element. To initialize, must be set to spaces.
115	STAFF_UNIT	3	870	LOCATION_ID	NUMBER	10	0	Unique, system-generated identifier for a LOCATION table row. A location is the physical place a staff member works. To initialize, must be set to spaces.
115	STAFF_UNIT	4	832	UNIT_NAME	VARCHAR2	50		County-assigned security section name
115	STAFF_UNIT	5	885	READ_RESTRICT_CD	CHAR	1		Relates to a staff member's security authorization level
115	STAFF_UNIT	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
115	STAFF_UNIT	7		LAST_CHGD_DT	DATE	7		Last changed date
120	LOCATION	1	870	LOCATION_ID	NUMBER	10	0	Unique, system-generated identifier for a LOCATION table row. A location is the physical place a staff member works. To initialize, must be set to spaces.
120	LOCATION	2	200	DESCRIPTION	VARCHAR2	65		Text description
120	LOCATION	3	903	DESC_LINE_2	VARCHAR2	40		Line 2 of a Location Description
120	LOCATION	4	904	DESC_LINE_3	VARCHAR2	40		Line 3 of a Location Description
120	LOCATION	5	126	CITY	VARCHAR2	25		City
120	LOCATION	6	773	STATE_CD	CHAR	2		U.S. Postal Code abbreviation.
120	LOCATION	7	851	ZIP_CODE	CHAR	5		First 5 digits of the zip code
120	LOCATION	8	852	ZIP_CODE_EXT	VARCHAR2	4		6th through 9th digits of the zip code
120	LOCATION	9	133	CNTY_CD	CHAR	2		
120	LOCATION	10	1676	ADDR_1	VARCHAR2	100		
120	LOCATION	11	1677	ADDR_2	VARCHAR2	100		
120	LOCATION	12	1678	ADDR_3	VARCHAR2	100		
120	LOCATION	13		LAST_CHGD_DT	DATE	7		Last changed date
120	LOCATION	14		LAST_CHGD_BY	NUMBER	10	0	Last changed by
125	STAFF_WG	1	1168	STAFF_WG_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF_WG table row. May also be used as a data element. To initialize, must be set to spaces.
125	STAFF_WG	2	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
125	STAFF_WG	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
125	STAFF_WG	4	770	START_DT	DATE	7		
125	STAFF_WG	5	233	END_DT	DATE	7		
125	STAFF_WG	6	1159	PRIMARY_IND	CHAR	1		Indicates whether this staff is the primary worker for this workgroup.
125	STAFF_WG	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
125	STAFF_WG	8		LAST_CHGD_DT	DATE	7		Last changed date
130	UNIT_STAFF_XREF	1	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
130	UNIT_STAFF_XREF	2	831	UNIT_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF_UNIT table row. Also may be used as a data element. To initialize, must be set to spaces.
130	UNIT_STAFF_XREF	3		LAST_CHGD_BY	NUMBER	10	0	Last changed by

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
130	UNIT_STAFF_XREF	4		LAST_CHGD_DT	DATE	7		Last changed date
135	DEPT_STAFF_XREF	1	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
135	DEPT_STAFF_XREF	2	199	DEPT_ID	NUMBER	10	0	Unique, system-generated identifier for a DEPARTMENT table row. May also be used as a data element. To initialize, must be set to spaces.
135	DEPT_STAFF_XREF	3		LAST_CHGD_BY	NUMBER	10	0	Last changed by
135	DEPT_STAFF_XREF	4		LAST_CHGD_DT	DATE	7		Last changed date
150	UNIT_SUPERVISOR	1	831	UNIT_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF_UNIT table row. Also may be used as a data element. To initialize, must be set to spaces.
150	UNIT_SUPERVISOR	2	789	SUPERVISOR_ID	NUMBER	10	0	The Staff ID of the supervisor of this unit.
150	UNIT_SUPERVISOR	3		LAST_CHGD_BY	NUMBER	10	0	Last changed by
150	UNIT_SUPERVISOR	4		LAST_CHGD_DT	DATE	7		Last changed date
155	STAFF_PROGRAM	1	2568	STAFF_PROGRAM_ID	NUMBER	10	0	
155	STAFF_PROGRAM	2	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
155	STAFF_PROGRAM	3	2566	BRASS_PROGRAM_ID	NUMBER	10	0	
155	STAFF_PROGRAM	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
155	STAFF_PROGRAM	5		LAST_CHGD_DT	DATE	7		Last changed date
170	STAFF_PROCESS	1	3509	STAFF_PROCESS_ID	NUMBER	10	0	
170	STAFF_PROCESS	2	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
170	STAFF_PROCESS	3	3508	PROCESS_ID	NUMBER	10	0	
200	ACTIVITY	1	854	ACTIVITY_ID	NUMBER	10	0	Unique, system-generated identifier of an ACTIVITY table row. May also be used as a data element. To initialize, must be set to spaces.
200	ACTIVITY	2	5	ACTIVITY_DESC	VARCHAR2	30		An allowable User activity, such as viewing or editing data
200	ACTIVITY	3		LAST_CHGD_BY	NUMBER	10	0	Last changed by
200	ACTIVITY	4		LAST_CHGD_DT	DATE	7		Last changed date
205	STAFF_ROLE	1	768	STAFF_ROLE_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF_ROLE table row. May also be used as a data element. To initialize, must be set to spaces.
205	STAFF_ROLE	2	767	STAFF_ROLE_DESC	VARCHAR2	50		Staff role description
205	STAFF_ROLE	3		LAST_CHGD_BY	NUMBER	10	0	Last changed by
205	STAFF_ROLE	4		LAST_CHGD_DT	DATE	7		Last changed date
210	ROLE_ACTIVITY	1	768	STAFF_ROLE_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF_ROLE table row. May also be used as a data element. To initialize, must be set to spaces.
210	ROLE_ACTIVITY	2	854	ACTIVITY_ID	NUMBER	10	0	Unique, system-generated identifier of an ACTIVITY table row. May also be used as a data element. To initialize, must be set to spaces.
210	ROLE_ACTIVITY	3		LAST_CHGD_BY	NUMBER	10	0	Last changed by
210	ROLE_ACTIVITY	4		LAST_CHGD_DT	DATE	7		Last changed date
300	DOCUMENT	1	215	DOCUMENT_ID	NUMBER	10	0	Unique, system-generated identifier for a DOCUMENT table row. May also be used as a data element. To initialize, must be set to spaces.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
300	DOCUMENT	2	803	TEMPL_ID	NUMBER	10	0	Unique, system-generated identifier for a TEMPLATE table row. May also be used as a data element. To initialize, must be set to spaces.
300	DOCUMENT	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
300	DOCUMENT	4	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
300	DOCUMENT	5	188	CREATED_DT	DATE	7		Date this document was created
300	DOCUMENT	6	217	DOCUMENT_STATUS_CD	CHAR	1		Documents in draft status are editable. Documents which have been finalized are not editable.
300	DOCUMENT	7	200	DESCRIPTION	VARCHAR2	65		Text description
300	DOCUMENT	8	905	DOCUMENT_TYPE_CD	CHAR	1		Used to distinguish case notes from other documents.
300	DOCUMENT	9	213	DOCUMENT	BLOB	4000		Document Blob
300	DOCUMENT	10	1345	FINALIZE_DT	DATE	7		The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.
300	DOCUMENT	11	1348	LASTEDITED_DT	DATE	7		System-generated. The last date on which a user made a change to the document.
300	DOCUMENT	12	1656	HEADER_PRINT_CD	CHAR	1		
300	DOCUMENT	13		LAST_CHGD_BY	NUMBER	10	0	Last changed by
300	DOCUMENT	14		LAST_CHGD_DT	DATE	7		Last changed date
300	DOCUMENT	15	2371	LANG_BLOCK_ID	NUMBER	10	0	
305	TEMPLATE	1	803	TEMPL_ID	NUMBER	10	0	Unique, system-generated identifier for a TEMPLATE table row. May also be used as a data element. To initialize, must be set to spaces.
305	TEMPLATE	2	802	TEMPLATE_DESC	VARCHAR2	80		Template description
305	TEMPLATE	3	213	DOCUMENT	BLOB	4000		Document Blob
305	TEMPLATE	4	1196	DOC_CAT_CD	CHAR	2		Used to distinguish letters and notices from other documents.
305	TEMPLATE	5	1656	HEADER_PRINT_CD	CHAR	1		
305	TEMPLATE	6	1273	ACTIVE_IND	CHAR	1		
305	TEMPLATE	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
305	TEMPLATE	8		LAST_CHGD_DT	DATE	7		Last changed date
315	DOCUMENTATION	1	1195	DOCUMENTATION_ID	NUMBER	10	0	Unique, system-generated identifier for a DOCUMENT table row. May also be used as a data element. To initialize, must be set to spaces.
315	DOCUMENTATION	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
315	DOCUMENTATION	3	1138	INTAKE_ID	NUMBER	10	0	Unique, system-generated identifier for an INTAKE table row. May also be used as a data element. To initialize, must be set to spaces.
315	DOCUMENTATION	4	1203	INCOMING_IND	CHAR	1		Indicates whether a particular document was received by the agency (rather than something sent out by the worker).
315	DOCUMENTATION	5	1224	RECEIVED_SENT_DT	DATE	7		The date that a document was either received by or sent out from the agency.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
315	DOCUMENTATION	6	1199	FORMAT	VARCHAR2	30		User entered description of format of documentation, e.g. audiotape, videotape, image file.
315	DOCUMENTATION	7	1212	ORIGINATOR	VARCHAR2	60		User entered name of the person who authored or initiated the document.
315	DOCUMENTATION	8	1197	DOC_NAME	VARCHAR2	60		User - entered document name.
315	DOCUMENTATION	9	1337	DOCUMENTATION_DESC	VARCHAR2	180		User-entered description of the documentation, e.g. videotape of interview with child and law enforcement.
315	DOCUMENTATION	10	1229	STORAGE_LOC	VARCHAR2	60		User-entered description of where documentation is stored, e.g. file cabinet, vault, county attorney's office.
315	DOCUMENTATION	11	1192	CNTY_DOC_ID	VARCHAR2	20		Unique document identifier assigned by the county.
315	DOCUMENTATION	12		LAST_CHGD_BY	NUMBER	10	0	Last changed by
315	DOCUMENTATION	13		LAST_CHGD_DT	DATE	7		Last changed date
350	DOCUMENT_TMPL	1	3569	DOCUMENT_TMPL_ID	NUMBER	10	0	
350	DOCUMENT_TMPL	2	3561	DOCUMENT_CAT_ID	NUMBER	10	0	
350	DOCUMENT_TMPL	3	3570	TMPL_NAME	VARCHAR2	100		
350	DOCUMENT_TMPL	4	3571	TMPL_DESC	VARCHAR2	4000		
350	DOCUMENT_TMPL	5	3572	TMPL_GRP_CD	VARCHAR2	2		
350	DOCUMENT_TMPL	6	3573	DOCUMENT_NUM	VARCHAR2	20		
350	DOCUMENT_TMPL	7	3574	TMPL_FORMAT_CD	VARCHAR2	2		
350	DOCUMENT_TMPL	8	3576	HTML_SOURCE	BLOB	4000		
350	DOCUMENT_TMPL	9	3577	TMPL_STATUS_CD	VARCHAR2	2		
350	DOCUMENT_TMPL	10	3603	ALLOW_JAVASCRIPT_IND	VARCHAR2	1		
350	DOCUMENT_TMPL	11	3605	TMPL_CREATED_DT	DATE	7		
350	DOCUMENT_TMPL	12	3606	TMPL_STATUS_DT	DATE	7		
350	DOCUMENT_TMPL	13	3607	TMPL_HEADER_ID	NUMBER	10	0	
350	DOCUMENT_TMPL	14	3608	TMPL_FOOTER_ID	NUMBER	10	0	
350	DOCUMENT_TMPL	15	3609	TMPL_TITLE_ID	NUMBER	10	0	
350	DOCUMENT_TMPL	16	3610	TMPL_STYLE_SHEET_ID	NUMBER	10	0	
350	DOCUMENT_TMPL	17	3625	TMPL_TITLE_FOOTER_ID	NUMBER	10	0	
350	DOCUMENT_TMPL	18	3614	TMPL_DEPLOY_STAT_CD	VARCHAR2	1		
350	DOCUMENT_TMPL	19	3617	DOCU_TYPE_CD	VARCHAR2	2		
350	DOCUMENT_TMPL	20	3665	ALLOW_TITLE_IND	VARCHAR2	1		
350	DOCUMENT_TMPL	21	3666	ALLOW_HEADER_IND	VARCHAR2	1		
350	DOCUMENT_TMPL	22	3667	ALLOW_TITLE_FTR_IND	VARCHAR2	1		
350	DOCUMENT_TMPL	23	3668	ALLOW_FOOTER_IND	VARCHAR2	1		
350	DOCUMENT_TMPL	24		LAST_CHGD_BY	NUMBER	10	0	Last changed by
350	DOCUMENT_TMPL	25		LAST_CHGD_DT	DATE	7		Last changed date
352	DOCU_ANSWER_SET	1	3661	DOCU_ANSWER_SET_ID	NUMBER	10	0	
352	DOCU_ANSWER_SET	2	3662	DOCU_ANSWER_SET_DESC	VARCHAR2	85		
352	DOCU_ANSWER_SET	3	3563	STATE_DEFINED_IND	CHAR	1		
352	DOCU_ANSWER_SET	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
352	DOCU_ANSWER_SET	5		LAST_CHGD_DT	DATE	7		Last changed date
355	DOCU_TMPL_DTF_XREF	1	3568	DT_DTF_XREF_ID	NUMBER	10	0	
355	DOCU_TMPL_DTF_XREF	2	3569	DOCUMENT_TMPL_ID	NUMBER	10	0	
355	DOCU_TMPL_DTF_XREF	3	3586	DOCU_TMPL_FIELD_ID	NUMBER	10	0	
355	DOCU_TMPL_DTF_XREF	4	3578	ENTITY_NAME	VARCHAR2	200		
355	DOCU_TMPL_DTF_XREF	5	3579	REQUIRED_IND	VARCHAR2	1		
355	DOCU_TMPL_DTF_XREF	6	3580	USER_SELECT_IND	VARCHAR2	1		
355	DOCU_TMPL_DTF_XREF	7	3581	TMPL_DATE_FORMAT_CD	VARCHAR2	2		
355	DOCU_TMPL_DTF_XREF	8	3583	TBL_IND	VARCHAR2	1		
355	DOCU_TMPL_DTF_XREF	9	3584	INPUT_FIELD_DEF	VARCHAR2	4000		
355	DOCU_TMPL_DTF_XREF	10	3585	TMPL_STAFF_TYPE_CD	VARCHAR2	2		
355	DOCU_TMPL_DTF_XREF	11	3618	SVC_PLAN_IND	VARCHAR2	1		
355	DOCU_TMPL_DTF_XREF	12	3626	FILTER_FIELD_DEF	VARCHAR2	4000		
355	DOCU_TMPL_DTF_XREF	13		LAST_CHGD_BY	NUMBER	10	0	Last changed by
355	DOCU_TMPL_DTF_XREF	14		LAST_CHGD_DT	DATE	7		Last changed date
360	DOCU_TMPL_FIELD	1	3586	DOCU_TMPL_FIELD_ID	NUMBER	10	0	
360	DOCU_TMPL_FIELD	2	3587	DISPLAY_LABEL	VARCHAR2	65		
360	DOCU_TMPL_FIELD	3	3588	XPATH	VARCHAR2	256		
360	DOCU_TMPL_FIELD	4	3589	CONTROL_TYPE_CD	VARCHAR2	6		
360	DOCU_TMPL_FIELD	5	3590	LIST_DOS_NAME	VARCHAR2	50		
360	DOCU_TMPL_FIELD	6	3591	DB_FIELD	VARCHAR2	30		
360	DOCU_TMPL_FIELD	7	3593	LIST_VIEW_NAME	VARCHAR2	50		
360	DOCU_TMPL_FIELD	8	3594	ENTITY_NM_ALLOW_IND	VARCHAR2	1		
360	DOCU_TMPL_FIELD	9	3595	TREE_PARENT_ID	NUMBER	10	0	
360	DOCU_TMPL_FIELD	10	3596	TREE_SEQUENCE	NUMBER	3	0	
360	DOCU_TMPL_FIELD	11	3597	TMPL_FLD_TYPE_CD	VARCHAR2	6		
360	DOCU_TMPL_FIELD	12	3598	DATA_VIEW_NAME	VARCHAR2	50		
360	DOCU_TMPL_FIELD	13	3599	DATA_DOS_NAME	VARCHAR2	50		
360	DOCU_TMPL_FIELD	14	3600	TMPL_FIELD_HINT	VARCHAR2	500		
360	DOCU_TMPL_FIELD	15	3601	CLIENT_CONTROL_WIDTH	NUMBER	3	0	
360	DOCU_TMPL_FIELD	16	3602	CREATE_ON_NEW_IND	VARCHAR2	1		
360	DOCU_TMPL_FIELD	17	3613	CLIENT_ONLY_IND	VARCHAR2	1		
360	DOCU_TMPL_FIELD	18	3619	SVC_PLAN_ALLOW_IND	VARCHAR2	1		
360	DOCU_TMPL_FIELD	19	3620	STATE_ONLY_IND	VARCHAR2	1		
360	DOCU_TMPL_FIELD	20	3621	DTF_ACTIVE_IND	VARCHAR2	1		
360	DOCU_TMPL_FIELD	21	3617	DOCU_TYPE_CD	VARCHAR2	2		
360	DOCU_TMPL_FIELD	22	3630	CARD_INFO_ID	NUMBER	10	0	
360	DOCU_TMPL_FIELD	23	3959	DEFAULT_IND	VARCHAR2	1		
360	DOCU_TMPL_FIELD	24		LAST_CHGD_BY	NUMBER	10	0	Last changed by
360	DOCU_TMPL_FIELD	25		LAST_CHGD_DT	DATE	7		Last changed date
362	DOCU_ANSWER	1	3659	DOCU_ANSWER_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
362	DOCU_ANSWER	2	3661	DOCU_ANSWER_SET_ID	NUMBER	10	0	
362	DOCU_ANSWER	3	3660	DOCU_ANSWER	VARCHAR2	120		
362	DOCU_ANSWER	4	1694	SORT_ORDER	NUMBER	10	0	NOT USED IN VERSION 3
362	DOCU_ANSWER	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
362	DOCU_ANSWER	6		LAST_CHGD_DT	DATE	7		Last changed date
365	DOCUMENT_CAT	1	3561	DOCUMENT_CAT_ID	NUMBER	10	0	
365	DOCUMENT_CAT	2	3562	DOCU_CATEGORY_DESC	VARCHAR2	65		
365	DOCUMENT_CAT	3	3563	STATE_DEFINED_IND	CHAR	1		
365	DOCUMENT_CAT	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
365	DOCUMENT_CAT	5		LAST_CHGD_DT	DATE	7		Last changed date
370	DOCUMENT_DATA	1	3564	DOCUMENT_DATA_ID	NUMBER	10	0	
370	DOCUMENT_DATA	2	3615	DOCU_DATA_PARENT_ID	NUMBER	10	0	
370	DOCUMENT_DATA	3	3616	SSIS_DOCUMENT_ID	NUMBER	10	0	
370	DOCUMENT_DATA	4	3568	DT_DTF_XREF_ID	NUMBER	10	0	
370	DOCUMENT_DATA	5	3565	KEY_ID	NUMBER	10	0	
370	DOCUMENT_DATA	6	3566	RESULT_VAL	CLOB	4000		
370	DOCUMENT_DATA	7	3631	LEGACY_VAL	BLOB	4000		
370	DOCUMENT_DATA	8	3676	KEY_VALUE	VARCHAR2	21		
370	DOCUMENT_DATA	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
370	DOCUMENT_DATA	10		LAST_CHGD_DT	DATE	7		Last changed date
372	DOCU_CONDITION	1	3653	DOCU_CONDITION_ID	NUMBER	10	0	
372	DOCU_CONDITION	2	3569	DOCUMENT_TMPL_ID	NUMBER	10	0	
372	DOCU_CONDITION	3	3664	DT_DTF_XREF_ID_DRVR	NUMBER	10	0	
372	DOCU_CONDITION	4	3658	DT_DTF_XREF_ID_AFFCT	NUMBER	10	0	
372	DOCU_CONDITION	5	3654	ENTITY_NAME_DRIVER	VARCHAR2	200		
372	DOCU_CONDITION	6	3655	ENTITY_NAME_AFFECTED	VARCHAR2	200		
372	DOCU_CONDITION	7	3656	GT_LT_EQUAL_CD	VARCHAR2	5		
372	DOCU_CONDITION	8	3657	CONDITION_VAL	VARCHAR2	200		
372	DOCU_CONDITION	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
372	DOCU_CONDITION	10		LAST_CHGD_DT	DATE	7		Last changed date
375	SSIS_DOCUMENT	1	3616	SSIS_DOCUMENT_ID	NUMBER	10	0	
375	SSIS_DOCUMENT	2	3569	DOCUMENT_TMPL_ID	NUMBER	10	0	
375	SSIS_DOCUMENT	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
375	SSIS_DOCUMENT	4	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
375	SSIS_DOCUMENT	5	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
375	SSIS_DOCUMENT	6	3512	AD_WARD_EVENT_ID	NUMBER	10	0	
375	SSIS_DOCUMENT	7	3622	DOCUMENT_DESC	VARCHAR2	100		
375	SSIS_DOCUMENT	8	3623	CREATION_DT	DATE	7		

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
375	SSIS_DOCUMENT	9	1345	FINALIZE_DT	DATE	7		The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.
375	SSIS_DOCUMENT	10	1348	LASTEDITED_DT	DATE	7		System-generated. The last date on which a user made a change to the document.
375	SSIS_DOCUMENT	11	217	DOCUMENT_STATUS_CD	CHAR	1		Documents in draft status are editable. Documents which have been finalized are not editable.
375	SSIS_DOCUMENT	12	3652	SETUP_COMPL_IND	VARCHAR2	1		
375	SSIS_DOCUMENT	13		LAST_CHGD_BY	NUMBER	10	0	Last changed by
375	SSIS_DOCUMENT	14		LAST_CHGD_DT	DATE	7		Last changed date
377	DOCU_GROUP	1	4099	DOCU_GROUP_ID	NUMBER	10	0	
377	DOCU_GROUP	2	4106	DOCU_GROUP_PARENT_ID	NUMBER	10	0	
377	DOCU_GROUP	3	3569	DOCUMENT_TMPL_ID	NUMBER	10	0	
377	DOCU_GROUP	4	4100	ICON	NUMBER	3	0	
377	DOCU_GROUP	5	4101	DG_CAPTION	VARCHAR2	100		
377	DOCU_GROUP	6	4102	REQ_IND	VARCHAR2	1		
377	DOCU_GROUP	7	4103	COMPLETE_IND	VARCHAR2	1		
377	DOCU_GROUP	8	4104	GRP_CLASSNAME	VARCHAR2	30		
377	DOCU_GROUP	9	4105	GRP_ORDER	NUMBER	3	0	
377	DOCU_GROUP	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
377	DOCU_GROUP	11		LAST_CHGD_DT	DATE	7		Last changed date
378	DOCU_GRP_FLD_XREF	1	4107	DOCU_GRP_FLD_XREF_ID	NUMBER	10	0	
378	DOCU_GRP_FLD_XREF	2	4099	DOCU_GROUP_ID	NUMBER	10	0	
378	DOCU_GRP_FLD_XREF	3	3568	DT_DTF_XREF_ID	NUMBER	10	0	
378	DOCU_GRP_FLD_XREF	4	4108	READ_ONLY_IND	VARCHAR2	1		
378	DOCU_GRP_FLD_XREF	5	4109	DGFX_CAPTION	VARCHAR2	300		
378	DOCU_GRP_FLD_XREF	6	4110	CMP_TAG	NUMBER	10	0	
378	DOCU_GRP_FLD_XREF	7	4111	LOAD_ORDER	NUMBER	3	0	
378	DOCU_GRP_FLD_XREF	8	4112	CAPTION_TAG	NUMBER	10	0	
378	DOCU_GRP_FLD_XREF	9	4139	ELEM_ROW	NUMBER	10	0	
378	DOCU_GRP_FLD_XREF	10	4160	SECTION_TAG	VARCHAR2	10		
378	DOCU_GRP_FLD_XREF	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
378	DOCU_GRP_FLD_XREF	12		LAST_CHGD_DT	DATE	7		Last changed date
379	DOCU_GRP_DOC_XREF	1	4125	DOCU_GRP_DOC_XREF_ID	NUMBER	10	0	
379	DOCU_GRP_DOC_XREF	2	4099	DOCU_GROUP_ID	NUMBER	10	0	
379	DOCU_GRP_DOC_XREF	3	3616	SSIS_DOCUMENT_ID	NUMBER	10	0	
379	DOCU_GRP_DOC_XREF	4	4126	GRP_COMPLETE_IND	VARCHAR2	1		
379	DOCU_GRP_DOC_XREF	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
379	DOCU_GRP_DOC_XREF	6		LAST_CHGD_DT	DATE	7		Last changed date
380	DOCU_REQUIREMENT	1	3627	DOCU_REQUIREMENT_ID	NUMBER	10	0	
380	DOCU_REQUIREMENT	2	3569	DOCUMENT_TMPL_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
380	DOCU_REQUIREMENT	3	3629	DOCU_REQUIREMENT_CD	VARCHAR2	1		
380	DOCU_REQUIREMENT	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
380	DOCU_REQUIREMENT	5		LAST_CHGD_DT	DATE	7		Last changed date
382	DOCU_PROMPT	1	3669	DOCU_PROMPT_ID	NUMBER	10	0	
382	DOCU_PROMPT	2	3568	DT_DTF_XREF_ID	NUMBER	10	0	
382	DOCU_PROMPT	3	3661	DOCU_ANSWER_SET_ID	NUMBER	10	0	
382	DOCU_PROMPT	4	3670	PROMPT_TEXT	VARCHAR2	256		
382	DOCU_PROMPT	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
382	DOCU_PROMPT	6		LAST_CHGD_DT	DATE	7		Last changed date
385	DOCU_IMAGE	1	3632	DOCU_IMAGE_ID	NUMBER	10	0	
385	DOCU_IMAGE	2	3568	DT_DTF_XREF_ID	NUMBER	10	0	
385	DOCU_IMAGE	3	3633	DOCU_BLOB	BLOB	4000		
385	DOCU_IMAGE	4	3640	DOCU_IMG_NAME	VARCHAR2	50		
385	DOCU_IMAGE	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
385	DOCU_IMAGE	6		LAST_CHGD_DT	DATE	7		Last changed date
390	EXTERN_DOC_LINKS	1	3686	EXTERN_DOC_LINKS_ID	NUMBER	10	0	
390	EXTERN_DOC_LINKS	1		EXTERN_DOC_LINKS_ID	NUMBER	10	0	
390	EXTERN_DOC_LINKS	2		EXT_NUM	VARCHAR2	20		
390	EXTERN_DOC_LINKS	2	3687	EXT_NUM	VARCHAR2	20		
390	EXTERN_DOC_LINKS	3		EXT_TITLE	VARCHAR2	200		
390	EXTERN_DOC_LINKS	3	3688	EXT_TITLE	VARCHAR2	200		
390	EXTERN_DOC_LINKS	4	3637	DHS_AGENCY_IND	VARCHAR2	1		
390	EXTERN_DOC_LINKS	5	3689	EXT_URL	VARCHAR2	500		
390	EXTERN_DOC_LINKS	5		EXT_URL	VARCHAR2	500		
390	EXTERN_DOC_LINKS	6	3690	EXT_DESC	VARCHAR2	500		
390	EXTERN_DOC_LINKS	6		EXT_DESC	VARCHAR2	500		
390	EXTERN_DOC_LINKS	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
390	EXTERN_DOC_LINKS	8		LAST_CHGD_DT	DATE	7		Last changed date
392	DOCU_HEADERS_FOOTERS	1	3671	DOCU_HEADERS_FTRS_ID	NUMBER	10	0	
392	DOCU_HEADERS_FOOTERS	2	3616	SSIS_DOCUMENT_ID	NUMBER	10	0	
392	DOCU_HEADERS_FOOTERS	3	3607	TMPL_HEADER_ID	NUMBER	10	0	
392	DOCU_HEADERS_FOOTERS	4	3608	TMPL_FOOTER_ID	NUMBER	10	0	
392	DOCU_HEADERS_FOOTERS	5	3625	TMPL_TITLE_FOOTER_ID	NUMBER	10	0	
392	DOCU_HEADERS_FOOTERS	6	3609	TMPL_TITLE_ID	NUMBER	10	0	
392	DOCU_HEADERS_FOOTERS	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
392	DOCU_HEADERS_FOOTERS	8		LAST_CHGD_DT	DATE	7		Last changed date
395	CARD_INFO	1	3630	CARD_INFO_ID	NUMBER	10	0	
395	CARD_INFO	2	3642	DO_SERVER_OBJECT	VARCHAR2	85		
395	CARD_INFO	3	3643	DO_ACTIVE_VIEW	VARCHAR2	85		
395	CARD_INFO	4	3644	CARD_CAPTION_FIELD	VARCHAR2	30		
395	CARD_INFO	5	3645	KEY_FIELD_NAME	VARCHAR2	30		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
395	CARD_INFO	6	3646	CARD_FIELDLIST	VARCHAR2	1000		
395	CARD_INFO	7	3647	CARD_HEIGHT	NUMBER	4	0	
395	CARD_INFO	8	3648	CARD_WIDTH	NUMBER	4	0	
395	CARD_INFO	9	3641	DISABLE_BUS_RULES	VARCHAR2	1		
395	CARD_INFO	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
395	CARD_INFO	11		LAST_CHGD_DT	DATE	7		Last changed date
397	IMP_TMPL_HOLD	1	3691	IMP_TMPL_HOLD_ID	CHAR	10		
397	IMP_TMPL_HOLD	2	3692	IMP_TMPL_XML	CLOB	4000		
400	WORK_GROUP	1	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
400	WORK_GROUP	2	831	UNIT_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF_UNIT table row. Also may be used as a data element. To initialize, must be set to spaces.
400	WORK_GROUP	3	390	FOLDER_ID	NUMBER	10	0	Unique, system-generated identifier for a WG_FOLDER table row. May also be used as a data element. Is a collection of work groups (a case); county defined. To initialize, must be set to spaces.
400	WORK_GROUP	4	845	WG_LABEL	VARCHAR2	80		The name of the workgroup. The label format is: last name; space; first name; space; abbreviation for BRASS program; space; workgroup status; space; and workgroup start date.
400	WORK_GROUP	5	770	START_DT	DATE	7		
400	WORK_GROUP	6	2556	SUBPROG_ID	NUMBER	10	0	
400	WORK_GROUP	7	233	END_DT	DATE	7		
400	WORK_GROUP	8	132	CNTY_CASE_NUM	VARCHAR2	10		A county's internal case number.
400	WORK_GROUP	9	69	APP_STATUS_CD	CHAR	1		Application Status Code
400	WORK_GROUP	10	66	APP_COMPL_DT	DATE	7		Date a client completed the application for service.
400	WORK_GROUP	11	68	APP_SIGNED_DT	DATE	7		Date a client signed the application for service.
400	WORK_GROUP	12	67	APP_NUM	CHAR	2		County's application number
400	WORK_GROUP	13	754	SPECIAL_STUDIES_CD	CHAR	2		County defined. For example, were these people in a flood?
400	WORK_GROUP	14	706	REASON_ENDED_CD	CHAR	2		Reason services under this program ended.
400	WORK_GROUP	15	201	DESTRUCTION_DT	DATE	7		Destruction date is the date after which records can be destroyed according to current data retention guidelines
400	WORK_GROUP	16	885	READ_RESTRICT_CD	CHAR	1		Relates to a staff member's security authorization level
400	WORK_GROUP	17	1158	CURR_STATUS_CD	CHAR	1		The current status of the workgroup.
400	WORK_GROUP	18	1157	ASSIGNED_IND	CHAR	1		Indicates whether a workgroup has been assigned to a primary worker. If No, the workgroup will appear on the Assignment Log.
400	WORK_GROUP	19	1184	WG_TYPE_CD	CHAR	1		Assessment or Case Management.
400	WORK_GROUP	20	139	CNTY_OF_SVC_CD	CHAR	2		County of service
400	WORK_GROUP	21	1667	CONVERSION_CD	CHAR	1		
400	WORK_GROUP	22	136	CNTY_FIN_RESP_CD	CHAR	2		County of Financial Responsibility
400	WORK_GROUP	23	3140	WG_DESC	VARCHAR2	40		
400	WORK_GROUP	24	3535	CNTY_DESTDT_MOD_IND	VARCHAR2	1		
400	WORK_GROUP	25		LAST_CHGD_BY	NUMBER	10	0	Last changed by

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
400	WORK_GROUP	26		LAST_CHGD_DT	DATE	7		Last changed date
405	WG_FOLDER	1	390	FOLDER_ID	NUMBER	10	0	Unique, system-generated identifier for a WG_FOLDER table row. May also be used as a data element. Is a collection of work groups (a case); county defined. To initialize, must be set to spaces.
405	WG_FOLDER	2	2419	BUS_ORG_ID	NUMBER	10	0	
405	WG_FOLDER	3	391	FOLDER_LABEL	VARCHAR2	45		The folder name or case name.
405	WG_FOLDER	4	132	CNTY_CASE_NUM	VARCHAR2	10		A county's internal case number.
405	WG_FOLDER	5	392	FOLDER_STAT_CD	CHAR	1		Folder status code.
405	WG_FOLDER	6	770	START_DT	DATE	7		
405	WG_FOLDER	7	233	END_DT	DATE	7		
405	WG_FOLDER	8	3338	FOLDER_DESC	VARCHAR2	35		
405	WG_FOLDER	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
405	WG_FOLDER	10		LAST_CHGD_DT	DATE	7		Last changed date
415	ADOPTION	1	1744	ADOPTION_ID	NUMBER	10	0	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.
415	ADOPTION	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
415	ADOPTION	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
415	ADOPTION	4	780	STRUCT_AD_FAM_CD	CHAR	1		Afcars AD 22: Structure of the Adoptive family
415	ADOPTION	5	17	ADOPT_STATUS_CD	CHAR	1		CSIS codes
415	ADOPTION	6	1778	FOSTERPRNT1_REL_CD	CHAR	1		Fosterparent relationship
415	ADOPTION	7	1779	FOSTERPRNT2_REL_CD	CHAR	1		Fosterparent relationship
415	ADOPTION	8	1766	CNTY_COMMITMENT_CD	CHAR	2		
415	ADOPTION	9	1816	SUPERVIS_AGENCY_CD	CHAR	3		
415	ADOPTION	10	1810	RESP_AGENCY_CD	CHAR	3		
415	ADOPTION	11	1789	OTHER_CONTACT_NAME	VARCHAR2	40		
415	ADOPTION	12	1790	OTHER_PHONE	VARCHAR2	14		
415	ADOPTION	13	1811	RESP_AGENCY_PHN	VARCHAR2	14		
415	ADOPTION	14	1813	RESP_AGENCY_WRKR	VARCHAR2	40		
415	ADOPTION	15	1812	RESP_AGENCY_SUP	VARCHAR2	40		
415	ADOPTION	16	1823	RESP_AGENCY_SUPPHN	VARCHAR2	14		
415	ADOPTION	17	1822	OTHER_AGCY_ROLE_CD	CHAR	1		
415	ADOPTION	18	1873	PRNT1_MSTAT_REL_CD	CHAR	1		
415	ADOPTION	19	1875	PRNT2_MSTAT_REL_CD	CHAR	1		
415	ADOPTION	20	1872	PRNT1_MSTAT_BTH_CD	CHAR	1		
415	ADOPTION	21	1874	PRNT2_MSTAT_BTH_CD	CHAR	1		
415	ADOPTION	22	1870	OTHER_AGENCY_CD	CHAR	3		
415	ADOPTION	23	1866	ADOPTPET_RPT_DT	DATE	7		
415	ADOPTION	24	1877	SAE_RPT_DT	DATE	7		
415	ADOPTION	25	1878	STATEWARD_RPT_DT	DATE	7		

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
415	ADOPTION	26	2672	RSP_AGCY_WKR_EMAIL	VARCHAR2	100		
415	ADOPTION	27	2678	PRNT_1_ID	NUMBER	10	0	
415	ADOPTION	28	2677	PRNT_2_ID	NUMBER	10	0	
415	ADOPTION	29	2682	TERM_COMPLETE_1_IND	VARCHAR2	1		
415	ADOPTION	30	2681	TERM_COMPLETE_2_IND	VARCHAR2	1		
415	ADOPTION	31	2680	TERM_PROG_DT_1_CD	VARCHAR2	1		
415	ADOPTION	32	2679	TERM_PROG_DT_2_CD	VARCHAR2	1		
415	ADOPTION	33	2691	ALLEG_FATHER_IND	VARCHAR2	1		
415	ADOPTION	34	2690	TERM_PROG_1_DT	DATE	7		
415	ADOPTION	35	2689	TERM_PROG_2_DT	DATE	7		
415	ADOPTION	36	2614	CONTPLCMT_ID	NUMBER	10	0	
415	ADOPTION	37	3088	STATE_INVOLV_IND	VARCHAR2	1		
415	ADOPTION	38	3087	CHILD_PLC_FROM_CD	VARCHAR2	1		
415	ADOPTION	39	3086	CHILD_PLC_BY_CD	VARCHAR2	1		
415	ADOPTION	40	3085	MONTHLY_AA_MAINT_IND	VARCHAR2	1		
415	ADOPTION	41	3084	MONTHLY_AA_AMOUNT	NUMBER	10	0	
415	ADOPTION	42	3083	MONTHLY_AA_IVE_IND	VARCHAR2	1		
415	ADOPTION	43		LAST_CHGD_BY	NUMBER	10	0	Last changed by
415	ADOPTION	44		LAST_CHGD_DT	DATE	7		Last changed date
425	WG_RELATIONSHIP	1	3294	WG_RELATIONSHIP_ID	NUMBER	10	0	
425	WG_RELATIONSHIP	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
425	WG_RELATIONSHIP	3	844	WG_ID2	NUMBER	10	0	Unique, system-generated identifier for a WORK GROUP table row (2nd reference). May also be used as a data element. To initialize, must be set to spaces.
425	WG_RELATIONSHIP	4	3293	WG_ASSOCIATION_DT	DATE	7		
425	WG_RELATIONSHIP	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
425	WG_RELATIONSHIP	6		LAST_CHGD_DT	DATE	7		Last changed date
435	MEDICAL_INSURANCE	1	1173	MEDICAL_INS_ID	NUMBER	10	0	Unique, system-generated identifier for a MEDICAL_INSURANCE table row. May also be used as a data element. To initialize, must be set to spaces.
435	MEDICAL_INSURANCE	2	390	FOLDER_ID	NUMBER	10	0	Unique, system-generated identifier for a WG_FOLDER table row. May also be used as a data element. Is a collection of work groups (a case); county defined. To initialize, must be set to spaces.
435	MEDICAL_INSURANCE	3	653	POLICY_NUM	VARCHAR2	15		The medical insurance policy number.
435	MEDICAL_INSURANCE	4	433	INS_COMPANY_NAME	VARCHAR2	50		Name of insurance company.
435	MEDICAL_INSURANCE	5	770	START_DT	DATE	7		
435	MEDICAL_INSURANCE	6	233	END_DT	DATE	7		
435	MEDICAL_INSURANCE	7	1177	POLICY HOLDER_ID	NUMBER	10	0	The SSIS Person_ID for the person in the workgroup who is the policyholder for this medical insurance policy.
435	MEDICAL_INSURANCE	8	1066	GROUP_NUM	VARCHAR2	20		Group number on a medical insurance policy

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
435	MEDICAL_INSURANCE	9	1171	HEALTH_PLAN_TYPE_CD	CHAR	1		The type of health plan.
435	MEDICAL_INSURANCE	10	632	PHONE_1	VARCHAR2	14		
435	MEDICAL_INSURANCE	11	1179	PRIOR_AUTH_PHONE	VARCHAR2	14		The phone number used to access insurance personnel who are capable of making prior authorizations for medical expenses.
435	MEDICAL_INSURANCE	12		LAST_CHGD_BY	NUMBER	10	0	Last changed by
435	MEDICAL_INSURANCE	13		LAST_CHGD_DT	DATE	7		Last changed date
440	POLICY_MEMBER	1	1178	POLICY_MEMBER_ID	NUMBER	10	0	Unique, system-generated identifier for a POLICY_MEMBER table row. May also be used as a data element. To initialize, must be set to spaces.
440	POLICY_MEMBER	2	1173	MEDICAL_INS_ID	NUMBER	10	0	Unique, system-generated identifier for a MEDICAL_INSURANCE table row. May also be used as a data element. To initialize, must be set to spaces.
440	POLICY_MEMBER	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
440	POLICY_MEMBER	4	653	POLICY_NUM	VARCHAR2	15		The medical insurance policy number.
440	POLICY_MEMBER	5	1159	PRIMARY_IND	CHAR	1		Indicates whether this staff is the primary worker for this workgroup.
440	POLICY_MEMBER	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
440	POLICY_MEMBER	7		LAST_CHGD_DT	DATE	7		Last changed date
500	PERSON	1	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
500	PERSON	2	92	BIRTH_DT	DATE	7		Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12
500	PERSON	3	1050	TITLE_OF_COURTESY	VARCHAR2	6		Courtesy Title
500	PERSON	4	388	FIRST_NAME	VARCHAR2	20		
500	PERSON	5	485	MIDDLE_NAME	VARCHAR2	20		
500	PERSON	6	452	LAST_NAME	VARCHAR2	30		
500	PERSON	7	499	NAME_SUFFIX	VARCHAR2	5		
500	PERSON	8	632	PHONE_1	VARCHAR2	14		
500	PERSON	9	402	GENDER_CD	CHAR	1		
500	PERSON	10	745	SECURITY_EXCL_IND	CHAR	1		Security exclusion indicator: For sensitive cases, this will be "on" to workers not authorized to view
500	PERSON	11	3341	HISPANIC_CD	CHAR	1		
500	PERSON	12	140	CNTY_PERSON_NUM	VARCHAR2	10		Client number
500	PERSON	13	196	DECEASED_DT	DATE	7		Date of death, if applicable
500	PERSON	14	837	VETERAN_IND	CHAR	1		Is this person a veteran?
500	PERSON	15	1161	CLEARING_STATUS_CD	CHAR	1		
500	PERSON	16	760	SSN	VARCHAR2	9		Social Security Number.
500	PERSON	17	1176	PMI	VARCHAR2	10		This person's unique person identifier from the MAXIS system.
500	PERSON	18	1172	MARITAL_STATUS_CD	CHAR	1		
500	PERSON	19	1251	LEGAL_STATUS_CD	CHAR	2		
500	PERSON	20	1457	SW_INDEX_ID	NUMBER	10	0	Statewide SSIS Index ID. Unique system-generated identifier for a person on the statewide client index for SSIS.
500	PERSON	21	2230	PRIM_LANGUAGE_CD	CHAR	2		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
500	PERSON	22	2386	ESTIMATED_BIRTH_DT	DATE	7		
500	PERSON	23	2456	INTERPRETER_IND	CHAR	1		
500	PERSON	24	418	ICWA_IND	CHAR	1		Is the child covered under the Indian Child Welfare Act? CWCDR - D 8
500	PERSON	25	3411	CTZNSHP_STATUS_CD	VARCHAR2	1		
500	PERSON	26	3410	CTZNSHP_VFCN_CD	VARCHAR2	2		
500	PERSON	27	3409	CTZNSHP_VFCN_DT	DATE	7		
500	PERSON	28	3408	CTZNSHP_EFF_DT	DATE	7		
500	PERSON	29	3407	BIRTH_ST_CD	VARCHAR2	2		
500	PERSON	30	3406	BIRTH_CNTY_CD	VARCHAR2	2		
500	PERSON	31	1759	BIRTH_COUNTRY	VARCHAR2	30		The country in which the child was born. For non-foreign adoptions, enter "USA".
500	PERSON	32		LAST_CHGD_BY	NUMBER	10	0	Last changed by
500	PERSON	33		LAST_CHGD_DT	DATE	7		Last changed date
505	NAME	1	498	NAME_ID	NUMBER	10	0	Unique, system-generated identifier for a NAME table row. May also be used as a data element. To initialize, must be set to spaces.
505	NAME	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
505	NAME	3	1050	TITLE_OF_COURTESY	VARCHAR2	6		Courtesy Title
505	NAME	4	452	LAST_NAME	VARCHAR2	30		
505	NAME	5	388	FIRST_NAME	VARCHAR2	20		
505	NAME	6	485	MIDDLE_NAME	VARCHAR2	20		
505	NAME	7	499	NAME_SUFFIX	VARCHAR2	5		
505	NAME	8	500	NAME_TYPE_CD	CHAR	1		
505	NAME	9	751	SOUNDEX_LAST	VARCHAR2	6		Phonetic last name
505	NAME	10	750	SOUNDEX_FIRST	VARCHAR2	6		Phonetic first name
505	NAME	11	1340	UPPER_LAST	VARCHAR2	30		Last name in upper case
505	NAME	12	1339	UPPER_FIRST	VARCHAR2	20		First name in upper case.
505	NAME	13		LAST_CHGD_BY	NUMBER	10	0	Last changed by
505	NAME	14		LAST_CHGD_DT	DATE	7		Last changed date
510	PERSON_ADDRESS_XREF	1	1162	PERSON_ADD_XREF_ID	NUMBER	10	0	Unique, system-generated identifier for PERSON_ADDRESS_XREF table row. May also be used as a data element. To initialize, must be set to spaces.
510	PERSON_ADDRESS_XREF	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
510	PERSON_ADDRESS_XREF	3	2398	ADDRESS_ID	NUMBER	10	0	
510	PERSON_ADDRESS_XREF	4	12	ADDR_TYPE_CD	CHAR	1		The type of address..
510	PERSON_ADDRESS_XREF	5	770	START_DT	DATE	7		
510	PERSON_ADDRESS_XREF	6	233	END_DT	DATE	7		
510	PERSON_ADDRESS_XREF	7	515	NO_MAIL_IND	CHAR	1		No mail to this address? ('Y' if no mail is to be sent to this address.)
510	PERSON_ADDRESS_XREF	8	239	EXCEPTION_ADDR_CD	CHAR	1		The type of exception address.
510	PERSON_ADDRESS_XREF	9	102	CARE_OF_LINE	VARCHAR2	40		Care/of line is the 2nd line of an addressee (when needed)

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
510	PERSON_ADDRESS_XREF	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
510	PERSON_ADDRESS_XREF	11		LAST_CHGD_DT	DATE	7		Last changed date
525	PERSON_WG_XREF	1	1174	PERSON_WG_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON_WG_ID table row. May also be used as a data element. To initialize, must be set to spaces.
525	PERSON_WG_XREF	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
525	PERSON_WG_XREF	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
525	PERSON_WG_XREF	4	233	END_DT	DATE	7		
525	PERSON_WG_XREF	5	307	FAMILY_MEMBER_NUM	CHAR	2		A county-assigned identifier for a person, within a single application/case number.
525	PERSON_WG_XREF	6	838	VIOLENCE_IND	CHAR	1		Is there a violence warning associated with this Person?
525	PERSON_WG_XREF	7	1169	ASSOC_STATUS_CD	CHAR	1		The status of this person's association with this workgroup.
525	PERSON_WG_XREF	8	1170	DISASSOC_REASON_CD	CHAR	2		The reason why this person is no longer associated with this workgroup.
525	PERSON_WG_XREF	9	1278	TENN_IND	CHAR	1		Used to indicate whether a Tennessee Notice has been given to this person. Defaults to 'N'.
525	PERSON_WG_XREF	10	1279	TENN_TYPE_CD	CHAR	1		Which type of Tennessee Notice was given to the person (verbal or written)?
525	PERSON_WG_XREF	11	1277	TENN_DT	DATE	7		The date this person received the Tennessee Notice.
525	PERSON_WG_XREF	12	1657	LICENSING_ROLE_CD	CHAR	1		0 = workgroup was converted, but has not been verified; 1 = workgroup was converted and has been verified; 2 = workgroup was created using the application (i.e., it is not a converted workgroup).
525	PERSON_WG_XREF	13		LAST_CHGD_BY	NUMBER	10	0	Last changed by
525	PERSON_WG_XREF	14		LAST_CHGD_DT	DATE	7		Last changed date
535	DISABILITY	1	1187	DISABILITY_ID	NUMBER	10	0	Unique, system-generated identifier for a DISABILITY table row. May also be used as a data element. To initialize, must be set to spaces.
535	DISABILITY	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
535	DISABILITY	3	411	HIGHLVL_DISABIL_CD	CHAR	2		
535	DISABILITY	4	770	START_DT	DATE	7		
535	DISABILITY	5	233	END_DT	DATE	7		
535	DISABILITY	6	1815	SEVERITY_CD	CHAR	1		
535	DISABILITY	7	1769	CORRECTABLE_IND	CHAR	1		
535	DISABILITY	8	1817	THERAPY_REQ_IND	CHAR	1		
535	DISABILITY	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
535	DISABILITY	10		LAST_CHGD_DT	DATE	7		Last changed date
537	PERSON_DIAGNOSIS	1	2234	PERSON_DIAG_ID	NUMBER	10	0	
537	PERSON_DIAGNOSIS	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
537	PERSON_DIAGNOSIS	3	2236	DIAGNOSIS_ID	NUMBER	10	0	Unique, system-generated identifier for a DIAGNOSIS_CODE table row. May also be used as a data element. To initialize, must be set to spaces.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
537	PERSON_DIAGNOSIS	4	2232	DIAG_START_DT	DATE	7		
537	PERSON_DIAGNOSIS	5	2231	DIAG_END_DT	DATE	7		
537	PERSON_DIAGNOSIS	6	3077	PRIMARY_DIAG_IND	VARCHAR2	1		
537	PERSON_DIAGNOSIS	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
537	PERSON_DIAGNOSIS	8		LAST_CHGD_DT	DATE	7		Last changed date
540	OTHER_IDS	1	2455	OTHER_IDS_ID	NUMBER	10	0	
540	OTHER_IDS	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
540	OTHER_IDS	3	564	OTHER_ID	VARCHAR2	20		A person's or work group's other unique identifiers, such as MAXIS ID, PRISM ID, MAXIS Case ID.
540	OTHER_IDS	4	565	OTHER_ID_TYPE_CD	CHAR	1		Code value for the type of other ID
540	OTHER_IDS	5	226	EFF_START_DT	DATE	7		Effective start date
540	OTHER_IDS	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
540	OTHER_IDS	7		LAST_CHGD_DT	DATE	7		Last changed date
550	RACE_ETHNIC_TRIBE	1	1181	RACE_ETHNIC_ID	NUMBER	10	0	Unique, system-generated identifier for a RACE_ETHNIC_TRIBE table row. May also be used as a data element. To initialize, must be set to spaces.
550	RACE_ETHNIC_TRIBE	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
550	RACE_ETHNIC_TRIBE	3	684	RACE_CD	CHAR	1		Person Race. Afcars AD 7, 25, 27. Afcars FC 8, 52, 54. CWCDR - C 10, F 9, F 10, F 18, F 19
550	RACE_ETHNIC_TRIBE	4	685	RACE_SUBGRP_CD	CHAR	3		Person Race subgroup; for example, race = American Indian, subgroup= Lakota
550	RACE_ETHNIC_TRIBE	5	826	TRIBAL_STAT_CD	CHAR	1		Tribal enrollment status code. CWCDR - C 16, C 18, F 13, F 15, F 22, F24
550	RACE_ETHNIC_TRIBE	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
550	RACE_ETHNIC_TRIBE	7		LAST_CHGD_DT	DATE	7		Last changed date
585	SPECIAL_NEEDS	1	1228	SPECIAL_NEEDS_ID	NUMBER	10	0	Unique, system-generated identifier for a SPECIAL_NEEDS table row. May also be used as a data element. To initialize, must be set to spaces.`
585	SPECIAL_NEEDS	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
585	SPECIAL_NEEDS	3	753	SPECIAL_NEED_CD	CHAR	2		CWCDR - C 24, C 25, C 26, C 27, C 28
585	SPECIAL_NEEDS	4	3075	PRIMARY_SN_IND	VARCHAR2	1		
585	SPECIAL_NEEDS	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
585	SPECIAL_NEEDS	6		LAST_CHGD_DT	DATE	7		Last changed date
592	PERSON_PHONE_XREF	1	1163	PERSON_PHONE_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON_PHONE table row. May also be used as a data element. To initialize, must be set to spaces.
592	PERSON_PHONE_XREF	2	2412	PHONE_ID	NUMBER	10	0	
592	PERSON_PHONE_XREF	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
592	PERSON_PHONE_XREF	4	1165	PHONE_TYPE_CD	CHAR	1		
592	PERSON_PHONE_XREF	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
592	PERSON_PHONE_XREF	6		LAST_CHGD_DT	DATE	7		Last changed date

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
595	PERSON_ILS	1	1729	PERSON_ILS_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON_ILS table row. May also be used as a data element. To initialize, must be set to spaces.
595	PERSON_ILS	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
595	PERSON_ILS	3	1733	REPORTING_YEAR	NUMBER	10	0	
595	PERSON_ILS	4	1028	SELF_AGENCY_CD	CHAR	2		SELF Agency Code
595	PERSON_ILS	5	1024	OTHER	VARCHAR2	30		SELF report Service type = Other
595	PERSON_ILS	6	1728	PARENT_IND	CHAR	1		
595	PERSON_ILS	7	1727	NUM_OF_CHILDREN	NUMBER	10	0	
595	PERSON_ILS	8	1723	MARRIED_IND	CHAR	1		
595	PERSON_ILS	9	1738	SELF_LIV_ARRGMT_CD	CHAR	1		
595	PERSON_ILS	10	1736	SELF_EDUC_CD	CHAR	1		
595	PERSON_ILS	11	1742	TIME_CARE_CD	CHAR	1		
595	PERSON_ILS	12	1737	SELF_HIGHEST_GRADE	NUMBER	10	0	
595	PERSON_ILS	13	1865	NO_SELF_FUNDED_IND	CHAR	1		
595	PERSON_ILS	14	1894	COURT_PLCMT_IND	CHAR	1		
595	PERSON_ILS	15	1896	STATE_WARD_IND	CHAR	1		
595	PERSON_ILS	16	1898	PLCMT_IND	CHAR	1		
595	PERSON_ILS	17		LAST_CHGD_BY	NUMBER	10	0	Last changed by
595	PERSON_ILS	18		LAST_CHGD_DT	DATE	7		Last changed date
597	PERSON_EMAIL_XREF	1	2587	PERSON_EMAIL_ID	NUMBER	10	0	
597	PERSON_EMAIL_XREF	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
597	PERSON_EMAIL_XREF	3	2576	EMAIL_ID	NUMBER	10	0	
597	PERSON_EMAIL_XREF	4	2573	EMAIL_TYPE_CD	VARCHAR2	1		
597	PERSON_EMAIL_XREF	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
597	PERSON_EMAIL_XREF	6		LAST_CHGD_DT	DATE	7		Last changed date
600	RELATIONSHIP	1	1183	RELATIONSHIP_ID	NUMBER	10	0	Unique, system-generated identifier for a RELATIONSHIP table row. May also be used as a data element. To initialize, must be set to spaces.
600	RELATIONSHIP	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
600	RELATIONSHIP	3	626	PERSON_ID_2	NUMBER	10	0	Unique, system-generated identifier of the second person in a relationship
600	RELATIONSHIP	4	2396	RELATION_ID	NUMBER	10	0	
600	RELATIONSHIP	5	3493	REL_STATUS_CD	VARCHAR2	1		
600	RELATIONSHIP	6	3492	REL_INACTIVE_RSN_CD	VARCHAR2	2		
600	RELATIONSHIP	7	3491	REL_INACTIVE_DT	DATE	7		
600	RELATIONSHIP	8	3490	REL_INACTIVE_DET_CD	VARCHAR2	1		
600	RELATIONSHIP	9	3489	BMOTHER_MARRIED_CD	VARCHAR2	1		
600	RELATIONSHIP	10	3488	BFATHER_DET_CD	VARCHAR2	1		
600	RELATIONSHIP	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
600	RELATIONSHIP	12		LAST_CHGD_DT	DATE	7		Last changed date
610	PERSON_WORK	1	1260	PERSON_WORK_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON_WORK table row. May also be used as a data element. To initialize, must be set to spaces.
610	PERSON_WORK	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
610	PERSON_WORK	3	2419	BUS_ORG_ID	NUMBER	10	0	
610	PERSON_WORK	4	2432	FIELD_PRACTICE_ID	NUMBER	10	0	
610	PERSON_WORK	5	1244	EMPL_STATUS_CD	CHAR	1		Indicates person's primary work status.
610	PERSON_WORK	6	231	EMPLOYER_NAME	VARCHAR2	40		Employer's name, if employed
610	PERSON_WORK	7	1262	SCHEDULE	VARCHAR2	40		
610	PERSON_WORK	8	770	START_DT	DATE	7		
610	PERSON_WORK	9	233	END_DT	DATE	7		
610	PERSON_WORK	10	2434	WORK_DESC	VARCHAR2	25		
610	PERSON_WORK	11	2433	PROF_DETAIL_IND	CHAR	1		
610	PERSON_WORK	12		LAST_CHGD_BY	NUMBER	10	0	Last changed by
610	PERSON_WORK	13		LAST_CHGD_DT	DATE	7		Last changed date
615	PERSON_SCHOOL	1	1259	PERSON_SCHOOL_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON_SCHOOL table row. May also be used as a data element. To initialize, must be set to spaces.
615	PERSON_SCHOOL	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
615	PERSON_SCHOOL	3	2419	BUS_ORG_ID	NUMBER	10	0	
615	PERSON_SCHOOL	4	1227	SCHOOL_NAME	VARCHAR2	40		Name of school person attends.
615	PERSON_SCHOOL	5	1243	EDUC_LEVEL_CD	CHAR	2		Indicates education level of person.
615	PERSON_SCHOOL	6	1262	SCHEDULE	VARCHAR2	40		
615	PERSON_SCHOOL	7	1247	FULLTIME_IND	CHAR	1		Indicates whether or not a person is a full-time student.
615	PERSON_SCHOOL	8	226	EFF_START_DT	DATE	7		Effective start date
615	PERSON_SCHOOL	9	2684	SPECIALIZED_PLAN_IND	VARCHAR2	1		
615	PERSON_SCHOOL	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
615	PERSON_SCHOOL	11		LAST_CHGD_DT	DATE	7		Last changed date
625	PERSON_HEALTH	1	1355	PERSON_HEALTH_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON_HEALTH table row. May also be used as a data element. To initialize, must be set to spaces.
625	PERSON_HEALTH	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
625	PERSON_HEALTH	3	1353	ALLERGIES_MED_PROB	VARCHAR2	950		Allergies or medical problems.
625	PERSON_HEALTH	4	1356	SPECIAL_MED	VARCHAR2	950		Special medical needs.
625	PERSON_HEALTH	5	1354	OTHER_HEALTH	VARCHAR2	950		Other health issues.
625	PERSON_HEALTH	6	1453	SPEC_DENTAL_NEEDS	VARCHAR2	950		Special dental needs.
625	PERSON_HEALTH	7	1468	CHECKUP_OFFERED_DT	DATE	7		The date that a child or teen checkup was offered.
625	PERSON_HEALTH	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
625	PERSON_HEALTH	9		LAST_CHGD_DT	DATE	7		Last changed date

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
630	HC_PROV	1	1489	HC_PROV_ID	NUMBER	10	0	Unique, system_generated identifier for a HC_PROV table row. May also be used as a data element. To initialize, must be set to spaces.
630	HC_PROV	2	1486	FIELD_PRACTICE_CD	CHAR	2		The health care provider's field of practice.
630	HC_PROV	3	1048	PROV_NAME	VARCHAR2	100		Provider Name
630	HC_PROV	4	1488	HCPROV_PHONE	VARCHAR2	14		Health care provider's phone number.
630	HC_PROV	5	1472	CLINIC_NAME	VARCHAR2	100		
630	HC_PROV	6	1471	CLINIC_ADDRESS	VARCHAR2	100		
630	HC_PROV	7	1487	HCPROV_COMMENTS	VARCHAR2	100		Comments regarding the health care provider.
630	HC_PROV	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
630	HC_PROV	9		LAST_CHGD_DT	DATE	7		Last changed date
635	PERSON_HC_PROV	1	1508	PERSON_HC_PROV_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON_HC_PROV table row. May also be used as a data element. To initialize, must be set to spaces.
635	PERSON_HC_PROV	2	1489	HC_PROV_ID	NUMBER	10	0	Unique, system_generated identifier for a HC_PROV table row. May also be used as a data element. To initialize, must be set to spaces.
635	PERSON_HC_PROV	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
635	PERSON_HC_PROV	4	1511	PRIMARY_PHYS_IND	CHAR	1		Indicates whether this health care provider is the primary physician for the person.
635	PERSON_HC_PROV	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
635	PERSON_HC_PROV	6		LAST_CHGD_DT	DATE	7		Last changed date
650	PERSON_INCOME	1	1731	PERSON_INCOME_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON_INCOME table row. May also be used as a data element. To initialize, must be set to spaces.
650	PERSON_INCOME	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
650	PERSON_INCOME	3	1569	GROSS_WAGES_AMT	NUMBER	10	2	The person's gross wage income.
650	PERSON_INCOME	4	1585	SELF_EMPL_AMT	NUMBER	10	2	The person's net income from self-employment.
650	PERSON_INCOME	5	1560	FARM_AMT	NUMBER	10	2	The person's net farm income.
650	PERSON_INCOME	6	1587	SS_RSDI_AMT	NUMBER	10	2	The person's total RSDI income.
650	PERSON_INCOME	7	1586	SSI_AMT	NUMBER	10	2	The person's SSI income.
650	PERSON_INCOME	8	1557	DIV_INT_RENT_AMT	NUMBER	10	2	The person's income from dividends, interest or rent.
650	PERSON_INCOME	9	1567	GEN_ASSIST_AMT	NUMBER	10	2	The person's General Assistance income amount.
650	PERSON_INCOME	10	1583	PENSIONS_ANN_AMT	NUMBER	10	2	The person's pension or annuity amount.
650	PERSON_INCOME	11	1597	UNEMPLOYMENT_AMT	NUMBER	10	2	The person's income from unemployment compensation.
650	PERSON_INCOME	12	1599	WORKERS_COMP_AMT	NUMBER	10	2	The person's income from Worker's Compensation.
650	PERSON_INCOME	13	1545	ALIMONY_AMT	NUMBER	10	2	The person's income from alimony.
650	PERSON_INCOME	14	1548	CHILD_SUPPORT_AMT	NUMBER	10	2	The person's income from child support.
650	PERSON_INCOME	15	1598	VET_PENSION_AMT	NUMBER	10	2	The person's income from a Veteran's pension.
650	PERSON_INCOME	16	1581	OTHER_AMT	NUMBER	10	2	
650	PERSON_INCOME	17	1582	OTHER_NAME	VARCHAR2	20		
650	PERSON_INCOME	18	1570	INCOME_VFCN_DT	DATE	7		
650	PERSON_INCOME	19		LAST_CHGD_BY	NUMBER	10	0	Last changed by

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
650	PERSON_INCOME	20		LAST_CHGD_DT	DATE	7		Last changed date
660	LICENSEE_TRAINING	1	1629	LICENSEE_TRAIN_ID	NUMBER	10	0	Unique, system-generated identifier for a LICENSEE_TRAINING table row. May also be used as a data element. To initialize, must be set to spaces.
660	LICENSEE_TRAINING	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
660	LICENSEE_TRAINING	3	1651	TRAIN_DT	DATE	7		
660	LICENSEE_TRAINING	4	1669	COURSE_NAME	VARCHAR2	50		
660	LICENSEE_TRAINING	5	1623	COURSE_REQ_IND	CHAR	1		
660	LICENSEE_TRAINING	6	1628	HOURS	NUMBER	10	2	
660	LICENSEE_TRAINING	7	1649	SPONSORED_BY	VARCHAR2	40		
660	LICENSEE_TRAINING	8	1643	PRESENTED_BY	VARCHAR2	40		
660	LICENSEE_TRAINING	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
660	LICENSEE_TRAINING	10		LAST_CHGD_DT	DATE	7		Last changed date
675	CITIZENSHIP_MA	1	1708	CITIZENSHIP_MA_ID	NUMBER	10	0	Unique, system-generated identifier for a CITIZENSHIP_MA table row. May also be used as a data element. To initialize, must be set to spaces.
675	CITIZENSHIP_MA	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
675	CITIZENSHIP_MA	3	1550	CITIZENSHIP_CD	CHAR	1		Indicated whether the person is a citizen, a U.S. National, or neither.
675	CITIZENSHIP_MA	4	1551	CTZNSHIP_VFCN_CD	CHAR	2		The type of verification of this person's citizenship status.
675	CITIZENSHIP_MA	5	1576	MA_IND	CHAR	1		Is this person receiving MA ?
675	CITIZENSHIP_MA	6	1740	SSI_IND	CHAR	1		Is this person receiving Supplemental Security Income (SSI)?
675	CITIZENSHIP_MA	7	1899	CTZNSHIP_VFCN_DT	DATE	7		The date that this person's citizenship status was verified.
675	CITIZENSHIP_MA	8	1900	MA_VFCN_DT	DATE	7		The date that this person's MA eligibility was verified.
675	CITIZENSHIP_MA	9	1903	SSI_VFCN_DT	DATE	7		The date that this person's SSI eligibility was verified.
675	CITIZENSHIP_MA	10	1902	MN_CARE_IND	CHAR	1		Is this person eligible for Minnesota Care?
675	CITIZENSHIP_MA	11	1901	MNCARE_VFCN_DT	DATE	7		The date that this person's Minnesota Care eligibility was verified.
675	CITIZENSHIP_MA	12		LAST_CHGD_BY	NUMBER	10	0	Last changed by
675	CITIZENSHIP_MA	13		LAST_CHGD_DT	DATE	7		Last changed date
680	PERSON_ILS_SVC	1	1730	PERSON_ILS_SVC_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON_ILS_SVC table row. May also be used as a data element. To initialize, must be set to spaces.
680	PERSON_ILS_SVC	2	1729	PERSON_ILS_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON_ILS table row. May also be used as a data element. To initialize, must be set to spaces.
680	PERSON_ILS_SVC	3	1739	SELF_SVC_CD	CHAR	1		The types of SELF services this client has received over the past year (multiple table rows may be entered). Note: these are not BRASS service codes.
680	PERSON_ILS_SVC	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
680	PERSON_ILS_SVC	5		LAST_CHGD_DT	DATE	7		Last changed date
687	PERSON_WARD	1	3403	PERSON_WARD_ID	NUMBER	10	0	
687	PERSON_WARD	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
687	PERSON_WARD	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
687	PERSON_WARD	4	3402	AD_WARD_ID	NUMBER	10	0	
687	PERSON_WARD	5	3401	COUNTY_ACTIVE_IND	VARCHAR2	1		
687	PERSON_WARD	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
687	PERSON_WARD	7		LAST_CHGD_DT	DATE	7		Last changed date
689	PERSON_WARD_PLCMT	1	3519	PERSON_WARD_PLCMT_ID	NUMBER	10	0	
689	PERSON_WARD_PLCMT	2	3403	PERSON_WARD_ID	NUMBER	10	0	
689	PERSON_WARD_PLCMT	3	3512	AD_WARD_EVENT_ID	NUMBER	10	0	
689	PERSON_WARD_PLCMT	4	2596	PLCMT_LOC_ID	NUMBER	10	0	
689	PERSON_WARD_PLCMT	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
689	PERSON_WARD_PLCMT	6		LAST_CHGD_DT	DATE	7		Last changed date
690	PERSON_RELIGION	1	1793	PERSON_RELIGION_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON_RELIGION table row. May also be used as a data element. To initialize, must be set to spaces.
690	PERSON_RELIGION	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
690	PERSON_RELIGION	3	1808	RELIGION_CD	CHAR	1		The major religion, if any, for this person.
690	PERSON_RELIGION	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
690	PERSON_RELIGION	5		LAST_CHGD_DT	DATE	7		Last changed date
691	PERSON_WARD_REL	1	3525	PERSON_WARD_REL_ID	NUMBER	10	0	
691	PERSON_WARD_REL	2	3403	PERSON_WARD_ID	NUMBER	10	0	
691	PERSON_WARD_REL	3	1183	RELATIONSHIP_ID	NUMBER	10	0	Unique, system-generated identifier for a RELATIONSHIP table row. May also be used as a data element. To initialize, must be set to spaces.
691	PERSON_WARD_REL	4	3512	AD_WARD_EVENT_ID	NUMBER	10	0	
691	PERSON_WARD_REL	5	3524	AD_WARD_RELATE_ID	NUMBER	10	0	
691	PERSON_WARD_REL	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
691	PERSON_WARD_REL	7		LAST_CHGD_DT	DATE	7		Last changed date
695	RELATION	1	2396	RELATION_ID	NUMBER	10	0	
695	RELATION	2	2395	RELATION_DESC	VARCHAR2	100		
695	RELATION	3	2394	PERSON1_NEU_DESC	VARCHAR2	50		
695	RELATION	4	2393	PERSON1_MAS_DESC	VARCHAR2	50		
695	RELATION	5	2392	PERSON1_FEM_DESC	VARCHAR2	50		
695	RELATION	6	2391	PERSON2_NEU_DESC	VARCHAR2	50		
695	RELATION	7	2390	PERSON2_MAS_DESC	VARCHAR2	50		
695	RELATION	8	2389	PERSON2_FEM_DESC	VARCHAR2	50		
695	RELATION	9	2423	MALT_VIEW_IND	CHAR	1		
695	RELATION	10	2644	PLCMT_VIEW_IND	VARCHAR2	1		
695	RELATION	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
695	RELATION	12		LAST_CHGD_DT	DATE	7		Last changed date
698	PERSON_SUBSTANCE	1	3053	PERSON_SUBSTANCE_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
698	PERSON_SUBSTANCE	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
698	PERSON_SUBSTANCE	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
698	PERSON_SUBSTANCE	4	3052	SUBSTANCE_CD	VARCHAR2	2		
698	PERSON_SUBSTANCE	5	3051	INVOLV_CD	VARCHAR2	1		
698	PERSON_SUBSTANCE	6	3050	SUBS_OF_CHOICE_IND	VARCHAR2	1		
698	PERSON_SUBSTANCE	7	3049	IDENTIFIED_DT	DATE	7		
698	PERSON_SUBSTANCE	8	3070	NON_ISSUE_DT	DATE	7		
698	PERSON_SUBSTANCE	9	3071	PSUBS_COMMENTS	VARCHAR2	256		
698	PERSON_SUBSTANCE	10	3527	PS_NO_KNOWN_IND	VARCHAR2	1		
698	PERSON_SUBSTANCE	11	3526	PS_REVIEWED_DT	DATE	7		
698	PERSON_SUBSTANCE	12		LAST_CHGD_BY	NUMBER	10	0	Last changed by
698	PERSON_SUBSTANCE	13		LAST_CHGD_DT	DATE	7		Last changed date
800	PROVIDER	1	673	PROV_ID	NUMBER	10	0	Unique, system-generated identifier for a PROVIDER table row. May also be used as a data element. To initialize, must be set to spaces.
800	PROVIDER	2	2419	BUS_ORG_ID	NUMBER	10	0	
800	PROVIDER	3	2592	STRUCT_FOST_FAM_CD	CHAR	1		
800	PROVIDER	4	2591	REGISTERED_CC_IND	VARCHAR2	1		
800	PROVIDER	5	741	SCHOOL_DIST_NUM	CHAR	4		The district in which the child attends school.
800	PROVIDER	6	2590	CHILD_FC_CD	CHAR	1		
800	PROVIDER	7	444	IV_E_ELIG_PROV_IND	CHAR	1		Is the provider IV-E eligible?
800	PROVIDER	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
800	PROVIDER	9		LAST_CHGD_DT	DATE	7		Last changed date
820	PROV_LIC_DETAIL	1	1220	PROV_LIC_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
820	PROV_LIC_DETAIL	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
820	PROV_LIC_DETAIL	3	2419	BUS_ORG_ID	NUMBER	10	0	
820	PROV_LIC_DETAIL	4	1861	FACILITY_ADDR_ID	NUMBER	10	0	
820	PROV_LIC_DETAIL	5	1862	PROV_LIC_ADDR_ID	NUMBER	10	0	
820	PROV_LIC_DETAIL	6	675	PROV_LIC_NUM	VARCHAR2	10		Provider license number
820	PROV_LIC_DETAIL	7	676	PROV_LIC_START_DT	DATE	7		Provider license start date
820	PROV_LIC_DETAIL	8	674	PROV_LIC_END_DT	DATE	7		Provider license end date
820	PROV_LIC_DETAIL	9	245	FACILITY_TYPE_CD	VARCHAR2	3		
820	PROV_LIC_DETAIL	10	421	IMD_IND	CHAR	1		Is this an IMD (Institute for the Mentally Deficient)?
820	PROV_LIC_DETAIL	11	457	LICENSE_TYPE_CD	CHAR	2		License type code. For example, Licensed for Family Day Care, Family Foster Home.
820	PROV_LIC_DETAIL	12	456	LICENSE_STAT_CD	CHAR	1		License status.
820	PROV_LIC_DETAIL	13	454	LICENSED_CAPACITY	NUMBER	10	0	Total licensed capacity for this provider.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
820	PROV_LIC_DETAIL	14	1208	LICENSED_BY_CD	CHAR	2		The agency (county or private agency, typically) that performed the home study/facility evaluation.
820	PROV_LIC_DETAIL	15	1205	ISSUED_BY_CD	CHAR	1		The state or tribal agency that issued the actual license.
820	PROV_LIC_DETAIL	16	1232	TRIBE_CD	CHAR	3		The tribe that issued the license.
820	PROV_LIC_DETAIL	17	1575	LICENSE_STAT_DT	DATE	7		Date of the license status.
820	PROV_LIC_DETAIL	18	489	MIN_AGE_WILL_SRV	NUMBER	3	0	Minimum age this provider will serve
820	PROV_LIC_DETAIL	19	479	MAX_AGE_WILL_SRV	NUMBER	3	0	Maximum age the provider will serve
820	PROV_LIC_DETAIL	20	403	GENDER_WILL_SRV_CD	CHAR	1		Gender that this provider will serve.
820	PROV_LIC_DETAIL	21	1501	LIC_CNTY_CD	CHAR	2		The code of the licensing county agency.
820	PROV_LIC_DETAIL	22	1474	CORP_LIC_IND	CHAR	1		Is this a corporate license?
820	PROV_LIC_DETAIL	23	1480	DHS_PROV_NUM	VARCHAR2	10		
820	PROV_LIC_DETAIL	24	1475	CORP_NUM	VARCHAR2	10		Corporation number. Assigned by DHS Licensing Division.
820	PROV_LIC_DETAIL	25	1485	FAC_NUM	VARCHAR2	10		Facility Number. Assigned by DHS Licensing Division. Used for corporate licenses with more than 1 physical location.
820	PROV_LIC_DETAIL	26	1296	FACILITY_NAME	VARCHAR2	40		Name of the facility in which maltreatment allegedly occurred.
820	PROV_LIC_DETAIL	27	1636	NON_RES_OCCUP_IND	CHAR	1		
820	PROV_LIC_DETAIL	28	1647	RES_TYPE_CD	CHAR	1		
820	PROV_LIC_DETAIL	29	842	WELL_WATER_IND	CHAR	1		Does this provider use well water?
820	PROV_LIC_DETAIL	30	1646	RENT_IND	CHAR	1		
820	PROV_LIC_DETAIL	31	1633	LIC_ACTION_TYPE_CD	CHAR	1		
820	PROV_LIC_DETAIL	32	1635	LIC_CLOSE_REAS_CD	CHAR	1		
820	PROV_LIC_DETAIL	33	1613	BACK_STUDY_DT	DATE	7		
820	PROV_LIC_DETAIL	34	1627	FIRE_INSPECT_DT	DATE	7		
820	PROV_LIC_DETAIL	35	1653	APP_CLOSE_DT	DATE	7		
820	PROV_LIC_DETAIL	36	1662	DUAL_LIC_TYPE_CD	CHAR	1		
820	PROV_LIC_DETAIL	37	1661	DUAL_LIC_IND	CHAR	1		
820	PROV_LIC_DETAIL	38	1897	PROV_LIC_NUM_VERS	VARCHAR2	2		
820	PROV_LIC_DETAIL	39	2252	PILOT_PROJ_IND	CHAR	1		
820	PROV_LIC_DETAIL	40	2240	HOUSING_SVCS_IND	CHAR	1		
820	PROV_LIC_DETAIL	41	2258	FACILITY_PHONE	VARCHAR2	50		
820	PROV_LIC_DETAIL	42	2242	LICENSOR_NUM	VARCHAR2	5		
820	PROV_LIC_DETAIL	43		LAST_CHGD_BY	NUMBER	10	0	Last changed by
820	PROV_LIC_DETAIL	44		LAST_CHGD_DT	DATE	7		Last changed date
822	LICENSE_CLASS	1	2848	LICENSE_CLASS_ID	NUMBER	10	0	
822	LICENSE_CLASS	2	1220	PROV_LIC_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
822	LICENSE_CLASS	3	1574	LICENSE_CLASS_CD	CHAR	2		License class, used by DHS Licensing Division. Appears on the application form.
822	LICENSE_CLASS	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
822	LICENSE_CLASS	5		LAST_CHGD_DT	DATE	7		Last changed date
823	PREF_CLIENTS	1	2850	PREF_CLIENTS_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
823	PREF_CLIENTS	2	1220	PROV_LIC_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
823	PREF_CLIENTS	3	1509	PREF_CLIENTS_CD	CHAR	1		Client disability this facility prefers to serve.
823	PREF_CLIENTS	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
823	PREF_CLIENTS	5		LAST_CHGD_DT	DATE	7		Last changed date
870	IND_PROVIDER	1	1047	IND_PROV_ID	NUMBER	10	0	Unique, system-generated identifier for an IND_PROVIDER table row. May also be used as a data element. To initialize, must be set to spaces.
870	IND_PROVIDER	2	673	PROV_ID	NUMBER	10	0	Unique, system-generated identifier for a PROVIDER table row. May also be used as a data element. To initialize, must be set to spaces.
870	IND_PROVIDER	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
870	IND_PROVIDER	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
870	IND_PROVIDER	5		LAST_CHGD_DT	DATE	7		Last changed date
885	LICENSE_ACTIONS	1	1632	LIC_ACTION_ID	NUMBER	10	0	Unique, system-generated identifier for a LICENSE_ACTIONS table roww. May also be used as a data element. To initialize, must be set to spaces.
885	LICENSE_ACTIONS	2	1220	PROV_LIC_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
885	LICENSE_ACTIONS	3	1631	LIC_ACTION_DT	DATE	7		
885	LICENSE_ACTIONS	4	1630	LIC_ACTION_CD	CHAR	1		
885	LICENSE_ACTIONS	5	1634	LIC_ACT_COMMENT	VARCHAR2	200		
885	LICENSE_ACTIONS	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
885	LICENSE_ACTIONS	7		LAST_CHGD_DT	DATE	7		Last changed date
888	PROV_PLACEMENT	1	1644	PROV_PLACEMT_ID	NUMBER	10	0	Unique, system-generated identifier for a PROV_PLACEMENT table row. May also be used as a data element. To initialize, must be set to spaces.
888	PROV_PLACEMENT	2	1220	PROV_LIC_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
888	PROV_PLACEMENT	3	1614	CLIENT_NAME	VARCHAR2	50		
888	PROV_PLACEMENT	4	92	BIRTH_DT	DATE	7		Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12
888	PROV_PLACEMENT	5	402	GENDER_CD	CHAR	1		
888	PROV_PLACEMENT	6	1639	PLACE_AGCY_NAME	VARCHAR2	50		
888	PROV_PLACEMENT	7	1642	PLACE_WORKER_NAME	VARCHAR2	50		
888	PROV_PLACEMENT	8	1641	PLACE_START_DT	DATE	7		
888	PROV_PLACEMENT	9	1640	PLACE_END_DT	DATE	7		
888	PROV_PLACEMENT	10	1895	REASON_LEAVING	VARCHAR2	65		
888	PROV_PLACEMENT	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
888	PROV_PLACEMENT	12		LAST_CHGD_DT	DATE	7		Last changed date
890	DWELLING_AREAS	1	1624	DWELLING_AREAS_ID	NUMBER	10	0	Unique, system-generated identifier for a DWELLING_AREAS table row. May also be used as a data element. To initialize, must be set to spaces.
890	DWELLING_AREAS	2	1220	PROV_LIC_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
890	DWELLING_AREAS	3	1610	AREAS_CD	CHAR	1		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
890	DWELLING_AREAS	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
890	DWELLING_AREAS	5		LAST_CHGD_DT	DATE	7		Last changed date
895	CONDITIONAL_AREAS	1	1621	COND_AREAS_ID	NUMBER	10	0	Unique, system-generated identifier for a CONDITIONAL_AREAS table row. May also be used as a data element. To initialize, must be set to spaces.
895	CONDITIONAL_AREAS	2	1220	PROV_LIC_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
895	CONDITIONAL_AREAS	3	1610	AREAS_CD	CHAR	1		
895	CONDITIONAL_AREAS	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
895	CONDITIONAL_AREAS	5		LAST_CHGD_DT	DATE	7		Last changed date
930	CPR_ASSESSMENT	1	864	CPR_ASSESS_ID	NUMBER	10	0	Unique, system-generated identifier for a CPR_ASSESSMENT table row. May also be used as a data element.
930	CPR_ASSESSMENT	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
930	CPR_ASSESSMENT	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
930	CPR_ASSESSMENT	4	73	ASSESS_DT	DATE	7		Date the assessment was performed
930	CPR_ASSESSMENT	5	770	START_DT	DATE	7		
930	CPR_ASSESSMENT	6	1345	FINALIZE_DT	DATE	7		The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.
930	CPR_ASSESSMENT	7	1476	CPRISK_COMMENTS	VARCHAR2	1900		Comments re: this specific risk assessment.
930	CPR_ASSESSMENT	8	1507	OVERALL_RISK_CD	CHAR	1		Overall risk level.
930	CPR_ASSESSMENT	9	1513	REC_SVCS_COMMENTS	VARCHAR2	1900		Comments re:recommended services.
930	CPR_ASSESSMENT	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
930	CPR_ASSESSMENT	11		LAST_CHGD_DT	DATE	7		Last changed date
935	CPR_FACTOR	1	1484	FACTOR_ID	NUMBER	10	0	Unique, system-generated identifier for a CPR_FACTOR table row. May also be used as a data element. To initialize, must be set to spaces.
935	CPR_FACTOR	2	1483	FACTOR_DESC	VARCHAR2	80		Description of this risk factor.
935	CPR_FACTOR	3	1506	NO_RISK	VARCHAR2	300		Description of No Risk.
935	CPR_FACTOR	4	1502	LOW_RISK	VARCHAR2	300		Description of Low Risk.
935	CPR_FACTOR	5	1505	MOD_RISK	VARCHAR2	500		Description of Moderate Risk.
935	CPR_FACTOR	6	1490	HIGH_RISK	VARCHAR2	500		Description of High Risk.
935	CPR_FACTOR	7	1470	CHILD_REL_IND	CHAR	1		Indicates whether this is a child-related factor - which needs to be completed for each child.
935	CPR_FACTOR	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
935	CPR_FACTOR	9		LAST_CHGD_DT	DATE	7		Last changed date
940	CPR_ASSESS_DETAIL	1	1478	CPR_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a CPR_ASSESS_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
940	CPR_ASSESS_DETAIL	2	864	CPR_ASSESS_ID	NUMBER	10	0	Unique, system-generated identifier for a CPR_ASSESSMENT table row. May also be used as a data element.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
940	CPR_ASSESS_DETAIL	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
940	CPR_ASSESS_DETAIL	4	1526	FAMILY_REC_IND	CHAR	1		
940	CPR_ASSESS_DETAIL	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
940	CPR_ASSESS_DETAIL	6		LAST_CHGD_DT	DATE	7		Last changed date
945	CPR_DETAIL_FACTOR	1	1479	CPR_DET_FACTOR_ID	NUMBER	10	0	Unique, system-generated identifier for a CPR_DETAIL_FACTOR table row. May also be used as a data element. To initialize, must be set to spaces.
945	CPR_DETAIL_FACTOR	2	1478	CPR_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a CPR_ASSESS_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
945	CPR_DETAIL_FACTOR	3	1484	FACTOR_ID	NUMBER	10	0	Unique, system-generated identifier for a CPR_FACTOR table row. May also be used as a data element. To initialize, must be set to spaces.
945	CPR_DETAIL_FACTOR	4	1516	RISK_CD	CHAR	1		The level of risk assigned.
945	CPR_DETAIL_FACTOR	5	1481	DOC_SUPPORTING	VARCHAR2	3800		Documentation supporting the level of risk assigned.
945	CPR_DETAIL_FACTOR	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
945	CPR_DETAIL_FACTOR	7		LAST_CHGD_DT	DATE	7		Last changed date
1000	TIME_RECORD	1	812	TIME_RECORD_ID	NUMBER	10	0	Unique, system-generated identifier for a TIME_RECORD table row. May also be used as a data element. To initialize, must be set to spaces.
1000	TIME_RECORD	2	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1000	TIME_RECORD	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1000	TIME_RECORD	4	968	TR_ACTIVITY_ID	NUMBER	10	0	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.
1000	TIME_RECORD	5	2556	SUBPROG_ID	NUMBER	10	0	
1000	TIME_RECORD	6	2548	BRASS_SVC_ID	NUMBER	10	0	
1000	TIME_RECORD	7	2551	CNTY_SUBSVC_ID	NUMBER	10	0	
1000	TIME_RECORD	8	215	DOCUMENT_ID	NUMBER	10	0	Unique, system-generated identifier for a DOCUMENT table row. May also be used as a data element. To initialize, must be set to spaces.
1000	TIME_RECORD	9	223	DURATION	NUMBER	10	0	Duration of the activity
1000	TIME_RECORD	10	914	ACTIVITY_DT	DATE	7		Activity date
1000	TIME_RECORD	11	409	HCPCS_CD	VARCHAR2	5		Health Care Common Procedural Coding System
1000	TIME_RECORD	12	516	NUM_PERS_REC_SVC	VARCHAR2	3		Number of persons receiving the service
1000	TIME_RECORD	13	139	CNTY_OF_SVC_CD	CHAR	2		County of service
1000	TIME_RECORD	14	969	TR_STAT_CD	CHAR	1		Time Report Status Codes
1000	TIME_RECORD	15	2276	CNTY_ACCTG_CODE	VARCHAR2	10		
1000	TIME_RECORD	16	163	CONTACT_METHOD_CD	CHAR	1		The method of contact.
1000	TIME_RECORD	17	162	CONTACT_LOC_CD	CHAR	1		Contact location code.
1000	TIME_RECORD	18	169	CONTACT_STATUS_CD	CHAR	1		Attempted or completed.
1000	TIME_RECORD	19	1049	PURPOSE	VARCHAR2	60		Text entry describing why a Contact Event took place.
1000	TIME_RECORD	20		LAST_CHGD_BY	NUMBER	10	0	Last changed by

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1000	TIME_RECORD	21		LAST_CHGD_DT	DATE	7		Last changed date
1005	ON_BEHALF_OF	1	908	ON_BEHALF_OF_ID	NUMBER	10	0	Unique, system-generated identifier for an ON_BEHALF_OF table row. May also be used as a data element. To initialize, must be set to spaces.
1005	ON_BEHALF_OF	2	673	PROV_ID	NUMBER	10	0	Unique, system-generated identifier for a PROVIDER table row. May also be used as a data element. To initialize, must be set to spaces.
1005	ON_BEHALF_OF	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
1005	ON_BEHALF_OF	4	812	TIME_RECORD_ID	NUMBER	10	0	Unique, system-generated identifier for a TIME_RECORD table row. May also be used as a data element. To initialize, must be set to spaces.
1005	ON_BEHALF_OF	5	223	DURATION	NUMBER	10	0	Duration of the activity
1005	ON_BEHALF_OF	6	3003	LEGACY_CLAIM_DT	DATE	7		
1005	ON_BEHALF_OF	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1005	ON_BEHALF_OF	8		LAST_CHGD_DT	DATE	7		Last changed date
1020	CONTACT_WITH	1	179	CONT_WITH_ID	NUMBER	10	0	Unique, system-generated identifier for a CONTACT_WITH table row. May also be used as a data element. To initialize, must be set to spaces.
1020	CONTACT_WITH	2	812	TIME_RECORD_ID	NUMBER	10	0	Unique, system-generated identifier for a TIME_RECORD table row. May also be used as a data element. To initialize, must be set to spaces.
1020	CONTACT_WITH	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
1020	CONTACT_WITH	4	168	CONTACT_ROLE_CD	CHAR	2		
1020	CONTACT_WITH	5	1039	CONT_WITH_NAME	VARCHAR2	45		Name of the person with whom contact was made.
1020	CONTACT_WITH	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1020	CONTACT_WITH	7		LAST_CHGD_DT	DATE	7		Last changed date
1050	TIME_RECORD_MOD	1	2453	TIME_RECORD_MOD_ID	NUMBER	10	0	
1050	TIME_RECORD_MOD	2	812	TIME_RECORD_ID	NUMBER	10	0	Unique, system-generated identifier for a TIME_RECORD table row. May also be used as a data element. To initialize, must be set to spaces.
1050	TIME_RECORD_MOD	3	2449	CPT_MODIFIER	VARCHAR2	2		
1050	TIME_RECORD_MOD	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1050	TIME_RECORD_MOD	5		LAST_CHGD_DT	DATE	7		Last changed date
1100	SERVICE_AUTH	1	84	AUTH_ID	NUMBER	10	0	Unique, system-generated identifier for a SERVICE_AUTH table row. May also be used as a data element. To initialize, must be set to spaces.
1100	SERVICE_AUTH	2	2419	BUS_ORG_ID	NUMBER	10	0	
1100	SERVICE_AUTH	3	173	CONTRACT_ID	NUMBER	10	0	Unique, system-generated identifier for a CONTRACT table row. May also be used as a data element. To initialize, must be set to spaces.
1100	SERVICE_AUTH	4	87	AUTH_STAT_CD	CHAR	1		Service authorization status code
1100	SERVICE_AUTH	5	81	AUTH_BY_ID	NUMBER	10	0	Identifier of the staff person authorizing this service authorization.
1100	SERVICE_AUTH	6	1612	AUTH_STAT_DT	DATE	7		
1100	SERVICE_AUTH	7	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1100	SERVICE_AUTH	8	1638	PERS_REL_PROV_IND	CHAR	1		
1100	SERVICE_AUTH	9	1620	CNTY_AUTH_NUM	VARCHAR2	10		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1100	SERVICE_AUTH	10	1863	AGREEMENT_NUM	VARCHAR2	13		
1100	SERVICE_AUTH	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1100	SERVICE_AUTH	12		LAST_CHGD_DT	DATE	7		Last changed date
1105	AUTHORIZED_SERVICE	1	85	AUTH_SERVICE_ID	NUMBER	10	0	Unique, system-generated identifier for an AUTHORIZED_SERVICE table row. May also be used as a data element. To initialize, must be set to spaces.
1105	AUTHORIZED_SERVICE	2	84	AUTH_ID	NUMBER	10	0	Unique, system-generated identifier for a SERVICE_AUTH table row. May also be used as a data element. To initialize, must be set to spaces.
1105	AUTHORIZED_SERVICE	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
1105	AUTHORIZED_SERVICE	4	2556	SUBPROG_ID	NUMBER	10	0	
1105	AUTHORIZED_SERVICE	5	2548	BRASS_SVC_ID	NUMBER	10	0	
1105	AUTHORIZED_SERVICE	6	2551	CNTY_SUBSVC_ID	NUMBER	10	0	
1105	AUTHORIZED_SERVICE	7	784	SUBSTITUTE_PROV_ID	NUMBER	10	0	The identifier of a substitute provider.
1105	AUTHORIZED_SERVICE	8	794	SVC_AMT_USED	NUMBER	10	2	Dollar amount already spent on this service
1105	AUTHORIZED_SERVICE	9	827	UNITS_AUTH	NUMBER	10	2	Units authorized; could include a fraction such as 1/2 hour of something
1105	AUTHORIZED_SERVICE	10	401	FUNDING_SRCE_CD	CHAR	4		Funding source code for the authorized service
1105	AUTHORIZED_SERVICE	11	399	FUNDING_SRCE_2_CD	CHAR	4		Second funding source for the authorized service
1105	AUTHORIZED_SERVICE	12	400	FUNDING_SRCE_3_CD	CHAR	4		Third funding source for the authorized service
1105	AUTHORIZED_SERVICE	13	834	UNIT_TYPE_CD	CHAR	2		Unit type code: hour, week, day
1105	AUTHORIZED_SERVICE	14	770	START_DT	DATE	7		
1105	AUTHORIZED_SERVICE	15	233	END_DT	DATE	7		
1105	AUTHORIZED_SERVICE	16	409	HCPCS_CD	VARCHAR2	5		Health Care Common Procedural Coding System
1105	AUTHORIZED_SERVICE	17	150	COFARS_OBJ_CD	CHAR	4		COFARS Object Code
1105	AUTHORIZED_SERVICE	18	833	UNIT_RATE	NUMBER	10	4	Unit rate: amount that is billable for this unit
1105	AUTHORIZED_SERVICE	19	1611	AUTH_DESCRIPTION	VARCHAR2	200		
1105	AUTHORIZED_SERVICE	20	1864	P_O_NUM	VARCHAR2	20		
1105	AUTHORIZED_SERVICE	21	890	TOTAL_POINTS	NUMBER	10	0	DOC Assessment: Total Points
1105	AUTHORIZED_SERVICE	22	130	CLOTHING_ALLOW_AMT	NUMBER	10	2	The amount of the clothing allowance allotted for a child of this age.
1105	AUTHORIZED_SERVICE	23		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1105	AUTHORIZED_SERVICE	24		LAST_CHGD_DT	DATE	7		Last changed date
1205	CHECKLIST	1	1529	CHECKLIST_ID	NUMBER	10	0	Unique, system-generated identifier for a CHECKLIST table row. May also be used as a data element. To initialize, must be set to spaces.
1205	CHECKLIST	2	1531	CHECKLIST_TEMPL_ID	NUMBER	10	0	Unique, system-generated identifier for a CHECKLIST_TEMPL table row. May also be used as a data element. To initialize, must be set to spaces.
1205	CHECKLIST	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1205	CHECKLIST	4	2596	PLCMT_LOC_ID	NUMBER	10	0	
1205	CHECKLIST	5	1615	CLIST_CREATED_DT	DATE	7		
1205	CHECKLIST	6	1619	CLIST_FINALIZE_DT	DATE	7		
1205	CHECKLIST	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1205	CHECKLIST	8		LAST_CHGD_DT	DATE	7		Last changed date
1210	CHECKLIST_DETAIL	1	1528	CHECKLIST_DET_ID	NUMBER	10	0	Unique, system-generated identifier for a CHECKLIST_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
1210	CHECKLIST_DETAIL	2	1529	CHECKLIST_ID	NUMBER	10	0	Unique, system-generated identifier for a CHECKLIST table row. May also be used as a data element. To initialize, must be set to spaces.
1210	CHECKLIST_DETAIL	3	1530	CHECKLIST_ITEM_ID	NUMBER	10	0	Unique, system-generated identifier for a CHECKLIST_ITEM table row. May also be used as a data element. To initialize, must be set to spaces.
1210	CHECKLIST_DETAIL	4	1537	PARENT_ITEM_ID	NUMBER	10	0	The unique, system-generated identifier for a parent item to this specific checklist item.
1210	CHECKLIST_DETAIL	5	1527	CHECKED_IND	CHAR	1		Has this item been checked by the worker?
1210	CHECKLIST_DETAIL	6	1617	CLIST_DET_STAT_CD	CHAR	1		
1210	CHECKLIST_DETAIL	7	1618	CLIST_DET_STAT_DT	DATE	7		
1210	CHECKLIST_DETAIL	8	1616	CLIST_DET_COMMENTS	VARCHAR2	160		
1210	CHECKLIST_DETAIL	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1210	CHECKLIST_DETAIL	10		LAST_CHGD_DT	DATE	7		Last changed date
1215	CHECKLIST_ITEM	1	1530	CHECKLIST_ITEM_ID	NUMBER	10	0	Unique, system-generated identifier for a CHECKLIST_ITEM table row. May also be used as a data element. To initialize, must be set to spaces.
1215	CHECKLIST_ITEM	2	1536	ITEM_DESC	VARCHAR2	130		Short description of this checklist item (shows on checklist).
1215	CHECKLIST_ITEM	3	1535	ITEM_DEFINITION	VARCHAR2	600		Long description of this checklist item - shows for help text.
1215	CHECKLIST_ITEM	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1215	CHECKLIST_ITEM	5		LAST_CHGD_DT	DATE	7		Last changed date
1220	CHECKLIST_TEMPL	1	1531	CHECKLIST_TEMPL_ID	NUMBER	10	0	Unique, system-generated identifier for a CHECKLIST_TEMPL table row. May also be used as a data element. To initialize, must be set to spaces.
1220	CHECKLIST_TEMPL	2	1539	TEMPLATE_NAME	VARCHAR2	50		The name given to this template.
1220	CHECKLIST_TEMPL	3	2556	SUBPROG_ID	NUMBER	10	0	
1220	CHECKLIST_TEMPL	4	1184	WG_TYPE_CD	CHAR	1		Assessment or Case Management.
1220	CHECKLIST_TEMPL	5	1655	CLIST_TYPE_CD	CHAR	1		
1220	CHECKLIST_TEMPL	6	1942	TRACK_CD	CHAR	1		
1220	CHECKLIST_TEMPL	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1220	CHECKLIST_TEMPL	8		LAST_CHGD_DT	DATE	7		Last changed date
1225	CLIST_TEMPL_DETAIL	1	1532	CLIST_TEMPL_DET_ID	NUMBER	10	0	Unique, system-generated identifier for a CLIST_TEMPL_DETAIL table row. May be used as a data element. To initialize, must be set to spaces.
1225	CLIST_TEMPL_DETAIL	2	1531	CHECKLIST_TEMPL_ID	NUMBER	10	0	Unique, system-generated identifier for a CHECKLIST_TEMPL table row. May also be used as a data element. To initialize, must be set to spaces.
1225	CLIST_TEMPL_DETAIL	3	1530	CHECKLIST_ITEM_ID	NUMBER	10	0	Unique, system-generated identifier for a CHECKLIST_ITEM table row. May also be used as a data element. To initialize, must be set to spaces.
1225	CLIST_TEMPL_DETAIL	4	1537	PARENT_ITEM_ID	NUMBER	10	0	The unique, system-generated identifier for a parent item to this specific checklist item.
1225	CLIST_TEMPL_DETAIL	5	1654	CLIST_SEQ_NUM	NUMBER	10	0	
1225	CLIST_TEMPL_DETAIL	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1225	CLIST_TEMPL_DETAIL	7		LAST_CHGD_DT	DATE	7		Last changed date

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1230	TICKLER	1	810	TICKLER_ID	NUMBER	10	0	Unique, system-generated identifier for a Tickler table row. May also be used as a data element. To initialize, must be set to spaces.
1230	TICKLER	2	1594	TICKLER_TYPE_ID	NUMBER	10	0	Unique, system-generated identifier for a TICKLER_TYPE table row. May also be used as a data element. To initialize, must be set to spaces.
1230	TICKLER	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1230	TICKLER	4	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
1230	TICKLER	5	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1230	TICKLER	6	808	TICKLER_DT	DATE	7		Tickler date: date the tickler alert should begin
1230	TICKLER	7	809	TICKLER_DUE_DT	DATE	7		Date the tickler action is due
1230	TICKLER	8	807	TICKLER_DESC	VARCHAR2	240		Tickler description: the event or reason for the tickler
1230	TICKLER	9	1601	ALERT_CD	CHAR	1		
1230	TICKLER	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1230	TICKLER	11		LAST_CHGD_DT	DATE	7		Last changed date
1235	TICKLER_TYPE	1	1594	TICKLER_TYPE_ID	NUMBER	10	0	Unique, system-generated identifier for a TICKLER_TYPE table row. May also be used as a data element. To initialize, must be set to spaces.
1235	TICKLER_TYPE	2	1589	TICKLER_NAME	VARCHAR2	60		Name assigned to this particular tickler.
1235	TICKLER_TYPE	3	1590	TICKLER_PERIOD	NUMBER	10	0	
1235	TICKLER_TYPE	4	1588	TICKLER_LEADTIME	NUMBER	10	0	Number of days prior to the due date that a tickler will appear.
1235	TICKLER_TYPE	5	1591	TICKLER_SQL1	VARCHAR2	4000		SQL statement.
1235	TICKLER_TYPE	6	1592	TICKLER_SQL2	VARCHAR2	4000		SQL statement.
1235	TICKLER_TYPE	7	1593	TICKLER_SQL3	VARCHAR2	4000		SQL statement.
1235	TICKLER_TYPE	8	1580	NEXT_GEN_DT	DATE	7		Next generation date for a tickler.
1235	TICKLER_TYPE	9	1601	ALERT_CD	CHAR	1		
1235	TICKLER_TYPE	10	3649	ENABLED_IND	VARCHAR2	1		
1235	TICKLER_TYPE	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1235	TICKLER_TYPE	12		LAST_CHGD_DT	DATE	7		Last changed date
1240	TICKLER_ERROR	1	3650	TICKLER_ERROR_ID	NUMBER	10	0	
1240	TICKLER_ERROR	2	1594	TICKLER_TYPE_ID	NUMBER	10	0	Unique, system-generated identifier for a TICKLER_TYPE table row. May also be used as a data element. To initialize, must be set to spaces.
1240	TICKLER_ERROR	3	3651	TICKLER_ERROR_MSG	VARCHAR2	1000		
1240	TICKLER_ERROR	4	1589	TICKLER_NAME	VARCHAR2	60		Name assigned to this particular tickler.
1240	TICKLER_ERROR	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1240	TICKLER_ERROR	6		LAST_CHGD_DT	DATE	7		Last changed date
1405	TR_ACTIVITY	1	968	TR_ACTIVITY_ID	NUMBER	10	0	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.
1405	TR_ACTIVITY	2	200	DESCRIPTION	VARCHAR2	65		Text description
1405	TR_ACTIVITY	3	915	ACT_TYPE_CD	CHAR	1		Activity type code
1405	TR_ACTIVITY	4	1079	CONT_REQ_IND	CHAR	1		Does this activity require a contact?

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1405	TR_ACTIVITY	5	226	EFF_START_DT	DATE	7		Effective start date
1405	TR_ACTIVITY	6	225	EFF_END_DT	DATE	7		Effective end date
1405	TR_ACTIVITY	7	2543	CNTY_VIS_IND	VARCHAR2	1		
1405	TR_ACTIVITY	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1405	TR_ACTIVITY	9		LAST_CHGD_DT	DATE	7		Last changed date
1410	BRASS_TR_ACT_HCPCS	1	2450	BRASS_TR_ACT_ID	NUMBER	10	0	
1410	BRASS_TR_ACT_HCPCS	2	968	TR_ACTIVITY_ID	NUMBER	10	0	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.
1410	BRASS_TR_ACT_HCPCS	3	2557	SUBPROG_SVC_ID	NUMBER	10	0	
1410	BRASS_TR_ACT_HCPCS	4	409	HCPCS_CD	VARCHAR2	5		Health Care Common Procedural Coding System
1410	BRASS_TR_ACT_HCPCS	5	906	HCPCS_PROGRAM	VARCHAR2	4		
1410	BRASS_TR_ACT_HCPCS	6	907	HCPCS_UNIT_TYPE	VARCHAR2	2		
1410	BRASS_TR_ACT_HCPCS	7	226	EFF_START_DT	DATE	7		Effective start date
1410	BRASS_TR_ACT_HCPCS	8	1079	CONT_REQ_IND	CHAR	1		Does this activity require a contact?
1410	BRASS_TR_ACT_HCPCS	9	1602	BILLING_REQ_TEXT	VARCHAR2	240		
1410	BRASS_TR_ACT_HCPCS	10	225	EFF_END_DT	DATE	7		Effective end date
1410	BRASS_TR_ACT_HCPCS	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1410	BRASS_TR_ACT_HCPCS	12		LAST_CHGD_DT	DATE	7		Last changed date
1412	BRASS_TRACT_MOD	1	2454	BRASS_TRACT_MOD_ID	NUMBER	10	0	
1412	BRASS_TRACT_MOD	2	2450	BRASS_TR_ACT_ID	NUMBER	10	0	
1412	BRASS_TRACT_MOD	3	2449	CPT_MODIFIER	VARCHAR2	2		
1412	BRASS_TRACT_MOD	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1412	BRASS_TRACT_MOD	5		LAST_CHGD_DT	DATE	7		Last changed date
1430	CODE	1	384	FIELDNAME	VARCHAR2	20		Name of the code field
1430	CODE	2	146	CODE	VARCHAR2	6		The code value itself, found in the codes table
1430	CODE	3	200	DESCRIPTION	VARCHAR2	65		Text description
1430	CODE	4	1694	SORT_ORDER	NUMBER	10	0	NOT USED IN VERSION 3
1430	CODE	5	1273	ACTIVE_IND	CHAR	1		
1430	CODE	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1430	CODE	7		LAST_CHGD_DT	DATE	7		Last changed date
1435	SCHOOL_DISTRICT	1	741	SCHOOL_DIST_NUM	CHAR	4		The district in which the child attends school.
1435	SCHOOL_DISTRICT	2	740	SCHOOL_DIST_NAME	VARCHAR2	40		School district name
1435	SCHOOL_DISTRICT	3	226	EFF_START_DT	DATE	7		Effective start date
1435	SCHOOL_DISTRICT	4	225	EFF_END_DT	DATE	7		Effective end date
1435	SCHOOL_DISTRICT	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1435	SCHOOL_DISTRICT	6		LAST_CHGD_DT	DATE	7		Last changed date
1445	DIAGNOSIS_CODE	1	2236	DIAGNOSIS_ID	NUMBER	10	0	Unique, system-generated identifier for a DIAGNOSIS_CODE table row. May also be used as a data element. To initialize, must be set to spaces.
1445	DIAGNOSIS_CODE	2	203	DIAGNOSIS_CD	VARCHAR2	6		Diagnosis at the detail level of the ICD-9-CM and DSM-IV codes.
1445	DIAGNOSIS_CODE	3	2228	DIAG_TYPE_CD	CHAR	1		
1445	DIAGNOSIS_CODE	4	2238	DIAG_DESC	VARCHAR2	100		Description associated with the ICD-9-CM or DSM-IV diagnosis code.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1445	DIAGNOSIS_CODE	5	1965	DIAG_CD_START_DT	DATE	7		
1445	DIAGNOSIS_CODE	6	1964	DIAG_CD_END_DT	DATE	7		
1445	DIAGNOSIS_CODE	7	2984	NONSPECIFIC_IND	VARCHAR2	1		
1445	DIAGNOSIS_CODE	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1445	DIAGNOSIS_CODE	9		LAST_CHGD_DT	DATE	7		Last changed date
1455	TR_ACT_SVC_METHOD	1	2452	TR_ACT_SVC_METH_ID	NUMBER	10	0	
1455	TR_ACT_SVC_METHOD	2	968	TR_ACTIVITY_ID	NUMBER	10	0	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.
1455	TR_ACT_SVC_METHOD	3	2557	SUBPROG_SVC_ID	NUMBER	10	0	
1455	TR_ACT_SVC_METHOD	4	163	CONTACT_METHOD_CD	CHAR	1		The method of contact.
1455	TR_ACT_SVC_METHOD	5	409	HCPCS_CD	VARCHAR2	5		Health Care Common Procedural Coding System
1455	TR_ACT_SVC_METHOD	6	226	EFF_START_DT	DATE	7		Effective start date
1455	TR_ACT_SVC_METHOD	7	225	EFF_END_DT	DATE	7		Effective end date
1455	TR_ACT_SVC_METHOD	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1455	TR_ACT_SVC_METHOD	9		LAST_CHGD_DT	DATE	7		Last changed date
1457	TRACT_SVC_METH_MOD	1	2451	TR_SVCMETH_MOD_ID	NUMBER	10	0	
1457	TRACT_SVC_METH_MOD	2	2452	TR_ACT_SVC_METH_ID	NUMBER	10	0	
1457	TRACT_SVC_METH_MOD	3	2449	CPT_MODIFIER	VARCHAR2	2		
1457	TRACT_SVC_METH_MOD	4	226	EFF_START_DT	DATE	7		Effective start date
1457	TRACT_SVC_METH_MOD	5	225	EFF_END_DT	DATE	7		Effective end date
1457	TRACT_SVC_METH_MOD	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1457	TRACT_SVC_METH_MOD	7		LAST_CHGD_DT	DATE	7		Last changed date
1460	VENDOR_SVC_HCPCS	1	2557	SUBPROG_SVC_ID	NUMBER	10	0	
1460	VENDOR_SVC_HCPCS	2	409	HCPCS_CD	VARCHAR2	5		Health Care Common Procedural Coding System
1460	VENDOR_SVC_HCPCS	3	226	EFF_START_DT	DATE	7		Effective start date
1460	VENDOR_SVC_HCPCS	4	225	EFF_END_DT	DATE	7		Effective end date
1460	VENDOR_SVC_HCPCS	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1460	VENDOR_SVC_HCPCS	6		LAST_CHGD_DT	DATE	7		Last changed date
1465	SYSTEM_CONTROL	1	133	CNTY_CD	CHAR	2		
1465	SYSTEM_CONTROL	2	1676	ADDR_1	VARCHAR2	100		
1465	SYSTEM_CONTROL	3	1677	ADDR_2	VARCHAR2	100		
1465	SYSTEM_CONTROL	4	2825	SYS_CITY	VARCHAR2	25		
1465	SYSTEM_CONTROL	5	2824	SYS_STATE_CD	CHAR	2		
1465	SYSTEM_CONTROL	6	2823	SYS_ZIP_CODE	CHAR	5		
1465	SYSTEM_CONTROL	7	2822	SYS_ZIP_CODE_EXT	VARCHAR2	4		
1465	SYSTEM_CONTROL	8	1338	TR_PERIOD_CD	CHAR	1		The time reporting period used by the agency.
1465	SYSTEM_CONTROL	9	1442	WEEKLY_START_DT	DATE	7		The date on which weekly reporting is to start.
1465	SYSTEM_CONTROL	10	1609	DIRECTOR_LAST	VARCHAR2	30		
1465	SYSTEM_CONTROL	11	1608	DIRECTOR_FIRST	VARCHAR2	20		
1465	SYSTEM_CONTROL	12	1664	NEXT_SEQ_NUM	NUMBER	10	0	
1465	SYSTEM_CONTROL	13	1670	DB_VERSION	VARCHAR2	8		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1465	SYSTEM_CONTROL	14	1699	CNTY_IND_1	CHAR	1		
1465	SYSTEM_CONTROL	15	1700	CNTY_IND_2	CHAR	1		
1465	SYSTEM_CONTROL	16	1890	HOURS_PER_DAY	NUMBER	5	2	
1465	SYSTEM_CONTROL	17	1940	PURGE_RUNDAY	NUMBER	2	0	
1465	SYSTEM_CONTROL	18	2280	TR_LOG_PREV_MONTHS	NUMBER	10	0	
1465	SYSTEM_CONTROL	19	2360	AGENCY_PHONE	VARCHAR2	50		
1465	SYSTEM_CONTROL	20	2385	APPEAL_PHONE	VARCHAR2	50		
1465	SYSTEM_CONTROL	21	2442	DEF_INTK_ACC_REST_CD	CHAR	1		
1465	SYSTEM_CONTROL	22	2440	INTAKE_UNIT_ID	NUMBER	10	0	
1465	SYSTEM_CONTROL	23	2446	AGENCY_NAME	VARCHAR2	80		
1465	SYSTEM_CONTROL	24	2797	BUSORG_SVC_REQ_IND	VARCHAR2	1		
1465	SYSTEM_CONTROL	25	2821	CNTY_DSH_PROV_NUM	VARCHAR2	9		
1465	SYSTEM_CONTROL	26	2820	CNTY_EMP_ID_NUM	VARCHAR2	9		
1465	SYSTEM_CONTROL	27	3091	PYMT_INT_REQOWNR_IND	VARCHAR2	1		
1465	SYSTEM_CONTROL	28	3663	DB_GUID2	VARCHAR2	32		
1465	SYSTEM_CONTROL	29		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1465	SYSTEM_CONTROL	30		LAST_CHGD_DT	DATE	7		Last changed date
1468	RETENTION_PERIOD	1	2014	RPERIOD_ID	NUMBER	10	0	
1468	RETENTION_PERIOD	2	2016	RPERIOD_NAME	VARCHAR2	80		
1468	RETENTION_PERIOD	3	2012	RETENTION_CRIT_CD	CHAR	1		
1468	RETENTION_PERIOD	4	2556	SUBPROG_ID	NUMBER	10	0	
1468	RETENTION_PERIOD	5	2013	RPERIOD	NUMBER	10	0	
1468	RETENTION_PERIOD	6	2015	RPERIOD_MIN	NUMBER	10	0	
1468	RETENTION_PERIOD	7	1942	TRACK_CD	CHAR	1		
1468	RETENTION_PERIOD	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1468	RETENTION_PERIOD	9		LAST_CHGD_DT	DATE	7		Last changed date
1470	HCPCS	1	409	HCPCS_CD	VARCHAR2	5		Health Care Common Procedural Coding System
1470	HCPCS	2	1689	HCPCS_DESC	VARCHAR2	65		
1470	HCPCS	3	1695	STAFF_LIST_IND	CHAR	1		
1470	HCPCS	4	1697	VENDOR_LIST_IND	CHAR	1		
1470	HCPCS	5	1691	HCPCS_START_DT	DATE	7		
1470	HCPCS	6	1690	HCPCS_END_DT	DATE	7		
1470	HCPCS	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1470	HCPCS	8		LAST_CHGD_DT	DATE	7		Last changed date
1472	CPT_MODIFIER	1	2449	CPT_MODIFIER	VARCHAR2	2		
1472	CPT_MODIFIER	2	2448	CPT_MOD_DESC	VARCHAR2	65		
1472	CPT_MODIFIER	3		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1472	CPT_MODIFIER	4		LAST_CHGD_DT	DATE	7		Last changed date
1485	DOC_SCHEDULE	1	1884	DOC_SCHEDULE_ID	NUMBER	10	0	Unique, system-generated identifier for a DOC_SCHEDULE table row. May also be used as a data element. To initialize, must be set to spaces.
1485	DOC_SCHEDULE	2	1885	YEAR	NUMBER	10	0	The year to which this applies.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1485	DOC_SCHEDULE	3	1879	AGE_HIGH	NUMBER	10	0	The high end of the age range to which this foster care payment rate applies.
1485	DOC_SCHEDULE	4	1880	AGE_LOW	NUMBER	10	0	The low end of the age range to which this foster care payment rate applies.
1485	DOC_SCHEDULE	5	890	TOTAL_POINTS	NUMBER	10	0	DOC Assessment: Total Points
1485	DOC_SCHEDULE	6	1882	DOC_BASIC_PER_DIEM	NUMBER	10	2	The basic daily payment rate for a child of this age; excludes Difficulty of Care (DOC).
1485	DOC_SCHEDULE	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1485	DOC_SCHEDULE	8		LAST_CHGD_DT	DATE	7		Last changed date
1487	DOC_PT_RATE	1	2999	DOC_PT_RATE_ID	NUMBER	10	0	
1487	DOC_PT_RATE	2	1885	YEAR	NUMBER	10	0	The year to which this applies.
1487	DOC_PT_RATE	3	2998	POINT_RATE	NUMBER	12	2	
1487	DOC_PT_RATE	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1487	DOC_PT_RATE	5		LAST_CHGD_DT	DATE	7		Last changed date
1490	CFC_BASIC_PER_DIEM	1	1883	DOC_RATE_ID	NUMBER	10	0	Unique, system-generated identifier for a DOC_RATE table row. May also be used as a data element. To initialize, must be set to spaces.
1490	CFC_BASIC_PER_DIEM	2	1885	YEAR	NUMBER	10	0	The year to which this applies.
1490	CFC_BASIC_PER_DIEM	3	1880	AGE_LOW	NUMBER	10	0	The low end of the age range to which this foster care payment rate applies.
1490	CFC_BASIC_PER_DIEM	4	1879	AGE_HIGH	NUMBER	10	0	The high end of the age range to which this foster care payment rate applies.
1490	CFC_BASIC_PER_DIEM	5	1881	DAILY_BASIC_RATE	NUMBER	10	2	The basic daily rate for foster care for a child of this age; excludes Difficulty of Care (DOC).
1490	CFC_BASIC_PER_DIEM	6	130	CLOTHING_ALLOW_AMT	NUMBER	10	2	The amount of the clothing allowance allotted for a child of this age.
1490	CFC_BASIC_PER_DIEM	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1490	CFC_BASIC_PER_DIEM	8		LAST_CHGD_DT	DATE	7		Last changed date
1500	COURT_DETAIL	1	184	COURT_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a COURT_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
1500	COURT_DETAIL	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
1500	COURT_DETAIL	3	1041	COURT_HEARING_DT	DATE	7		The date on which the court is tentatively scheduled to review this plan.
1500	COURT_DETAIL	4	186	COURT_TYPE_CD	CHAR	1		
1500	COURT_DETAIL	5	631	PETITION_DT	DATE	7		Ncands 57: Petition date
1500	COURT_DETAIL	6	629	PETITION_CD	CHAR	2		Code values of a petition type. (i.e., What kind of petition is this?)
1500	COURT_DETAIL	7	1202	HEARING_TYPE_CD	CHAR	2		
1500	COURT_DETAIL	8	1188	BEST_INTEREST_IND	CHAR	1		Has the court granted a statement that the placement is in the best interest of the child?
1500	COURT_DETAIL	9	2367	BEST_INTEREST_DT	DATE	7		
1500	COURT_DETAIL	10	212	DISPOSITION_DT	DATE	7		The date when the disposition of the intake occurred.
1500	COURT_DETAIL	11	2366	PETITION_DETAIL_CD	CHAR	1		
1500	COURT_DETAIL	12	2368	REASONABLE_EFF_CD	CHAR	1		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1500	COURT_DETAIL	13	2369	REASONABLE_EFF_DT	DATE	7		
1500	COURT_DETAIL	14	2467	REAS_EFF_PERM_DT	DATE	7		
1500	COURT_DETAIL	15	2466	REAS_EFF_PERM_IND	CHAR	1		
1500	COURT_DETAIL	16	2614	CONTPLCMT_ID	NUMBER	10	0	
1500	COURT_DETAIL	17	2659	PLCMT_REVIEW_IND	VARCHAR2	1		
1500	COURT_DETAIL	18		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1500	COURT_DETAIL	19		LAST_CHGD_DT	DATE	7		Last changed date
1510	COURT_DISPOSITION	1	2370	COURT_DISP_ID	NUMBER	10	0	
1510	COURT_DISPOSITION	2	184	COURT_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a COURT_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
1510	COURT_DISPOSITION	3	211	DISPOSITION_CD	CHAR	2		The court's disposition of this matter.
1510	COURT_DISPOSITION	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1510	COURT_DISPOSITION	5		LAST_CHGD_DT	DATE	7		Last changed date
1600	INTAKE	1	1138	INTAKE_ID	NUMBER	10	0	Unique, system-generated identifier for an INTAKE table row. May also be used as a data element. To initialize, must be set to spaces.
1600	INTAKE	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1600	INTAKE	3	1143	INTAKE_TYPE_CD	CHAR	1		
1600	INTAKE	4	1140	INTAKE_METHOD_CD	CHAR	1		
1600	INTAKE	5	1154	STAFF_WARNING	CLOB	4000		Used to specify any warning to staff, usually regarding violence of a client.
1600	INTAKE	6	1298	IN_PRES_PROB_CD	CHAR	2		Intake presenting problem.
1600	INTAKE	7	1156	DESCR_OF_NEED	BLOB	4000		The need described by the intake caller.
1600	INTAKE	8	3295	INTAKE_COMMENTS	CLOB	4000		
1600	INTAKE	9	2405	IN_SOURCE_CD	VARCHAR2	2		
1600	INTAKE	10	2427	SOURCE_PERSON_ID	NUMBER	10	0	
1600	INTAKE	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1600	INTAKE	12		LAST_CHGD_DT	DATE	7		Last changed date
1630	INTAKE_SNAPSHOT	1	2422	INTAKE_SNAPSHOT_ID	NUMBER	10	0	
1630	INTAKE_SNAPSHOT	2	1138	INTAKE_ID	NUMBER	10	0	Unique, system-generated identifier for an INTAKE table row. May also be used as a data element. To initialize, must be set to spaces.
1630	INTAKE_SNAPSHOT	3	1888	REPORT_ID	NUMBER	10	0	Unique, system-generated identifier for a REPORT table row. May also be used as a data element. To initialize, must be set to spaces.
1630	INTAKE_SNAPSHOT	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1630	INTAKE_SNAPSHOT	5		LAST_CHGD_DT	DATE	7		Last changed date
1700	REPORT	1	1888	REPORT_ID	NUMBER	10	0	Unique, system-generated identifier for a REPORT table row. May also be used as a data element. To initialize, must be set to spaces.
1700	REPORT	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1700	REPORT	3	1887	REPORT_DESC	VARCHAR2	65		Description of the report.
1700	REPORT	4	188	CREATED_DT	DATE	7		Date this document was created

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1700	REPORT	5	1889	REPORT_TYPE_CD	CHAR	1		
1700	REPORT	6	1886	REPORT_BLOB	BLOB	4000		
1700	REPORT	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1700	REPORT	8		LAST_CHGD_DT	DATE	7		Last changed date
1710	LIC_RPT_XREF	1	1220	PROV_LIC_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
1710	LIC_RPT_XREF	2	1888	REPORT_ID	NUMBER	10	0	Unique, system-generated identifier for a REPORT table row. May also be used as a data element. To initialize, must be set to spaces.
1710	LIC_RPT_XREF	3		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1710	LIC_RPT_XREF	4		LAST_CHGD_DT	DATE	7		Last changed date
1816	AR_SCRN	1	2285	AR_SCRN_ID	NUMBER	10	0	Unique, system-generated identifier for an AR_SCRN table row. May also be used as a data element. To initialize, must be set to spaces.
1816	AR_SCRN	2	1138	INTAKE_ID	NUMBER	10	0	Unique, system-generated identifier for an INTAKE table row. May also be used as a data element. To initialize, must be set to spaces.
1816	AR_SCRN	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1816	AR_SCRN	4	2290	CREATE_DT	DATE	7		
1816	AR_SCRN	5	2196	TOOL_STATUS_CD	CHAR	1		Indicates the completeness of the tool
1816	AR_SCRN	6	2260	RANDOM_SAMPLE_CD	CHAR	1		Used in Alternative Response grant counties. Assessments that could be Alternative Response eligible, will be randomly assigned to a track, documented by this code.
1816	AR_SCRN	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1816	AR_SCRN	8		LAST_CHGD_DT	DATE	7		Last changed date
1817	AR_SCRN_DETIND	1	2284	AR_SCRN_DETIND_ID	NUMBER	10	0	Unique, system-generated identifier for an AR_SCRN_DETIND table row. May be used as a data element. To initialize, must be set to spaces.
1817	AR_SCRN_DETIND	2	2285	AR_SCRN_ID	NUMBER	10	0	Unique, system-generated identifier for an AR_SCRN table row. May also be used as a data element. To initialize, must be set to spaces.
1817	AR_SCRN_DETIND	3	2318	QUESTION_ID	NUMBER	10	0	Unique identifier for an SDM_QUESTION table row. May also be used as a data element.
1817	AR_SCRN_DETIND	4	2282	ANSWER_IND	CHAR	1		
1817	AR_SCRN_DETIND	5	2334	SERIOUS_IND	CHAR	1		
1817	AR_SCRN_DETIND	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1817	AR_SCRN_DETIND	7		LAST_CHGD_DT	DATE	7		Last changed date
1821	SDM_QUESTION	1	2318	QUESTION_ID	NUMBER	10	0	Unique identifier for an SDM_QUESTION table row. May also be used as a data element.
1821	SDM_QUESTION	2	2311	PARENT_QUESTION_ID	NUMBER	10	0	Identifies a parent's specific SDM_QUESTION entry.
1821	SDM_QUESTION	3	2319	QUESTION_TEXT	VARCHAR2	300		
1821	SDM_QUESTION	4	2316	QUESTION_ABBR	VARCHAR2	6		
1821	SDM_QUESTION	5	2291	DISPLAY_TYPE_CD	CHAR	1		
1821	SDM_QUESTION	6	2309	OTHER_TEXT_IND	CHAR	1		
1821	SDM_QUESTION	7	1694	SORT_ORDER	NUMBER	10	0	NOT USED IN VERSION 3

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1821	SDM_QUESTION	8	2352	SHOW_SCORE_IND	CHAR	1		
1821	SDM_QUESTION	9	2350	OTHER_TEXT_CAPTION	VARCHAR2	150		
1821	SDM_QUESTION	10	2351	OTHER_TEXT_ERROR	VARCHAR2	150		
1821	SDM_QUESTION	11	2362	QUESTION_HELP	VARCHAR2	1000		
1821	SDM_QUESTION	12	3139	QUESTION_MIN	NUMBER	10	0	
1821	SDM_QUESTION	13	3138	QUESTION_MAX	NUMBER	10	0	
1821	SDM_QUESTION	14		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1821	SDM_QUESTION	15		LAST_CHGD_DT	DATE	7		Last changed date
1822	SDM_QUESTION_TYPE	1	2320	QUESTION_TYPE_ID	NUMBER	10	0	Identifies a unique SDM_QUESTION_TYPE table row.
1822	SDM_QUESTION_TYPE	2	2317	QUESTION_DESC	VARCHAR2	65		
1822	SDM_QUESTION_TYPE	3	2303	NONE_IND	CHAR	1		
1822	SDM_QUESTION_TYPE	4	2304	NONE_TEXT	VARCHAR2	255		
1822	SDM_QUESTION_TYPE	5	2346	SCORE_IND	CHAR	1		
1822	SDM_QUESTION_TYPE	6	2347	SCORE_TEXT	VARCHAR2	255		
1822	SDM_QUESTION_TYPE	7	2344	DEFAULT_SCORE	NUMBER	10	0	
1822	SDM_QUESTION_TYPE	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1822	SDM_QUESTION_TYPE	9		LAST_CHGD_DT	DATE	7		Last changed date
1823	SDM_ANSWER	1	2281	ANSWER_ID	NUMBER	10	0	Identifies a unique SDM_ANSWER table row that corresponds to a unique SDM_QUESTION.
1823	SDM_ANSWER	2	2318	QUESTION_ID	NUMBER	10	0	Unique identifier for an SDM_QUESTION table row. May also be used as a data element.
1823	SDM_ANSWER	3	2283	ANSWER_TEXT	VARCHAR2	150		
1823	SDM_ANSWER	4	2135	SCORE	NUMBER	10	0	Numeric code used to score tools
1823	SDM_ANSWER	5	1694	SORT_ORDER	NUMBER	10	0	NOT USED IN VERSION 3
1823	SDM_ANSWER	6	2340	OTHER_ENABLED_IND	CHAR	1		
1823	SDM_ANSWER	7	2363	ANSWER_HELP	VARCHAR2	1000		
1823	SDM_ANSWER	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1823	SDM_ANSWER	9		LAST_CHGD_DT	DATE	7		Last changed date
1824	SDM_QUESTION_QTYPE	1	2349	QUESTION_QTYPE_ID	NUMBER	10	0	Identifies a unique SDM_QUESTION_QTYPE table row.
1824	SDM_QUESTION_QTYPE	2	2320	QUESTION_TYPE_ID	NUMBER	10	0	Identifies a unique SDM_QUESTION_TYPE table row.
1824	SDM_QUESTION_QTYPE	3	2318	QUESTION_ID	NUMBER	10	0	Unique identifier for an SDM_QUESTION table row. May also be used as a data element.
1824	SDM_QUESTION_QTYPE	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1824	SDM_QUESTION_QTYPE	5		LAST_CHGD_DT	DATE	7		Last changed date
1826	SDM_FNS	1	2296	FNS_ID	NUMBER	10	0	
1826	SDM_FNS	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1826	SDM_FNS	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1826	SDM_FNS	4	2290	CREATE_DT	DATE	7		
1826	SDM_FNS	5	73	ASSESS_DT	DATE	7		Date the assessment was performed

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1826	SDM_FNS	6	2057	FINAL_DT	DATE	7		The finalized date for the assessment.
1826	SDM_FNS	7	2196	TOOL_STATUS_CD	CHAR	1		Indicates the completeness of the tool
1826	SDM_FNS	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1826	SDM_FNS	9		LAST_CHGD_DT	DATE	7		Last changed date
1827	SDM_FNS_DETAIL	1	2295	FNS_DETAIL_ID	NUMBER	10	0	
1827	SDM_FNS_DETAIL	2	2296	FNS_ID	NUMBER	10	0	
1827	SDM_FNS_DETAIL	3	2281	ANSWER_ID	NUMBER	10	0	Identifies a unique SDM_ANSWER table row that corresponds to a unique SDM_QUESTION.
1827	SDM_FNS_DETAIL	4	2315	PRIORITY_IND	CHAR	1		
1827	SDM_FNS_DETAIL	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1827	SDM_FNS_DETAIL	6		LAST_CHGD_DT	DATE	7		Last changed date
1841	SDM_REUN	1	2326	REUN_ID	NUMBER	10	0	Unique, system-generated identifier for an SDM_REUN table row. May also be used as a data element. To initialize, must be set to spaces.
1841	SDM_REUN	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1841	SDM_REUN	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1841	SDM_REUN	4	1948	APPROVAL_ID	NUMBER	10	0	Unique, system-generated identifier for an APPROVAL table row. May also be used as a data element. To initialize, must be set to spaces.
1841	SDM_REUN	5	2290	CREATE_DT	DATE	7		
1841	SDM_REUN	6	73	ASSESS_DT	DATE	7		Date the assessment was performed
1841	SDM_REUN	7	1345	FINALIZE_DT	DATE	7		The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.
1841	SDM_REUN	8	2306	NUM_PRIOR_REUN	NUMBER	10	0	
1841	SDM_REUN	9	2310	OVERRIDE_RISK_CD	CHAR	1		
1841	SDM_REUN	10	2052	CASE_STATUS_CD	CHAR	1		
1841	SDM_REUN	11	2196	TOOL_STATUS_CD	CHAR	1		Indicates the completeness of the tool
1841	SDM_REUN	12	2293	FACTOR_TEXT	VARCHAR2	1000		
1841	SDM_REUN	13	2322	RESPONSE_TEXT	VARCHAR2	1000		
1841	SDM_REUN	14		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1841	SDM_REUN	15		LAST_CHGD_DT	DATE	7		Last changed date
1842	SDM_REUN_DETAIL	1	2324	REUN_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for as SDM_REUN_DETAIL table row. may also be used as a data element. To initialize, must be set to spaces.
1842	SDM_REUN_DETAIL	2	2326	REUN_ID	NUMBER	10	0	Unique, system-generated identifier for an SDM_REUN table row. May also be used as a data element. To initialize, must be set to spaces.
1842	SDM_REUN_DETAIL	3	2281	ANSWER_ID	NUMBER	10	0	Identifies a unique SDM_ANSWER table row that corresponds to a unique SDM_QUESTION.
1842	SDM_REUN_DETAIL	4	2308	OTHER_TEXT	VARCHAR2	255		
1842	SDM_REUN_DETAIL	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1842	SDM_REUN_DETAIL	6		LAST_CHGD_DT	DATE	7		Last changed date

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1843	SDM_REUN_DETIND	1	2325	REUN_DETIND_ID	NUMBER	10	0	Unique, system-generated identifier for an SDM_REUN_DETIND table row. May be used as a data element. To initialize, must be set to spaces.
1843	SDM_REUN_DETIND	2	2326	REUN_ID	NUMBER	10	0	Unique, system-generated identifier for an SDM_REUN table row. May also be used as a data element. To initialize, must be set to spaces.
1843	SDM_REUN_DETIND	3	2318	QUESTION_ID	NUMBER	10	0	Unique identifier for an SDM_QUESTION table row. May also be used as a data element.
1843	SDM_REUN_DETIND	4	2282	ANSWER_IND	CHAR	1		
1843	SDM_REUN_DETIND	5	2308	OTHER_TEXT	VARCHAR2	255		
1843	SDM_REUN_DETIND	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1843	SDM_REUN_DETIND	7		LAST_CHGD_DT	DATE	7		Last changed date
1846	SDM_REUN_CHILD	1	2323	REUN_CHILD_ID	NUMBER	10	0	
1846	SDM_REUN_CHILD	2	2326	REUN_ID	NUMBER	10	0	Unique, system-generated identifier for an SDM_REUN table row. May also be used as a data element. To initialize, must be set to spaces.
1846	SDM_REUN_CHILD	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
1846	SDM_REUN_CHILD	4	2281	ANSWER_ID	NUMBER	10	0	Identifies a unique SDM_ANSWER table row that corresponds to a unique SDM_QUESTION.
1846	SDM_REUN_CHILD	5	2110	RECOMMEND_CD	CHAR	1		System-calculated reunification recommendation.
1846	SDM_REUN_CHILD	6	2080	NEW_GOAL_CD	CHAR	1		New reunification goal
1846	SDM_REUN_CHILD	7	2054	COURT_DECISION_CD	CHAR	1		Court decision.
1846	SDM_REUN_CHILD	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1846	SDM_REUN_CHILD	9		LAST_CHGD_DT	DATE	7		Last changed date
1850	SDM_RISK_ASSESS	1		SDM_RISK_ASSESS_ID	NUMBER	10	0	
1850	SDM_RISK_ASSESS	2		WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1850	SDM_RISK_ASSESS	3		STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1850	SDM_RISK_ASSESS	4		PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
1850	SDM_RISK_ASSESS	5		APPROVAL_ID	NUMBER	10	0	Unique, system-generated identifier for an APPROVAL table row. May also be used as a data element. To initialize, must be set to spaces.
1850	SDM_RISK_ASSESS	6		SECONDARY_PERSON_ID	NUMBER	10	0	
1850	SDM_RISK_ASSESS	7		CREATE_DT	DATE	7		
1850	SDM_RISK_ASSESS	8		ASSESS_DT	DATE	7		Date the assessment was performed
1850	SDM_RISK_ASSESS	9		FINALIZE_DT	DATE	7		The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.
1850	SDM_RISK_ASSESS	10		NUM_PRIOR_ASSESS	NUMBER	10	0	
1850	SDM_RISK_ASSESS	11		OVERRIDE_RISK_CD	CHAR	1		
1850	SDM_RISK_ASSESS	12		ASSESS_TYPE_CD	CHAR	1		
1850	SDM_RISK_ASSESS	13		TOOL_STATUS_CD	CHAR	1		Indicates the completeness of the tool

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1850	SDM_RISK_ASSESS	14		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1850	SDM_RISK_ASSESS	15		LAST_CHGD_DT	DATE	7		Last changed date
1851	SDM_RA	1	2329	SDM_RA_ID	NUMBER	10	0	
1851	SDM_RA	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1851	SDM_RA	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1851	SDM_RA	4	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
1851	SDM_RA	5	1948	APPROVAL_ID	NUMBER	10	0	Unique, system-generated identifier for an APPROVAL table row. May also be used as a data element. To initialize, must be set to spaces.
1851	SDM_RA	6	2290	CREATE_DT	DATE	7		
1851	SDM_RA	7	73	ASSESS_DT	DATE	7		Date the assessment was performed
1851	SDM_RA	8	1345	FINALIZE_DT	DATE	7		The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.
1851	SDM_RA	9	2305	NUM_PRIOR_ASSESS	NUMBER	10	0	
1851	SDM_RA	10	2310	OVERRIDE_RISK_CD	CHAR	1		
1851	SDM_RA	11	2286	ASSESS_TYPE_CD	CHAR	1		
1851	SDM_RA	12	2196	TOOL_STATUS_CD	CHAR	1		Indicates the completeness of the tool
1851	SDM_RA	13		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1851	SDM_RA	14		LAST_CHGD_DT	DATE	7		Last changed date
1852	SDM_RA_DETAIL	1	2321	RA_DETAIL_ID	NUMBER	10	0	Unique, system-generated identifier for a SDM_RA_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.
1852	SDM_RA_DETAIL	2	2329	SDM_RA_ID	NUMBER	10	0	
1852	SDM_RA_DETAIL	3	2281	ANSWER_ID	NUMBER	10	0	Identifies a unique SDM_ANSWER table row that corresponds to a unique SDM_QUESTION.
1852	SDM_RA_DETAIL	4	2308	OTHER_TEXT	VARCHAR2	255		
1852	SDM_RA_DETAIL	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1852	SDM_RA_DETAIL	6		LAST_CHGD_DT	DATE	7		Last changed date
1866	SDM_SA	1	2144	SDM_SA_ID	NUMBER	10	0	Unique, system-generated identifier for an SDM_SAFETY ASSESS table row. May also be used as a data element. To initialize, must be set to spaces.
1866	SDM_SA	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1866	SDM_SA	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1866	SDM_SA	4	2290	CREATE_DT	DATE	7		
1866	SDM_SA	5	73	ASSESS_DT	DATE	7		Date the assessment was performed

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1866	SDM_SA	6	1345	FINALIZE_DT	DATE	7		The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.
1866	SDM_SA	7	2327	SAFETY_DECISION_CD	CHAR	1		
1866	SDM_SA	8	2196	TOOL_STATUS_CD	CHAR	1		Indicates the completeness of the tool
1866	SDM_SA	9	2227	NUM_CHILD	NUMBER	10	0	Number of children removed from home. Required if any safety factor indicator is 'yes'. Entered when safety decision is "unsafe."
1866	SDM_SA	10	2293	FACTOR_TEXT	VARCHAR2	1000		
1866	SDM_SA	11	2322	RESPONSE_TEXT	VARCHAR2	1000		
1866	SDM_SA	12		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1866	SDM_SA	13		LAST_CHGD_DT	DATE	7		Last changed date
1867	SDM_SA_DETIND	1	2328	SA_DETIND_ID	NUMBER	10	0	Unique, system-generated identifier for an SDM_SA_DETIND table row. May also be used as a data element. To initialize, must be set to spaces.
1867	SDM_SA_DETIND	2	2144	SDM_SA_ID	NUMBER	10	0	Unique, system-generated identifier for an SDM_SAFETY ASSESS table row. May also be used as a data element. To initialize, must be set to spaces.
1867	SDM_SA_DETIND	3	2318	QUESTION_ID	NUMBER	10	0	Unique identifier for an SDM_QUESTION table row. May also be used as a data element.
1867	SDM_SA_DETIND	4	2282	ANSWER_IND	CHAR	1		
1867	SDM_SA_DETIND	5	2308	OTHER_TEXT	VARCHAR2	255		
1867	SDM_SA_DETIND	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1867	SDM_SA_DETIND	7		LAST_CHGD_DT	DATE	7		Last changed date
1868	SDM_RISK_ASSESS	1	3375	SDM_RISK_ASSESS_ID	NUMBER	10	0	
1868	SDM_RISK_ASSESS	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1868	SDM_RISK_ASSESS	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1868	SDM_RISK_ASSESS	4	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
1868	SDM_RISK_ASSESS	5	1948	APPROVAL_ID	NUMBER	10	0	Unique, system-generated identifier for an APPROVAL table row. May also be used as a data element. To initialize, must be set to spaces.
1868	SDM_RISK_ASSESS	6	3384	SECONDARY_PERSON_ID	NUMBER	10	0	
1868	SDM_RISK_ASSESS	7	2290	CREATE_DT	DATE	7		
1868	SDM_RISK_ASSESS	8	73	ASSESS_DT	DATE	7		Date the assessment was performed
1868	SDM_RISK_ASSESS	9	1345	FINALIZE_DT	DATE	7		The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.
1868	SDM_RISK_ASSESS	10	2305	NUM_PRIOR_ASSESS	NUMBER	10	0	
1868	SDM_RISK_ASSESS	11	2310	OVERRIDE_RISK_CD	CHAR	1		
1868	SDM_RISK_ASSESS	12	2286	ASSESS_TYPE_CD	CHAR	1		
1868	SDM_RISK_ASSESS	13	2196	TOOL_STATUS_CD	CHAR	1		Indicates the completeness of the tool

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1868	SDM_RISK_ASSESS	14		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1868	SDM_RISK_ASSESS	15		LAST_CHGD_DT	DATE	7		Last changed date
1869	SDM_RISK_ASSESS_DET	1	3374	SDM_RSK_ASSES_DET_ID	NUMBER	10	0	
1869	SDM_RISK_ASSESS_DET	2	3375	SDM_RISK_ASSESS_ID	NUMBER	10	0	
1869	SDM_RISK_ASSESS_DET	3	2281	ANSWER_ID	NUMBER	10	0	Identifies a unique SDM_ANSWER table row that corresponds to a unique SDM_QUESTION.
1869	SDM_RISK_ASSESS_DET	4	2308	OTHER_TEXT	VARCHAR2	255		
1869	SDM_RISK_ASSESS_DET	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1869	SDM_RISK_ASSESS_DET	6		LAST_CHGD_DT	DATE	7		Last changed date
1871	SDM_SVC_STATUS	1	2333	SDM_SVC_STATUS_ID	NUMBER	10	0	Unique, system-generated identifier for a SDM_SVC_STATUS table row. May also be used as a data element. To initialize, must be set to spaces.
1871	SDM_SVC_STATUS	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1871	SDM_SVC_STATUS	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1871	SDM_SVC_STATUS	4	2332	SDM_SERVICE_ID	NUMBER	10	0	Unique identifier for a SDM_SERVICE table row. May also be used as a data element. To initialize, must be set to spaces.
1871	SDM_SVC_STATUS	5	2290	CREATE_DT	DATE	7		
1871	SDM_SVC_STATUS	6	2335	SERVICE_CLIENT_CD	CHAR	1		
1871	SDM_SVC_STATUS	7	2337	SERVICE_STATUS_CD	CHAR	1		
1871	SDM_SVC_STATUS	8	2196	TOOL_STATUS_CD	CHAR	1		Indicates the completeness of the tool
1871	SDM_SVC_STATUS	9	1345	FINALIZE_DT	DATE	7		The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.
1871	SDM_SVC_STATUS	10	2353	SERVICE_DT	DATE	7		
1871	SDM_SVC_STATUS	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1871	SDM_SVC_STATUS	12		LAST_CHGD_DT	DATE	7		Last changed date
1872	SDM_SERVICE	1	2332	SDM_SERVICE_ID	NUMBER	10	0	Unique identifier for a SDM_SERVICE table row. May also be used as a data element. To initialize, must be set to spaces.
1872	SDM_SERVICE	2	2318	QUESTION_ID	NUMBER	10	0	Unique identifier for an SDM_QUESTION table row. May also be used as a data element.
1872	SDM_SERVICE	3	2338	SERVICE_TEXT	VARCHAR2	65		
1872	SDM_SERVICE	4	1694	SORT_ORDER	NUMBER	10	0	NOT USED IN VERSION 3
1872	SDM_SERVICE	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1872	SDM_SERVICE	6		LAST_CHGD_DT	DATE	7		Last changed date
1875	WG_SWITCH	1	2208	WG_SWITCH_ID	NUMBER	10	0	Unique, system-generated identifier for a WG_SWITCH table row. May also be used as a data element. To initialize, must be set to spaces.
1875	WG_SWITCH	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
1875	WG_SWITCH	3	2195	SWITCH_REASON_CD	CHAR	2		Reason for track switch
1875	WG_SWITCH	4	2094	OTHER_REASON	VARCHAR2	64		Text description of other reason. Required if switch reason is 'other'

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1875	WG_SWITCH	5	2207	WG_SWITCH_COMMENTS	VARCHAR2	255		Optional text comment.
1875	WG_SWITCH	6	3366	SWITCH_TYPE_CD	VARCHAR2	1		
1875	WG_SWITCH	7	3365	SWITCH_EFF_DT	DATE	7		
1875	WG_SWITCH	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1875	WG_SWITCH	9		LAST_CHGD_DT	DATE	7		Last changed date
1890	CWB_TOOL	1	2685	CWB_TOOL_ID	NUMBER	10	0	
1890	CWB_TOOL	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
1890	CWB_TOOL	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1890	CWB_TOOL	4	73	ASSESS_DT	DATE	7		Date the assessment was performed
1890	CWB_TOOL	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1890	CWB_TOOL	6		LAST_CHGD_DT	DATE	7		Last changed date
1891	CWB_TOOL_DETAIL	1	2683	CWB_TOOL_DETAIL_ID	NUMBER	10	0	
1891	CWB_TOOL_DETAIL	2	2685	CWB_TOOL_ID	NUMBER	10	0	
1891	CWB_TOOL_DETAIL	3	2281	ANSWER_ID	NUMBER	10	0	Identifies a unique SDM_ANSWER table row that corresponds to a unique SDM_QUESTION.
1891	CWB_TOOL_DETAIL	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1891	CWB_TOOL_DETAIL	5		LAST_CHGD_DT	DATE	7		Last changed date
1895	CMH_SCREEN	1	2688	CMH_SCREEN_ID	NUMBER	10	0	
1895	CMH_SCREEN	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
1895	CMH_SCREEN	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1895	CMH_SCREEN	4	2687	CMH_DT	DATE	7		
1895	CMH_SCREEN	5	2686	CMH_STATUS_CD	VARCHAR2	1		
1895	CMH_SCREEN	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1895	CMH_SCREEN	7		LAST_CHGD_DT	DATE	7		Last changed date
1896	CMH_ASSESS	1	3081	CMH_ASSESS_ID	NUMBER	10	0	
1896	CMH_ASSESS	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
1896	CMH_ASSESS	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1896	CMH_ASSESS	4	3080	CMH_ASSESS_SCALE_CD	VARCHAR2	3		
1896	CMH_ASSESS	5	3079	ADMINISTERED_DT	DATE	7		
1896	CMH_ASSESS	6	3078	SCALE_TOTAL_SCORE	NUMBER	10	0	
1896	CMH_ASSESS	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1896	CMH_ASSESS	8		LAST_CHGD_DT	DATE	7		Last changed date
1897	CMH_ASSESS_DETAIL	1	3082	CMH_ASSESS_DETAIL_ID	NUMBER	10	0	
1897	CMH_ASSESS_DETAIL	2	3081	CMH_ASSESS_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
1897	CMH_ASSESS_DETAIL	3	2318	QUESTION_ID	NUMBER	10	0	Unique identifier for an SDM_QUESTION table row. May also be used as a data element.
1897	CMH_ASSESS_DETAIL	4	2135	SCORE	NUMBER	10	0	Numeric code used to score tools
1897	CMH_ASSESS_DETAIL	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1897	CMH_ASSESS_DETAIL	6		LAST_CHGD_DT	DATE	7		Last changed date
1945	APPROVAL	1	1948	APPROVAL_ID	NUMBER	10	0	Unique, system-generated identifier for an APPROVAL table row. May also be used as a data element. To initialize, must be set to spaces.
1945	APPROVAL	2	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
1945	APPROVAL	3	1951	APPROVE_STAT_CD	CHAR	1		Identifies status of application.
1945	APPROVAL	4	1952	APPROVE_STAT_DT	DATE	7		Approval status date.
1945	APPROVAL	5	1947	APPROVAL_COMMENTS	VARCHAR2	400		
1945	APPROVAL	6	1958	AUTHENTICATION	VARCHAR2	40		NOT USED IN VERSION3
1945	APPROVAL	7	2259	REQ_STAFF_ID	NUMBER	10	0	Id number of the user requesting the approval.
1945	APPROVAL	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
1945	APPROVAL	9		LAST_CHGD_DT	DATE	7		Last changed date
2000	SVC_PLAN_DOC	1	2215	SVC_PLAN_DOC_ID	NUMBER	10	0	Unique, system-generated identifier for a SVC_PLAN_DOC table row. May also be used as a data element. To initialize, must be set to spaces. Used only for AR in Version 3.
2000	SVC_PLAN_DOC	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
2000	SVC_PLAN_DOC	3	1417	PLAN_TYPE_CD	CHAR	1		The specific plan type for this plan, e.g., Out-of Home Placement, Child Protective Service, Social Services Plan, AR Service Plan.
2000	SVC_PLAN_DOC	4	1416	PLAN_STATUS_CD	CHAR	1		
2000	SVC_PLAN_DOC	5	2383	PLAN_STATUS_DT	DATE	7		
2000	SVC_PLAN_DOC	6	1413	PLAN_EFF_FROM_DT	DATE	7		The first date on which this plan will be effective.
2000	SVC_PLAN_DOC	7	1414	PLAN_EFF_TO_DT	DATE	7		The last date on which this plan is effective.
2000	SVC_PLAN_DOC	8	2211	PLAN_DOC	BLOB	4000		Contains to plan document. Only used for AR Plan in Version 3.
2000	SVC_PLAN_DOC	9	3616	SSIS_DOCUMENT_ID	NUMBER	10	0	
2000	SVC_PLAN_DOC	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2000	SVC_PLAN_DOC	11		LAST_CHGD_DT	DATE	7		Last changed date
2005	SPD_CLIENT	1	2212	SPD_CLIENT_ID	NUMBER	10	0	Unique, system-generated identifier for a SPD_CLIENT table row. May also be use as a data element. To initialize, must be set to spaces. NOT USED IN VERSION 3
2005	SPD_CLIENT	2	2215	SVC_PLAN_DOC_ID	NUMBER	10	0	Unique, system-generated identifier for a SVC_PLAN_DOC table row. May also be used as a data element. To initialize, must be set to spaces. Used only for AR in Version 3.
2005	SPD_CLIENT	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2005	SPD_CLIENT	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2005	SPD_CLIENT	5		LAST_CHGD_DT	DATE	7		Last changed date

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2025	SPD_PLACEMENT	1	2384	SPD_PLACEMENT_ID	NUMBER	10	0	
2025	SPD_PLACEMENT	2	2596	PLCMT_LOC_ID	NUMBER	10	0	
2025	SPD_PLACEMENT	3	2215	SVC_PLAN_DOC_ID	NUMBER	10	0	Unique, system-generated identifier for a SVC_PLAN_DOC table row. May also be used as a data element. To initialize, must be set to spaces. Used only for AR in Version 3.
2025	SPD_PLACEMENT	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2025	SPD_PLACEMENT	5		LAST_CHGD_DT	DATE	7		Last changed date
2200	DATADICT	1	1302	FLD_ID	NUMBER	10	0	
2200	DATADICT	2	1304	FLD_NAME	VARCHAR2	20		
2200	DATADICT	3	1305	FLD_TYPE	CHAR	1		
2200	DATADICT	4	1303	FLD_LENGTH	NUMBER	10	0	
2200	DATADICT	5	1301	FLD_DEC	NUMBER	10	0	
2200	DATADICT	6	1306	NOTE	VARCHAR2	240		
2200	DATADICT	7	200	DESCRIPTION	VARCHAR2	240		Text description
2200	DATADICT	8		LAST_CHGD_DT	DATE	7		Last changed date
2200	DATADICT	9	1344	CODE_FLD_NAME	VARCHAR2	18		
2200	DATADICT	10	1917	CODE_TBL	VARCHAR2	25		
2200	DATADICT	11	1916	CODE_LOOKUP_FLD	VARCHAR2	18		
2200	DATADICT	12	3076	LOG_LENGTH	NUMBER	10	0	
2205	TRANS_TEMPLATE	1	821	TRANS_CD	NUMBER	10	0	Unique, system-generated identifier for a
2205	TRANS_TEMPLATE	2	786	SUB_CD	NUMBER	10	0	Transaction sub code: A sub-division of Trans_Cd
2205	TRANS_TEMPLATE	3	748	SEQ_NUM	NUMBER	10	0	Sequence number on the transaction log
2205	TRANS_TEMPLATE	4	1245	FIELD_ID	NUMBER	10	0	
2205	TRANS_TEMPLATE	5	1307	REQ_INS	CHAR	1		
2205	TRANS_TEMPLATE	6	1308	REQ_UPD_DEL	CHAR	1		
2205	TRANS_TEMPLATE	7	1300	ALT_DESCRIPTION	VARCHAR2	240		
2205	TRANS_TEMPLATE	8		LAST_CHGD_DT	DATE	7		Last changed date
2205	TRANS_TEMPLATE	9	1273	ACTIVE_IND	CHAR	1		
2215	TRANS_DEF	1	821	TRANS_CD	NUMBER	10	0	Unique, system-generated identifier for a
2215	TRANS_DEF	2	786	SUB_CD	NUMBER	10	0	Transaction sub code: A sub-division of Trans_Cd
2215	TRANS_DEF	3	1033	TABLE_OBJ	VARCHAR2	25		Table Object
2215	TRANS_DEF	4	1029	SEND_IND	CHAR	1		Send indicator
2215	TRANS_DEF	5	1332	SEQ_IND	CHAR	1		
2215	TRANS_DEF	6	1941	STATUS	VARCHAR2	40		
2215	TRANS_DEF	7	1927	ID_NAME	VARCHAR2	20		
2215	TRANS_DEF	8	1938	PARENT_OBJ	VARCHAR2	20		
2215	TRANS_DEF	9	2458	RECIEVE_IND	CHAR	1		
2222	TRANS_LOG2	1		SOURCE_CD	CHAR	1		Source code
2222	TRANS_LOG2	2		TRANS_ID	NUMBER	10	0	Unique, system-generated identifier for a Transaction table row
2222	TRANS_LOG2	3		SEQ_NUM	NUMBER	10	0	Sequence number on the transaction log
2222	TRANS_LOG2	4		CNTY_CD	CHAR	2		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2222	TRANS_LOG2	5		STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
2222	TRANS_LOG2	6		TRANS_DT	DATE	7		Transaction date
2222	TRANS_LOG2	7		TRANS_CD	NUMBER	10	0	Unique, system-generated identifier for a
2222	TRANS_LOG2	8		SUB_CD	NUMBER	10	0	Transaction sub code: A sub-division of Trans_Cd
2222	TRANS_LOG2	9		ACT_CD	CHAR	1		Transaction Log Activity code
2222	TRANS_LOG2	10		ERR_CD	VARCHAR2	40		Transaction error code on the Transaction log
2222	TRANS_LOG2	11		DATA_ID	NUMBER	10	0	
2222	TRANS_LOG2	12		PROCESSED_IND	CHAR	1		Has this transaction been processed? Transaction Log
2225	PUSHPULL_LOG	1	1467	PUSHPULLLOG_ID	NUMBER	10	0	Unique, system-generated identifier for a PUSHPULL_LOG table row. May also be used as a data element.
2225	PUSHPULL_LOG	2	1447	LOGGED_DT	DATE	7		
2225	PUSHPULL_LOG	3	1452	SEVERITY	NUMBER	10	0	
2225	PUSHPULL_LOG	4	1030	SOURCE_CD	CHAR	1		Source code
2225	PUSHPULL_LOG	5	823	TRANS_ID	NUMBER	10	0	Unique, system-generated identifier for a Transaction table row
2225	PUSHPULL_LOG	6	1449	MESSAGE	VARCHAR2	1000		
2225	PUSHPULL_LOG	7	821	TRANS_CD	NUMBER	10	0	Unique, system-generated identifier for a
2225	PUSHPULL_LOG	8	8	ACT_CD	CHAR	1		Transaction Log Activity code
2240	STAFF_LOGGED_ON	1	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
2240	STAFF_LOGGED_ON	2	1665	ORA_ID	NUMBER	10	0	
2240	STAFF_LOGGED_ON	3	1663	LOGGED_ON_DT	DATE	7		
2245	TRANSMISS_DEFERRED	1	1696	TABLE_NAME	VARCHAR2	30		
2245	TRANSMISS_DEFERRED	2	1692	KEY	NUMBER	22		
2250	TRANSMISS_ERROR	1	1281	TRANSMISS_ERROR_ID	NUMBER	10	0	
2250	TRANSMISS_ERROR	2	133	CNTY_CD	CHAR	2		
2250	TRANSMISS_ERROR	3	188	CREATED_DT	DATE	7		Date this document was created
2250	TRANSMISS_ERROR	4	821	TRANS_CD	NUMBER	10	0	Unique, system-generated identifier for a
2250	TRANSMISS_ERROR	5	786	SUB_CD	NUMBER	10	0	Transaction sub code: A sub-division of Trans_Cd
2250	TRANSMISS_ERROR	6	8	ACT_CD	CHAR	1		Transaction Log Activity code
2250	TRANSMISS_ERROR	7	1275	ERROR_TYPE_CD	VARCHAR2	4		
2250	TRANSMISS_ERROR	8	1274	ERROR_TEXT	VARCHAR2	800		
2250	TRANSMISS_ERROR	9	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
2250	TRANSMISS_ERROR	10	2278	PERTINENT_DT_TYPE	VARCHAR2	30		
2250	TRANSMISS_ERROR	11	1891	PERTINENT_DT	DATE	7		
2250	TRANSMISS_ERROR	12	2298	INCLUSION_DT	DATE	7		
2250	TRANSMISS_ERROR	13	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
2250	TRANSMISS_ERROR	14	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2250	TRANSMISS_ERROR	15	2279	REPORT_ELEMENT	VARCHAR2	200		
2255	TRANSMISS_STATUS	1	1652	TRANSMISS_STAT_ID	NUMBER	10	0	
2255	TRANSMISS_STATUS	2	1648	RUN_COUNT	NUMBER	10	0	
2255	TRANSMISS_STATUS	3	1637	PERCENT_ERRORS	NUMBER	10	0	
2255	TRANSMISS_STATUS	4	1650	STATUS_TEXT	VARCHAR2	200		
2255	TRANSMISS_STATUS	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2255	TRANSMISS_STATUS	6		LAST_CHGD_DT	DATE	7		Last changed date
2260	VAR_STORAGE	1	1818	VAR_ID	NUMBER	10	0	
2260	VAR_STORAGE	2	1819	VAR_NAME	VARCHAR2	30		
2260	VAR_STORAGE	3	1820	VAR_VALUE	VARCHAR2	4000		
2265	WG_CLOSE	1	1673	WG_CLOSE_ID	NUMBER	10	0	
2265	WG_CLOSE	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
2265	WG_CLOSE	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
2265	WG_CLOSE	4	1668	CATEGORY	VARCHAR2	30		
2265	WG_CLOSE	5	1614	CLIENT_NAME	VARCHAR2	50		
2265	WG_CLOSE	6	1672	MISSING_DATA	VARCHAR2	150		
2265	WG_CLOSE	7	1671	ENTRY_SCREEN	VARCHAR2	100		
2270	TRANSMISS_ERR_TYPE	1	1275	ERROR_TYPE_CD	VARCHAR2	4		
2270	TRANSMISS_ERR_TYPE	2	2364	ERROR_DESCRIPTION	VARCHAR2	100		
2270	TRANSMISS_ERR_TYPE	3	2365	SCREEN	VARCHAR2	100		
2270	TRANSMISS_ERR_TYPE	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2270	TRANSMISS_ERR_TYPE	5		LAST_CHGD_DT	DATE	7		Last changed date
2275	PURGE_LOG	1	2567	PURGE_LOG_ID	NUMBER	10	0	
2275	PURGE_LOG	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
2275	PURGE_LOG	3	845	WG_LABEL	VARCHAR2	80		The name of the workgroup. The label format is: last name; space; first name; space; abbreviation for BRASS program; space; workgroup status; space; and workgroup start date.
2275	PURGE_LOG	4	2556	SUBPROG_ID	NUMBER	10	0	
2275	PURGE_LOG	5	770	START_DT	DATE	7		
2275	PURGE_LOG	6	233	END_DT	DATE	7		
2275	PURGE_LOG	7	2387	PURGE_DT	DATE	7		
2275	PURGE_LOG	8	132	CNTY_CASE_NUM	VARCHAR2	10		A county's internal case number.
2275	PURGE_LOG	9	67	APP_NUM	CHAR	2		County's application number
2275	PURGE_LOG	10	3074	CNTY_CASE_NUMBER	VARCHAR2	10		
2285	TRANS_LOG2_DETAIL	1	2769	TRANS_DETAIL_ID	NUMBER	10	0	
2285	TRANS_LOG2_DETAIL	2	1030	SOURCE_CD	CHAR	1		Source code
2285	TRANS_LOG2_DETAIL	3	823	TRANS_ID	NUMBER	10	0	Unique, system-generated identifier for a Transaction table row
2285	TRANS_LOG2_DETAIL	4	748	SEQ_NUM	NUMBER	22		Sequence number on the transaction log

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2285	TRANS_LOG2_DETAIL	5		FLD_SEQ_NUM	NUMBER	10	0	
2285	TRANS_LOG2_DETAIL	6		FLD_ID	NUMBER	10	0	
2285	TRANS_LOG2_DETAIL	7		FLD_CONTENTS	VARCHAR2	4000		
2285	TRANS_LOG2_DETAIL	8	2766	NOT_CURRENT_DT	DATE	7		
2300	BUS_ORG	1	2419	BUS_ORG_ID	NUMBER	10	0	
2300	BUS_ORG	2	2415	BUS_NAME	VARCHAR2	50		
2300	BUS_ORG	3	2414	BUS_ORG_DESC	VARCHAR2	250		
2300	BUS_ORG	4	2444	BUS_ORG_TYPE_ID	NUMBER	10	0	
2300	BUS_ORG	5	142	CNTY_PROV_NUM	VARCHAR2	20		County-defined Provider Number
2300	BUS_ORG	6	490	MMIS_PROV_NUM	VARCHAR2	10		MMIS Provider Number
2300	BUS_ORG	7	381	FED_TID	VARCHAR2	9		Federal Tax ID
2300	BUS_ORG	8	2642	BUS_ORG_STATUS_CD	VARCHAR2	1		
2300	BUS_ORG	9	2641	BUS_ORG_STATUS_DT	DATE	7		
2300	BUS_ORG	10	2645	VOUCHER_METH_CD	VARCHAR2	1		
2300	BUS_ORG	11	2664	DEFAULT_1099_CD	VARCHAR2	1		
2300	BUS_ORG	12	2662	NPI	VARCHAR2	10		
2300	BUS_ORG	13		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2300	BUS_ORG	14		LAST_CHGD_DT	DATE	7		Last changed date
2310	BUS_ORG_PHONE_XREF	1	2388	BUS_ORG_PHONE_ID	NUMBER	10	0	
2310	BUS_ORG_PHONE_XREF	2	2419	BUS_ORG_ID	NUMBER	10	0	
2310	BUS_ORG_PHONE_XREF	3	2412	PHONE_ID	NUMBER	10	0	
2310	BUS_ORG_PHONE_XREF	4	1165	PHONE_TYPE_CD	CHAR	1		
2310	BUS_ORG_PHONE_XREF	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2310	BUS_ORG_PHONE_XREF	6		LAST_CHGD_DT	DATE	7		Last changed date
2315	BUS_ORG_ADDR_XREF	1	2420	BUS_ORG_ADDR_ID	NUMBER	10	0	
2315	BUS_ORG_ADDR_XREF	2	2419	BUS_ORG_ID	NUMBER	10	0	
2315	BUS_ORG_ADDR_XREF	3	2398	ADDRESS_ID	NUMBER	10	0	
2315	BUS_ORG_ADDR_XREF	4	12	ADDR_TYPE_CD	CHAR	1		The type of address..
2315	BUS_ORG_ADDR_XREF	5	770	START_DT	DATE	7		
2315	BUS_ORG_ADDR_XREF	6	233	END_DT	DATE	7		
2315	BUS_ORG_ADDR_XREF	7	102	CARE_OF_LINE	VARCHAR2	40		Care/of line is the 2nd line of an addressee (when needed)
2315	BUS_ORG_ADDR_XREF	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2315	BUS_ORG_ADDR_XREF	9		LAST_CHGD_DT	DATE	7		Last changed date
2320	ADDRESS	1	2398	ADDRESS_ID	NUMBER	10	0	
2320	ADDRESS	2	133	CNTY_CD	CHAR	2		
2320	ADDRESS	3	1676	ADDR_1	VARCHAR2	100		
2320	ADDRESS	4	1677	ADDR_2	VARCHAR2	100		
2320	ADDRESS	5	1678	ADDR_3	VARCHAR2	100		
2320	ADDRESS	6	126	CITY	VARCHAR2	25		City
2320	ADDRESS	7	773	STATE_CD	CHAR	2		U.S. Postal Code abbreviation.
2320	ADDRESS	8	851	ZIP_CODE	CHAR	5		First 5 digits of the zip code

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2320	ADDRESS	9	852	ZIP_CODE_EXT	VARCHAR2	4		6th through 9th digits of the zip code
2320	ADDRESS	10	181	COUNTRY	VARCHAR2	30		Country Name (as used in an address)
2320	ADDRESS	11	394	FOREIGN_POST_CODE	VARCHAR2	20		Foreign Postal Code
2320	ADDRESS	12	206	DIRECTIONS	VARCHAR2	300		Text directions on how to get to this address
2320	ADDRESS	13	1350	UPPER_CITY	VARCHAR2	25		City name in upper case.
2320	ADDRESS	14	2354	FOREIGN_STATE_PROV	VARCHAR2	20		
2320	ADDRESS	15	2661	CONCAT_ADDR	VARCHAR2	300		
2320	ADDRESS	16		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2320	ADDRESS	17		LAST_CHGD_DT	DATE	7		Last changed date
2325	PHONE	1	2412	PHONE_ID	NUMBER	10	0	
2325	PHONE	2	1164	PHONE	VARCHAR2	50		
2325	PHONE	3	1175	PHONE_COMMENT	VARCHAR2	100		Memorandum
2325	PHONE	4	3045	PHONE_EXT	VARCHAR2	10		
2325	PHONE	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2325	PHONE	6		LAST_CHGD_DT	DATE	7		Last changed date
2330	FIELD_OF_PRACTICE	1	2432	FIELD_PRACTICE_ID	NUMBER	10	0	
2330	FIELD_OF_PRACTICE	2	2437	FIELD_PRACTICE	VARCHAR2	80		
2330	FIELD_OF_PRACTICE	3	2436	USER_GEN_IND	CHAR	1		
2330	FIELD_OF_PRACTICE	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2330	FIELD_OF_PRACTICE	5		LAST_CHGD_DT	DATE	7		Last changed date
2340	BUS_ORG_TYPE	1	2444	BUS_ORG_TYPE_ID	NUMBER	10	0	
2340	BUS_ORG_TYPE	2	200	DESCRIPTION	VARCHAR2	65		Text description
2340	BUS_ORG_TYPE	3		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2340	BUS_ORG_TYPE	4		LAST_CHGD_DT	DATE	7		Last changed date
2350	BUS_ORG_SVC	1	2571	BUS_ORG_SVC_ID	NUMBER	10	0	
2350	BUS_ORG_SVC	2	2419	BUS_ORG_ID	NUMBER	10	0	
2350	BUS_ORG_SVC	3	2548	BRASS_SVC_ID	NUMBER	10	0	
2350	BUS_ORG_SVC	4	2582	WILL_SERVE_PREFS_ID	NUMBER	10	0	
2350	BUS_ORG_SVC	5	2664	DEFAULT_1099_CD	VARCHAR2	1		
2350	BUS_ORG_SVC	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2350	BUS_ORG_SVC	7		LAST_CHGD_DT	DATE	7		Last changed date
2355	BUS_ORG_SUBSVC	1	2569	BUS_ORG_SUBSVC_ID	NUMBER	10	0	
2355	BUS_ORG_SUBSVC	2	2571	BUS_ORG_SVC_ID	NUMBER	10	0	
2355	BUS_ORG_SUBSVC	3	2551	CNTY_SUBSVC_ID	NUMBER	10	0	
2355	BUS_ORG_SUBSVC	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2355	BUS_ORG_SUBSVC	5		LAST_CHGD_DT	DATE	7		Last changed date
2360	WILL_SERVE_PREFS	1	2582	WILL_SERVE_PREFS_ID	NUMBER	10	0	
2360	WILL_SERVE_PREFS	2	403	GENDER_WILL_SRV_CD	CHAR	1		Gender that this provider will serve.
2360	WILL_SERVE_PREFS	3	479	MAX_AGE_WILL_SRV	NUMBER	3	0	Maximum age the provider will serve
2360	WILL_SERVE_PREFS	4	489	MIN_AGE_WILL_SRV	NUMBER	3	0	Minimum age this provider will serve
2360	WILL_SERVE_PREFS	5	1509	PREF_CLIENTS_CD	CHAR	1		Client disability this facility prefers to serve.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2360	WILL_SERVE_PREFS	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2360	WILL_SERVE_PREFS	7		LAST_CHGD_DT	DATE	7		Last changed date
2365	BUS_ORG_WSP_XREF	1	2580	BUS_ORG_WSP_XREF_ID	NUMBER	10	0	
2365	BUS_ORG_WSP_XREF	2	2419	BUS_ORG_ID	NUMBER	10	0	
2365	BUS_ORG_WSP_XREF	3	2582	WILL_SERVE_PREFS_ID	NUMBER	10	0	
2365	BUS_ORG_WSP_XREF	4	2581	DEFAULT_WSP_IND	VARCHAR2	1		
2365	BUS_ORG_WSP_XREF	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2365	BUS_ORG_WSP_XREF	6		LAST_CHGD_DT	DATE	7		Last changed date
2370	EMAIL	1	2576	EMAIL_ID	NUMBER	10	0	
2370	EMAIL	2	2575	EMAIL_ADDRESS	VARCHAR2	100		
2370	EMAIL	3	2646	EMAIL_COMMENT	VARCHAR2	100		
2370	EMAIL	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2370	EMAIL	5		LAST_CHGD_DT	DATE	7		Last changed date
2375	BUS_ORG_EMAIL_XREF	1	2577	BUS_ORG_EMAIL_ID	NUMBER	10	0	
2375	BUS_ORG_EMAIL_XREF	2	2576	EMAIL_ID	NUMBER	10	0	
2375	BUS_ORG_EMAIL_XREF	3	2419	BUS_ORG_ID	NUMBER	10	0	
2375	BUS_ORG_EMAIL_XREF	4	2573	EMAIL_TYPE_CD	VARCHAR2	1		
2375	BUS_ORG_EMAIL_XREF	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2375	BUS_ORG_EMAIL_XREF	6		LAST_CHGD_DT	DATE	7		Last changed date
2380	BUS_ORG_XREF	1	2574	BUS_ORG_XREF_ID	NUMBER	10	0	
2380	BUS_ORG_XREF	2	2419	BUS_ORG_ID	NUMBER	10	0	
2380	BUS_ORG_XREF	3	2585	BUS_ORG_ID2	NUMBER	10	0	
2380	BUS_ORG_XREF	4	2586	BUS_ORG_RELATION_ID	NUMBER	10	0	
2380	BUS_ORG_XREF	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2380	BUS_ORG_XREF	6		LAST_CHGD_DT	DATE	7		Last changed date
2385	BUS_ORG_RELATION	1	2586	BUS_ORG_RELATION_ID	NUMBER	10	0	
2385	BUS_ORG_RELATION	2	2584	BUS_ORG_REL_DESC	VARCHAR2	100		
2385	BUS_ORG_RELATION	3	2583	BUS_ORG_REL_DESC2	VARCHAR2	100		
2385	BUS_ORG_RELATION	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2385	BUS_ORG_RELATION	5		LAST_CHGD_DT	DATE	7		Last changed date
2400	OUTCOME_IND_RESULTS	1	2465	QUERY_ID	NUMBER	10	0	
2400	OUTCOME_IND_RESULTS	2	2464	FLAG	CHAR	1		
2400	OUTCOME_IND_RESULTS	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2400	OUTCOME_IND_RESULTS	4	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
2400	OUTCOME_IND_RESULTS	5	2614	CONTPLCMT_ID	NUMBER	10	0	
2400	OUTCOME_IND_RESULTS	6	2629	CONTPLCMT_START_DT	DATE	7		
2400	OUTCOME_IND_RESULTS	7	2628	CONTPLCMT_END_DT	DATE	7		
2400	OUTCOME_IND_RESULTS	8	2638	LOC_START_DT	DATE	7		
2400	OUTCOME_IND_RESULTS	9	2596	PLCMT_LOC_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2400	OUTCOME_IND_RESULTS	10	2593	LOC_SETTING_CD	VARCHAR2	2		
2400	OUTCOME_IND_RESULTS	11	3280	CP_RPT_ID	NUMBER	10	0	
2400	OUTCOME_IND_RESULTS	12	2611	TERM_DT	DATE	7		
2400	OUTCOME_IND_RESULTS	13	3289	ALLEG_DETERM_DT	DATE	7		
2400	OUTCOME_IND_RESULTS	14	3276	CP_RPT_END_DT	DATE	7		
2400	OUTCOME_IND_RESULTS	15	187	CP_SVCS_NEED_IND	VARCHAR2	1		Are Child Protection services needed?
2400	OUTCOME_IND_RESULTS	16	2633	MALT_TYPES	VARCHAR2	60		
2400	OUTCOME_IND_RESULTS	17	2461	MONTHS_IN_CARE	NUMBER	10	0	
2400	OUTCOME_IND_RESULTS	18	2660	INFO	VARCHAR2	60		
2400	OUTCOME_IND_RESULTS	19	2460	BUCKET	NUMBER	10	0	
2500	DI_CHILD_ELIG	1	2507	DI_CHILD_ELIG_ID	NUMBER	10	0	
2500	DI_CHILD_ELIG	2	2506	DATA_TYPE	VARCHAR2	4		
2500	DI_CHILD_ELIG	3	1176	PMI	VARCHAR2	10		This person's unique person identifier from the MAXIS system.
2500	DI_CHILD_ELIG	4	2504	OLD_PMI	VARCHAR2	10		
2500	DI_CHILD_ELIG	5	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2500	DI_CHILD_ELIG	6	760	SSN	VARCHAR2	9		Social Security Number.
2500	DI_CHILD_ELIG	7	388	FIRST_NAME	VARCHAR2	20		
2500	DI_CHILD_ELIG	8	2503	MIDDLE_INIT	CHAR	1		
2500	DI_CHILD_ELIG	9	452	LAST_NAME	VARCHAR2	30		
2500	DI_CHILD_ELIG	10	499	NAME_SUFFIX	VARCHAR2	5		
2500	DI_CHILD_ELIG	11	92	BIRTH_DT	DATE	7		Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12
2500	DI_CHILD_ELIG	12	402	GENDER_CD	CHAR	1		
2500	DI_CHILD_ELIG	13	631	PETITION_DT	DATE	7		Ncands 57: Petition date
2500	DI_CHILD_ELIG	14	2501	DEPR_FACTOR_CD	CHAR	2		
2500	DI_CHILD_ELIG	15	2368	REASONABLE_EFF_CD	CHAR	1		
2500	DI_CHILD_ELIG	16	2493	AFDC_CHILD_IND	CHAR	1		
2500	DI_CHILD_ELIG	17	2492	AFDC_BASIS_IND	CHAR	1		
2500	DI_CHILD_ELIG	18	2491	AFDC_VERIFY_IND	CHAR	1		
2500	DI_CHILD_ELIG	19	2490	ASSET_LIMIT_IND	CHAR	1		
2500	DI_CHILD_ELIG	20	2367	BEST_INTEREST_DT	DATE	7		
2500	DI_CHILD_ELIG	21	1188	BEST_INTEREST_IND	CHAR	1		Has the court granted a statement that the placement is in the best interest of the child?
2500	DI_CHILD_ELIG	22	125	CITIZENSHIP_IND	CHAR	1		Is this person a citizen?
2500	DI_CHILD_ELIG	23	2488	LEGAL_RESP_IND	CHAR	1		
2500	DI_CHILD_ELIG	24	2487	GROSS_INCOME_IND	CHAR	1		
2500	DI_CHILD_ELIG	25	2486	NET_INCOME_IND	CHAR	1		
2500	DI_CHILD_ELIG	26	2369	REASONABLE_EFF_DT	DATE	7		
2500	DI_CHILD_ELIG	27	1451	REASONABLE_EFF_IND	CHAR	1		Has the court issued a statement that reasonable efforts (or active efforts) were performed by agency?
2500	DI_CHILD_ELIG	28	3034	REL_GUARD_IND	CHAR	1		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2500	DI_CHILD_ELIG	29	2481	ELIG_BEGIN_DT	DATE	7		
2500	DI_CHILD_ELIG	30	227	ELIG_END_DT	DATE	7		
2500	DI_CHILD_ELIG	31	139	CNTY_OF_SVC_CD	CHAR	2		County of service
2500	DI_CHILD_ELIG	32	2478	OLD_CNTY_OF_SVC_CD	CHAR	2		
2500	DI_CHILD_ELIG	33	2477	VOL_PLCMT_AGRMT_DT	DATE	7		
2500	DI_CHILD_ELIG	34	1041	COURT_HEARING_DT	DATE	7		The date on which the court is tentatively scheduled to review this plan.
2500	DI_CHILD_ELIG	35	2469	TIMESTAMP_DT	DATE	7		
2500	DI_CHILD_ELIG	36	3033	SMI_ID	NUMBER	10	0	
2500	DI_CHILD_ELIG	37	2614	CONTPLCMT_ID	NUMBER	10	0	
2500	DI_CHILD_ELIG	38	2629	CONTPLCMT_START_DT	DATE	7		
2500	DI_CHILD_ELIG	39	3030	MAXIS_CASE_NUM	VARCHAR2	8		
2500	DI_CHILD_ELIG	40	3029	OLD_MAXIS_CASE_NUM	VARCHAR2	8		
2500	DI_CHILD_ELIG	41	2496	GRAD_YR_MONTH	VARCHAR2	6		
2500	DI_CHILD_ELIG	42	2495	STUDENT_STAT_CD	CHAR	1		
2500	DI_CHILD_ELIG	43	3024	ASSET_TRANSF_IND	VARCHAR2	1		
2500	DI_CHILD_ELIG	44	3037	STRIKE_IND	VARCHAR2	1		
2500	DI_CHILD_ELIG	45	3036	APPL_WTHDRN_IND	VARCHAR2	1		
2500	DI_CHILD_ELIG	46	3023	COOPR_IND	VARCHAR2	1		
2500	DI_CHILD_ELIG	47	3019	DECEASED_IND	VARCHAR2	1		
2500	DI_CHILD_ELIG	48	3018	NEXT_MAXIS_RVW_DT	DATE	7		
2500	DI_CHILD_ELIG	49	3377	MAXIS_WKR_FIRST_NAME	VARCHAR2	14		
2500	DI_CHILD_ELIG	50	3376	MAXIS_WKR_LAST_NAME	VARCHAR2	20		
2500	DI_CHILD_ELIG	51	3476	BENEFIT_YR_MONTH	VARCHAR2	6		
2500	DI_CHILD_ELIG	52	3536	TRANSFER_LEGAL_DT	DATE	7		
2500	DI_CHILD_ELIG	53		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2500	DI_CHILD_ELIG	54		LAST_CHGD_DT	DATE	7		Last changed date
2505	DI_CHLD_MNTH_RMB	1	2468	DI_CHLD_MNTH_RMB_ID	NUMBER	10	0	
2505	DI_CHLD_MNTH_RMB	2	1176	PMI	VARCHAR2	10		This person's unique person identifier from the MAXIS system.
2505	DI_CHLD_MNTH_RMB	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2505	DI_CHLD_MNTH_RMB	4	760	SSN	VARCHAR2	9		Social Security Number.
2505	DI_CHLD_MNTH_RMB	5	388	FIRST_NAME	VARCHAR2	20		
2505	DI_CHLD_MNTH_RMB	6	2503	MIDDLE_INIT	CHAR	1		
2505	DI_CHLD_MNTH_RMB	7	452	LAST_NAME	VARCHAR2	30		
2505	DI_CHLD_MNTH_RMB	8	499	NAME_SUFFIX	VARCHAR2	5		
2505	DI_CHLD_MNTH_RMB	9	92	BIRTH_DT	DATE	7		Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12
2505	DI_CHLD_MNTH_RMB	10	402	GENDER_CD	CHAR	1		
2505	DI_CHLD_MNTH_RMB	11	2502	ENTERED_FC_DT	DATE	7		
2505	DI_CHLD_MNTH_RMB	12	2492	AFDC_BASIS_IND	CHAR	1		
2505	DI_CHLD_MNTH_RMB	13	2491	AFDC_VERIFY_IND	CHAR	1		
2505	DI_CHLD_MNTH_RMB	14	2490	ASSET_LIMIT_IND	CHAR	1		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2505	DI_CHLD_MNTH_RMB	15	2487	GROSS_INCOME_IND	CHAR	1		
2505	DI_CHLD_MNTH_RMB	16	2486	NET_INCOME_IND	CHAR	1		
2505	DI_CHLD_MNTH_RMB	17	2501	DEPR_FACTOR_CD	CHAR	2		
2505	DI_CHLD_MNTH_RMB	18	2499	DUP_ASSISTANCE_IND	CHAR	1		
2505	DI_CHLD_MNTH_RMB	19	2467	REAS_EFF_PERM_DT	DATE	7		
2505	DI_CHLD_MNTH_RMB	20	2466	REAS_EFF_PERM_IND	CHAR	1		
2505	DI_CHLD_MNTH_RMB	21	2496	GRAD_YR_MONTH	VARCHAR2	6		
2505	DI_CHLD_MNTH_RMB	22	2495	STUDENT_STAT_CD	CHAR	1		
2505	DI_CHLD_MNTH_RMB	23	2494	REIMB_YR_MONTH	VARCHAR2	6		
2505	DI_CHLD_MNTH_RMB	24	2477	VOL_PLCMT_AGRMT_DT	DATE	7		
2505	DI_CHLD_MNTH_RMB	25	1041	COURT_HEARING_DT	DATE	7		The date on which the court is tentatively scheduled to review this plan.
2505	DI_CHLD_MNTH_RMB	26	139	CNTY_OF_SVC_CD	CHAR	2		County of service
2505	DI_CHLD_MNTH_RMB	27	2469	TIMESTAMP_DT	DATE	7		
2505	DI_CHLD_MNTH_RMB	28	3033	SMI_ID	NUMBER	10	0	
2505	DI_CHLD_MNTH_RMB	29	2614	CONTPLCMT_ID	NUMBER	10	0	
2505	DI_CHLD_MNTH_RMB	30	2629	CONTPLCMT_START_DT	DATE	7		
2505	DI_CHLD_MNTH_RMB	31	3030	MAXIS_CASE_NUM	VARCHAR2	8		
2505	DI_CHLD_MNTH_RMB	32	3029	OLD_MAXIS_CASE_NUM	VARCHAR2	8		
2505	DI_CHLD_MNTH_RMB	33	2624	SUP_AGCY_CD	VARCHAR2	1		
2505	DI_CHLD_MNTH_RMB	34	3028	IVE_MNT_AGR_EFF_DT	DATE	7		
2505	DI_CHLD_MNTH_RMB	35	3027	IVE_MNT_AGR_END_DT	DATE	7		
2505	DI_CHLD_MNTH_RMB	36	3026	UMBRELLA_CO_IND	VARCHAR2	1		
2505	DI_CHLD_MNTH_RMB	37	3023	COOPR_IND	VARCHAR2	1		
2505	DI_CHLD_MNTH_RMB	38	3022	IVE_MNT_AGR_IND	VARCHAR2	1		
2505	DI_CHLD_MNTH_RMB	39	3021	LUMP_SUM_IND	VARCHAR2	1		
2505	DI_CHLD_MNTH_RMB	40	3020	REVIEW_CERT_IND	VARCHAR2	1		
2505	DI_CHLD_MNTH_RMB	41	3018	NEXT_MAXIS_RVW_DT	DATE	7		
2505	DI_CHLD_MNTH_RMB	42	3377	MAXIS_WKR_FIRST_NAME	VARCHAR2	14		
2505	DI_CHLD_MNTH_RMB	43	3376	MAXIS_WKR_LAST_NAME	VARCHAR2	20		
2505	DI_CHLD_MNTH_RMB	44	3536	TRANSFER_LEGAL_DT	DATE	7		
2505	DI_CHLD_MNTH_RMB	45		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2505	DI_CHLD_MNTH_RMB	46		LAST_CHGD_DT	DATE	7		Last changed date
2510	DI_CHLD_ELIG_SBM	1	2472	DI_CHLD_ELIG_SBM_ID	NUMBER	10	0	
2510	DI_CHLD_ELIG_SBM	2	2506	DATA_TYPE	VARCHAR2	4		
2510	DI_CHLD_ELIG_SBM	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2510	DI_CHLD_ELIG_SBM	4	2614	CONTPLCMT_ID	NUMBER	10	0	
2510	DI_CHLD_ELIG_SBM	5	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
2510	DI_CHLD_ELIG_SBM	6	2629	CONTPLCMT_START_DT	DATE	7		
2510	DI_CHLD_ELIG_SBM	7	2628	CONTPLCMT_END_DT	DATE	7		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2510	DI_CHLD_ELIG_SBM	8	631	PETITION_DT	DATE	7		Ncands 57: Petition date
2510	DI_CHLD_ELIG_SBM	9	2367	BEST_INTEREST_DT	DATE	7		
2510	DI_CHLD_ELIG_SBM	10	2467	REAS_EFF_PERM_DT	DATE	7		
2510	DI_CHLD_ELIG_SBM	11	2369	REASONABLE_EFF_DT	DATE	7		
2510	DI_CHLD_ELIG_SBM	12	2368	REASONABLE_EFF_CD	CHAR	1		
2510	DI_CHLD_ELIG_SBM	13	2477	VOL_PLCMT_AGRMT_DT	DATE	7		
2510	DI_CHLD_ELIG_SBM	14	1041	COURT_HEARING_DT	DATE	7		The date on which the court is tentatively scheduled to review this plan.
2510	DI_CHLD_ELIG_SBM	15	1176	PMI	VARCHAR2	10		This person's unique person identifier from the MAXIS system.
2510	DI_CHLD_ELIG_SBM	16	2524	ELIG_SUBMIT_CD	VARCHAR2	2		
2510	DI_CHLD_ELIG_SBM	17	2505	SUBMIT_DT	DATE	7		
2510	DI_CHLD_ELIG_SBM	18	3033	SMI_ID	NUMBER	10	0	
2510	DI_CHLD_ELIG_SBM	19	3032	CHIPS_IND	VARCHAR2	1		
2510	DI_CHLD_ELIG_SBM	20	3031	CHIPS_DT	DATE	7		
2510	DI_CHLD_ELIG_SBM	21	2624	SUP_AGCY_CD	VARCHAR2	1		
2510	DI_CHLD_ELIG_SBM	22	3028	IVE_MNT_AGR_EFF_DT	DATE	7		
2510	DI_CHLD_ELIG_SBM	23	3027	IVE_MNT_AGR_END_DT	DATE	7		
2510	DI_CHLD_ELIG_SBM	24	3026	UMBRELLA_CO_IND	VARCHAR2	1		
2510	DI_CHLD_ELIG_SBM	25	2502	ENTERED_FC_DT	DATE	7		
2510	DI_CHLD_ELIG_SBM	26	2647	SUP_TRIBE_CD	VARCHAR2	3		
2510	DI_CHLD_ELIG_SBM	27	3684	FC_EXTENSION_IND	VARCHAR2	1		
2510	DI_CHLD_ELIG_SBM	28	3685	FC_EXTENSION_DT	DATE	7		
2510	DI_CHLD_ELIG_SBM	29		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2510	DI_CHLD_ELIG_SBM	30		LAST_CHGD_DT	DATE	7		Last changed date
2515	DI_AD_SBM	1	2693	DI_AD_SBM_ID	NUMBER	10	0	
2515	DI_AD_SBM	2	1744	ADOPTION_ID	NUMBER	10	0	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.
2515	DI_AD_SBM	3	1888	REPORT_ID	NUMBER	10	0	Unique, system-generated identifier for a REPORT table row. May also be used as a data element. To initialize, must be set to spaces.
2515	DI_AD_SBM	4	2505	SUBMIT_DT	DATE	7		
2515	DI_AD_SBM	5	2692	ADOPT_SUBMIT_CD	VARCHAR2	1		
2515	DI_AD_SBM	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2515	DI_AD_SBM	7		LAST_CHGD_DT	DATE	7		Last changed date
2610	DI_IVE_RATE	1	2669	DI_IVE_RATE_ID	NUMBER	10	0	
2610	DI_IVE_RATE	2	2521	RATE_GROUP	VARCHAR2	60		
2610	DI_IVE_RATE	3	2520	FACILITY	VARCHAR2	80		
2610	DI_IVE_RATE	4	2519	CNTY_CITY	VARCHAR2	50		
2610	DI_IVE_RATE	5	2518	RULE_NUM	VARCHAR2	3		
2610	DI_IVE_RATE	6	2517	DHS_LIC_NUM	VARCHAR2	10		
2610	DI_IVE_RATE	7	2516	IVE_SUB_CD	VARCHAR2	1		
2610	DI_IVE_RATE	8	2515	APPR_PER_DIEM	NUMBER	6	2	
2610	DI_IVE_RATE	9	2514	APPR_IVE_MTN_PCNT	NUMBER	6	2	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2610	DI_IVE_RATE	10	2513	APPR_IVE_INTK_PCNT	NUMBER	6	2	
2610	DI_IVE_RATE	11	2512	APPR_IVE_TRNG_PCNT	NUMBER	6	2	
2610	DI_IVE_RATE	12	2511	APPR_MA_PCNT	NUMBER	6	2	
2610	DI_IVE_RATE	13	2510	MA_PROVIDER_NUM	VARCHAR2	10		
2610	DI_IVE_RATE	14	2561	EFF_DT	DATE	7		
2610	DI_IVE_RATE	15	2668	EXP_DT	DATE	7		
2610	DI_IVE_RATE	16	2667	EXP_REASON	VARCHAR2	23		
2610	DI_IVE_RATE	17	2509	CUR_CONTRACT_LIC	VARCHAR2	23		
2610	DI_IVE_RATE	18	2666	BLTN_EFF_DT	DATE	7		
2610	DI_IVE_RATE	19	2665	BLTN_EXP_DT	DATE	7		
2610	DI_IVE_RATE	20		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2610	DI_IVE_RATE	21		LAST_CHGD_DT	DATE	7		Last changed date
2700	COA_CODE	1	2542	COA_CODE_ID	NUMBER	10	0	
2700	COA_CODE	2	2535	COA_DESC	VARCHAR2	65		
2700	COA_CODE	3	770	START_DT	DATE	7		
2700	COA_CODE	4	233	END_DT	DATE	7		
2700	COA_CODE	5	2533	COA_CODE_COMMENTS	VARCHAR2	255		
2700	COA_CODE	6	2531	COA_REQ_MAX_IND	CHAR	1		
2700	COA_CODE	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2700	COA_CODE	8		LAST_CHGD_DT	DATE	7		Last changed date
2705	COA_ELEMENT_XREF	1	2530	COA_ELEMENT_XREF_ID	NUMBER	10	0	
2705	COA_ELEMENT_XREF	2	2542	COA_CODE_ID	NUMBER	10	0	
2705	COA_ELEMENT_XREF	3	2541	COA_ELEMENT_ID	NUMBER	10	0	
2705	COA_ELEMENT_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2705	COA_ELEMENT_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
2710	COA_ELEMENT	1	2541	COA_ELEMENT_ID	NUMBER	10	0	
2710	COA_ELEMENT	2	2540	COA_ELEMENT_TYPE_ID	NUMBER	10	0	
2710	COA_ELEMENT	3	2536	COA_ELEMENT_DESC	VARCHAR2	65		
2710	COA_ELEMENT	4	770	START_DT	DATE	7		
2710	COA_ELEMENT	5	233	END_DT	DATE	7		
2710	COA_ELEMENT	6	2534	COA_ELEM_COMMENTS	VARCHAR2	255		
2710	COA_ELEMENT	7	2532	COA_ELEMENT_VALUE	VARCHAR2	65		
2710	COA_ELEMENT	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2710	COA_ELEMENT	9		LAST_CHGD_DT	DATE	7		Last changed date
2715	COA_ELEMENT_TYPE	1	2540	COA_ELEMENT_TYPE_ID	NUMBER	10	0	
2715	COA_ELEMENT_TYPE	2	2539	COA_ELEM_TYPE_DESC	VARCHAR2	65		
2715	COA_ELEMENT_TYPE	3	2538	ELEMENT_LENGTH	NUMBER	2	0	
2715	COA_ELEMENT_TYPE	4	2537	ELEMENT_INDEX	NUMBER	2	0	
2715	COA_ELEMENT_TYPE	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2715	COA_ELEMENT_TYPE	6		LAST_CHGD_DT	DATE	7		Last changed date
2720	COA_GROUP_MAXIMUM	1	2741	COA_GROUP_MAX_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2720	COA_GROUP_MAXIMUM	2	2740	CGM_MAX_AMOUNT	NUMBER	10	0	
2720	COA_GROUP_MAXIMUM	3	2739	CGM_START_DT	DATE	7		
2720	COA_GROUP_MAXIMUM	4	2738	CGM_END_DT	DATE	7		
2720	COA_GROUP_MAXIMUM	5	2752	CGM_DESC	VARCHAR2	100		
2720	COA_GROUP_MAXIMUM	6	2737	CGM_COMMENTS	CLOB	4000		
2720	COA_GROUP_MAXIMUM	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2720	COA_GROUP_MAXIMUM	8		LAST_CHGD_DT	DATE	7		Last changed date
2725	COA_CODE_MAXIMUM	1	2802	COA_CODE_MAX_ID	NUMBER	10	0	
2725	COA_CODE_MAXIMUM	2	2542	COA_CODE_ID	NUMBER	10	0	
2725	COA_CODE_MAXIMUM	3	2741	COA_GROUP_MAX_ID	NUMBER	10	0	
2725	COA_CODE_MAXIMUM	4	2798	CCM_MAX_AMOUNT	NUMBER	10	0	
2725	COA_CODE_MAXIMUM	5	2800	CCM_START_DT	DATE	7		
2725	COA_CODE_MAXIMUM	6	2799	CCM_END_DT	DATE	7		
2725	COA_CODE_MAXIMUM	7	2801	CCM_COMMENTS	CLOB	4000		
2725	COA_CODE_MAXIMUM	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2725	COA_CODE_MAXIMUM	9		LAST_CHGD_DT	DATE	7		Last changed date
2800	BRASS_PROGRAM	1	2566	BRASS_PROGRAM_ID	NUMBER	10	0	
2800	BRASS_PROGRAM	2	2559	BRASS_PROG_NUM	VARCHAR2	1		
2800	BRASS_PROGRAM	3	2558	BRASS_PROG_DESC	VARCHAR2	100		
2800	BRASS_PROGRAM	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2800	BRASS_PROGRAM	5		LAST_CHGD_DT	DATE	7		Last changed date
2805	BRASS_SVC_CNTY_PREF	1	2564	BSVC_CNTY_PREF_ID	NUMBER	10	0	
2805	BRASS_SVC_CNTY_PREF	2	2548	BRASS_SVC_ID	NUMBER	10	0	
2805	BRASS_SVC_CNTY_PREF	3	1075	STAFF_PROV_IND	CHAR	1		Is this BRASS service provided by staff in this county?
2805	BRASS_SVC_CNTY_PREF	4	1077	VENDOR_PROV_IND	CHAR	1		Is this BRASS service provided by Vendors in this county?
2805	BRASS_SVC_CNTY_PREF	5	2560	SUBSVC_REQ_IND	VARCHAR2	1		
2805	BRASS_SVC_CNTY_PREF	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2805	BRASS_SVC_CNTY_PREF	7		LAST_CHGD_DT	DATE	7		Last changed date
2810	BRASS_SVC	1	2548	BRASS_SVC_ID	NUMBER	10	0	
2810	BRASS_SVC	2	2566	BRASS_PROGRAM_ID	NUMBER	10	0	
2810	BRASS_SVC	3	2544	BRASS_SVC_NUM	VARCHAR2	2		
2810	BRASS_SVC	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2810	BRASS_SVC	5		LAST_CHGD_DT	DATE	7		Last changed date
2815	BRASS_SVC_HIST	1	2546	BRASS_SVC_HIST_ID	NUMBER	10	0	
2815	BRASS_SVC_HIST	2	2548	BRASS_SVC_ID	NUMBER	10	0	
2815	BRASS_SVC_HIST	3	2545	BRASS_SVC_DESC	VARCHAR2	100		
2815	BRASS_SVC_HIST	4	1075	STAFF_PROV_IND	CHAR	1		Is this BRASS service provided by staff in this county?
2815	BRASS_SVC_HIST	5	1077	VENDOR_PROV_IND	CHAR	1		Is this BRASS service provided by Vendors in this county?
2815	BRASS_SVC_HIST	6	2671	OVERRD_STAFFPROV_IND	VARCHAR2	1		
2815	BRASS_SVC_HIST	7	2579	VALID_START_DT	DATE	7		
2815	BRASS_SVC_HIST	8	2578	VALID_END_DT	DATE	7		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2815	BRASS_SVC_HIST	9	834	UNIT_TYPE_CD	VARCHAR2	2		Unit type code: hour, week, day
2815	BRASS_SVC_HIST	10	3510	CMHRS_IND	VARCHAR2	1		
2815	BRASS_SVC_HIST	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2815	BRASS_SVC_HIST	12		LAST_CHGD_DT	DATE	7		Last changed date
2820	BRASS_SVC_WG_TYPE	1	2547	BRASS_SVC_WGTYPE_ID	NUMBER	10	0	
2820	BRASS_SVC_WG_TYPE	2	2548	BRASS_SVC_ID	NUMBER	10	0	
2820	BRASS_SVC_WG_TYPE	3	1184	WG_TYPE_CD	CHAR	1		Assessment or Case Management.
2820	BRASS_SVC_WG_TYPE	4	226	EFF_START_DT	DATE	7		Effective start date
2820	BRASS_SVC_WG_TYPE	5	225	EFF_END_DT	DATE	7		Effective end date
2820	BRASS_SVC_WG_TYPE	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2820	BRASS_SVC_WG_TYPE	7		LAST_CHGD_DT	DATE	7		Last changed date
2825	CNTY_SUBSVC	1	2551	CNTY_SUBSVC_ID	NUMBER	10	0	
2825	CNTY_SUBSVC	2	2548	BRASS_SVC_ID	NUMBER	10	0	
2825	CNTY_SUBSVC	3	2550	CNTY_SUBSVC_NUM	VARCHAR2	2		
2825	CNTY_SUBSVC	4	2549	CNTY_SUBSVC_DESC	VARCHAR2	100		
2825	CNTY_SUBSVC	5	226	EFF_START_DT	DATE	7		Effective start date
2825	CNTY_SUBSVC	6	225	EFF_END_DT	DATE	7		Effective end date
2825	CNTY_SUBSVC	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2825	CNTY_SUBSVC	8		LAST_CHGD_DT	DATE	7		Last changed date
2830	SUBPROG_SVC	1	2557	SUBPROG_SVC_ID	NUMBER	10	0	
2830	SUBPROG_SVC	2	2548	BRASS_SVC_ID	NUMBER	10	0	
2830	SUBPROG_SVC	3	2556	SUBPROG_ID	NUMBER	10	0	
2830	SUBPROG_SVC	4	226	EFF_START_DT	DATE	7		Effective start date
2830	SUBPROG_SVC	5	225	EFF_END_DT	DATE	7		Effective end date
2830	SUBPROG_SVC	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2830	SUBPROG_SVC	7		LAST_CHGD_DT	DATE	7		Last changed date
2840	SUBPROG	1	2556	SUBPROG_ID	NUMBER	10	0	
2840	SUBPROG	2	2566	BRASS_PROGRAM_ID	NUMBER	10	0	
2840	SUBPROG	3	2554	SUBPROG_NUM	VARCHAR2	2		
2840	SUBPROG	4	2553	SUBPROG_ABBR	VARCHAR2	5		
2840	SUBPROG	5	2552	SUBPROG_DESC	VARCHAR2	100		
2840	SUBPROG	6	226	EFF_START_DT	DATE	7		Effective start date
2840	SUBPROG	7	225	EFF_END_DT	DATE	7		Effective end date
2840	SUBPROG	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2840	SUBPROG	9		LAST_CHGD_DT	DATE	7		Last changed date
2845	SUBPROG_SVC_ACT	1	2555	SUBPROG_SVC_ACT_ID	NUMBER	10	0	
2845	SUBPROG_SVC_ACT	2	2557	SUBPROG_SVC_ID	NUMBER	10	0	
2845	SUBPROG_SVC_ACT	3	968	TR_ACTIVITY_ID	NUMBER	10	0	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.
2845	SUBPROG_SVC_ACT	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2845	SUBPROG_SVC_ACT	5		LAST_CHGD_DT	DATE	7		Last changed date

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2850	HCPCS_MOD	1	2817	HCPCS_MOD_ID	NUMBER	10	0	
2850	HCPCS_MOD	2	409	HCPCS_CD	VARCHAR2	5		Health Care Common Procedural Coding System
2850	HCPCS_MOD	3	2813	MOD_1	VARCHAR2	2		
2850	HCPCS_MOD	4	2812	MOD_2	VARCHAR2	2		
2850	HCPCS_MOD	5	2811	MOD_3	VARCHAR2	2		
2850	HCPCS_MOD	6	2810	MOD_4	VARCHAR2	2		
2850	HCPCS_MOD	7	2809	HCPCS_MOD_START_DT	DATE	7		
2850	HCPCS_MOD	8	2808	HCPCS_MOD_END_DT	DATE	7		
2850	HCPCS_MOD	9	834	UNIT_TYPE_CD	VARCHAR2	2		Unit type code: hour, week, day
2850	HCPCS_MOD	10	2856	HCPCS_MOD_DESC	VARCHAR2	100		
2850	HCPCS_MOD	11	3141	DIAG_REQ_CD	VARCHAR2	1		
2850	HCPCS_MOD	12	2840	CLAIM_CAT_CD	VARCHAR2	1		
2850	HCPCS_MOD	13	2828	CLAIM_CAT_DETAIL_CD	VARCHAR2	1		
2850	HCPCS_MOD	14	3316	INCL_TIME_IND	VARCHAR2	1		
2850	HCPCS_MOD	15	3315	INCL_PYMT_IND	VARCHAR2	1		
2850	HCPCS_MOD	16	3314	HCPCS_MOD_BILLING	VARCHAR2	255		
2850	HCPCS_MOD	17		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2850	HCPCS_MOD	18		LAST_CHGD_DT	DATE	7		Last changed date
2855	HCPCS_MOD_SVC	1	2805	HCPCS_MOD_SVC_ID	NUMBER	10	0	
2855	HCPCS_MOD_SVC	2	2817	HCPCS_MOD_ID	NUMBER	10	0	
2855	HCPCS_MOD_SVC	3	2548	BRASS_SVC_ID	NUMBER	10	0	
2855	HCPCS_MOD_SVC	4	2816	HCPCS_MOD_SVC_ST_DT	DATE	7		
2855	HCPCS_MOD_SVC	5	2815	HCPCS_MOD_SVC_END_DT	DATE	7		
2855	HCPCS_MOD_SVC	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2855	HCPCS_MOD_SVC	7		LAST_CHGD_DT	DATE	7		Last changed date
2860	CNTY_HCPCS_MOD_RATE	1	2830	CNTY_HCPCS_RATE_ID	NUMBER	10	0	
2860	CNTY_HCPCS_MOD_RATE	2	2817	HCPCS_MOD_ID	NUMBER	10	0	
2860	CNTY_HCPCS_MOD_RATE	3	2829	CHM_RATE	NUMBER	14	4	
2860	CNTY_HCPCS_MOD_RATE	4	2828	CLAIM_CAT_DETAIL_CD	VARCHAR2	1		
2860	CNTY_HCPCS_MOD_RATE	5	2827	CHM_RATE_START_DT	DATE	7		
2860	CNTY_HCPCS_MOD_RATE	6	2826	CHM_RATE_END_DT	DATE	7		
2860	CNTY_HCPCS_MOD_RATE	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2860	CNTY_HCPCS_MOD_RATE	8		LAST_CHGD_DT	DATE	7		Last changed date
2865	HCPCS_MOD_SVC_ACT	1	3313	HCPCS_MOD_SVC_ACT_ID	NUMBER	10	0	
2865	HCPCS_MOD_SVC_ACT	2	2805	HCPCS_MOD_SVC_ID	NUMBER	10	0	
2865	HCPCS_MOD_SVC_ACT	3	968	TR_ACTIVITY_ID	NUMBER	10	0	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.
2865	HCPCS_MOD_SVC_ACT	4	3312	HMSA_START_DT	DATE	7		
2865	HCPCS_MOD_SVC_ACT	5	3311	HMSA_END_DT	DATE	7		
2865	HCPCS_MOD_SVC_ACT	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2865	HCPCS_MOD_SVC_ACT	7		LAST_CHGD_DT	DATE	7		Last changed date

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2900	CONTPLCMT	1	2614	CONTPLCMT_ID	NUMBER	10	0	
2900	CONTPLCMT	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2900	CONTPLCMT	3	2629	CONTPLCMT_START_DT	DATE	7		
2900	CONTPLCMT	4	2628	CONTPLCMT_END_DT	DATE	7		
2900	CONTPLCMT	5	705	REASON_DISCHRG_CD	VARCHAR2	2		Reason this continuous placement ended; also Afcars FC 58 element; CWCDR - E 17, when CWCDR - E 7 not equal zero
2900	CONTPLCMT	6	771	START_DT_TRAN_DT	DATE	7		Afcars FC 22 computer-generated date of when the latest removal date was entered
2900	CONTPLCMT	7	234	END_DT_TRAN_DT	DATE	7		Afcars FC 57: computer-generated date of when the latest discharge was entered into the system.
2900	CONTPLCMT	8	781	STRUCT_CTKR_FAM_CD	VARCHAR2	1		Afcars FC 44: Structure of the Caretaker family from which the child was removed.
2900	CONTPLCMT	9	2627	TARGET_POP_CD	VARCHAR2	1		
2900	CONTPLCMT	10	2626	RCOND_FINALIZE_DT	DATE	7		
2900	CONTPLCMT	11	2625	MIN_LENGTH_IND	VARCHAR2	1		
2900	CONTPLCMT	12	2224	SSI_SSA_FFS_IND	VARCHAR2	1		
2900	CONTPLCMT	13	2624	SUP_AGCY_CD	VARCHAR2	1		
2900	CONTPLCMT	14	2647	SUP_TRIBE_CD	VARCHAR2	3		
2900	CONTPLCMT	15	3405	SOLE_RSN_DSABL_IND	VARCHAR2	1		
2900	CONTPLCMT	16	3485	AFCARS_PLCD_FROM_CD	VARCHAR2	1		
2900	CONTPLCMT	17	3484	AFCARS_PLCD_BY_CD	VARCHAR2	1		
2900	CONTPLCMT	18	4262	SUP_AGCY_EFF_DT	DATE	7		
2900	CONTPLCMT	19		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2900	CONTPLCMT	20		LAST_CHGD_DT	DATE	7		Last changed date
2905	CONTPLCMT_AUTH	1	2597	CONTPLCMT_AUTH_ID	NUMBER	10	0	
2905	CONTPLCMT_AUTH	2	2614	CONTPLCMT_ID	NUMBER	10	0	
2905	CONTPLCMT_AUTH	3	642	PLACE_AUTH_CD	VARCHAR2	1		Afcars FC 25: Placement authority: manner of removal for current episode. CWCDR - D 9
2905	CONTPLCMT_AUTH	4	643	PLACE_AUTH_EFF_DT	DATE	7		Placement Authorization effective date for the specific type of authorization. CWCDR - D 10
2905	CONTPLCMT_AUTH	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2905	CONTPLCMT_AUTH	6		LAST_CHGD_DT	DATE	7		Last changed date
2910	CONTPLCMT_RCOND	1	2603	CONTPLCMT_RCOND_ID	NUMBER	10	0	
2910	CONTPLCMT_RCOND	2	2614	CONTPLCMT_ID	NUMBER	10	0	
2910	CONTPLCMT_RCOND	3	2602	RMV_COND_CD	VARCHAR2	2		
2910	CONTPLCMT_RCOND	4	2616	PRIMARY_RCOND_IND	VARCHAR2	1		
2910	CONTPLCMT_RCOND	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2910	CONTPLCMT_RCOND	6		LAST_CHGD_DT	DATE	7		Last changed date
2915	CONTPLCMT_CTKR	1	2598	CONTPLCMT_CTKR_ID	NUMBER	10	0	
2915	CONTPLCMT_CTKR	2	2614	CONTPLCMT_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2915	CONTPLCMT_CTKR	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2915	CONTPLCMT_CTKR	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2915	CONTPLCMT_CTKR	5		LAST_CHGD_DT	DATE	7		Last changed date
2920	CONTPLCMT_REVIEW	1	2604	CONTPLCMT_REVIEW_ID	NUMBER	10	0	
2920	CONTPLCMT_REVIEW	2	2614	CONTPLCMT_ID	NUMBER	10	0	
2920	CONTPLCMT_REVIEW	3	724	REVIEW_DT	DATE	7		Plan review date
2920	CONTPLCMT_REVIEW	4	725	REVIEW_TYPE_CD	VARCHAR2	1		Type of review: court, administrative, etc.
2920	CONTPLCMT_REVIEW	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2920	CONTPLCMT_REVIEW	6		LAST_CHGD_DT	DATE	7		Last changed date
2925	CONTPLCMT_PPLAN	1	2601	CONTPLCMT_PPLAN_ID	NUMBER	10	0	
2925	CONTPLCMT_PPLAN	2	2614	CONTPLCMT_ID	NUMBER	10	0	
2925	CONTPLCMT_PPLAN	3	2615	PRIMARY_PPLAN_IND	VARCHAR2	1		
2925	CONTPLCMT_PPLAN	4	2600	PRM_PLAN_CD	VARCHAR2	1		
2925	CONTPLCMT_PPLAN	5	2599	ACHIEVE_DT	DATE	7		
2925	CONTPLCMT_PPLAN	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2925	CONTPLCMT_PPLAN	7		LAST_CHGD_DT	DATE	7		Last changed date
2930	PLCMT_LOC	1	2596	PLCMT_LOC_ID	NUMBER	10	0	
2930	PLCMT_LOC	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2930	PLCMT_LOC	3	2640	LOC_REASON_CD	VARCHAR2	2		
2930	PLCMT_LOC	4	2639	LOC_END_REASON_CD	VARCHAR2	2		
2930	PLCMT_LOC	5	493	MONTHLY_FC_ASSIST	NUMBER	10	2	Afcars FC 66: Most recent pmt. for full month of foster care. Include: rm. & bd., DOC, & admin. fees. Do not include: initial clothing allow., mileage/trans., child care allow., adjustments, or pmnt. amt. for a partial month.
2930	PLCMT_LOC	6	741	SCHOOL_DIST_NUM	CHAR	4		The district in which the child attends school.
2930	PLCMT_LOC	7	2638	LOC_START_DT	DATE	7		
2930	PLCMT_LOC	8	2637	LOC_END_DT	DATE	7		
2930	PLCMT_LOC	9	2636	COURTESY_SUPVN_IND	VARCHAR2	1		
2930	PLCMT_LOC	10	2635	ICPC_REC_ST_CD	VARCHAR2	2		
2930	PLCMT_LOC	11	2649	LOC_END_DT_TRAN_DT	DATE	7		
2930	PLCMT_LOC	12	2648	LOC_START_DT_TRAN_DT	DATE	7		
2930	PLCMT_LOC	13	3487	DISRUPT_RSN_CD	VARCHAR2	1		
2930	PLCMT_LOC	14	3486	DISRUPT_DETAIL_CD	VARCHAR2	1		
2930	PLCMT_LOC	15		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2930	PLCMT_LOC	16		LAST_CHGD_DT	DATE	7		Last changed date
2935	PLCMT_LOC_HIST	1	2618	PLCMT_LOC_HIST_ID	NUMBER	10	0	
2935	PLCMT_LOC_HIST	2	2596	PLCMT_LOC_ID	NUMBER	10	0	
2935	PLCMT_LOC_HIST	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2935	PLCMT_LOC_HIST	4	2419	BUS_ORG_ID	NUMBER	10	0	
2935	PLCMT_LOC_HIST	5	2595	LOC_DESC	VARCHAR2	100		
2935	PLCMT_LOC_HIST	6	2594	LOC_EFF_DT	DATE	7		
2935	PLCMT_LOC_HIST	7	2593	LOC_SETTING_CD	VARCHAR2	2		
2935	PLCMT_LOC_HIST	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2935	PLCMT_LOC_HIST	9		LAST_CHGD_DT	DATE	7		Last changed date
2940	PLCMT_LOC_PARENT	1	2617	PLCMT_LOC_PARENT_ID	NUMBER	10	0	
2940	PLCMT_LOC_PARENT	2	2618	PLCMT_LOC_HIST_ID	NUMBER	10	0	
2940	PLCMT_LOC_PARENT	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2940	PLCMT_LOC_PARENT	4	2396	RELATION_ID	NUMBER	10	0	
2940	PLCMT_LOC_PARENT	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2940	PLCMT_LOC_PARENT	6		LAST_CHGD_DT	DATE	7		Last changed date
2945	DOC_ASSESS	1	2609	DOC_ASSESS_ID	NUMBER	10	0	
2945	DOC_ASSESS	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2945	DOC_ASSESS	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
2945	DOC_ASSESS	4	2608	DOC_ASSESS_DT	DATE	7		
2945	DOC_ASSESS	5	2607	DOC_EFF_DT	DATE	7		
2945	DOC_ASSESS	6	1968	DOC_POINTS	NUMBER	10	0	NOT USED IN VERSION 3
2945	DOC_ASSESS	7	2606	DOC_DESC	VARCHAR2	600		
2945	DOC_ASSESS	8	2605	DOC_LEVEL_CD	VARCHAR2	1		
2945	DOC_ASSESS	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2945	DOC_ASSESS	10		LAST_CHGD_DT	DATE	7		Last changed date
2950	PREV_RMV_ADOPT	1	2621	PREV_RMV_ADOPT_ID	NUMBER	10	0	
2950	PREV_RMV_ADOPT	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2950	PREV_RMV_ADOPT	3	389	FIRST_REMOVED_DT	DATE	7		Afcars FC 18: Date child first removed from home
2950	PREV_RMV_ADOPT	4	3048	PREV_ADOPT_CD	VARCHAR2	1		
2950	PREV_RMV_ADOPT	5	2620	MOST_RCNT_ADOPT_AGE	NUMBER	3	0	
2950	PREV_RMV_ADOPT	6	2619	ADOPT_FROM_CD	VARCHAR2	1		
2950	PREV_RMV_ADOPT	7	3523	DIS_FRGN_ADOPT_IND	VARCHAR2	1		
2950	PREV_RMV_ADOPT	8	3522	PLACE_AGENCY_DESC	VARCHAR2	255		
2950	PREV_RMV_ADOPT	9	3521	DISRUPT_RSN_DESC	CLOB	4000		
2950	PREV_RMV_ADOPT	10	3520	CURR_PLAN_DESC	CLOB	4000		
2950	PREV_RMV_ADOPT	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2950	PREV_RMV_ADOPT	12		LAST_CHGD_DT	DATE	7		Last changed date
2955	GUARDIANSHIP	1	2632	GUARDIANSHIP_ID	NUMBER	10	0	
2955	GUARDIANSHIP	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2955	GUARDIANSHIP	3	2631	GUARDIANSHIP_TYPE_CD	VARCHAR2	2		
2955	GUARDIANSHIP	4	2630	GUARDIANSHIP_EFF_DT	DATE	7		
2955	GUARDIANSHIP	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2955	GUARDIANSHIP	6		LAST_CHGD_DT	DATE	7		Last changed date
2960	CHECKUP	1	2623	CHECKUP_ID	NUMBER	10	0	
2960	CHECKUP	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2960	CHECKUP	3	1469	CHECKUP_PROV_DT	DATE	7		The date that a child or teen checkup was provided.
2960	CHECKUP	4	2622	CHECKUP_TYPE_CD	VARCHAR2	1		
2960	CHECKUP	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2960	CHECKUP	6		LAST_CHGD_DT	DATE	7		Last changed date
2965	PERSON_TPR	1	2613	PERSON_TPR_ID	NUMBER	10	0	
2965	PERSON_TPR	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
2965	PERSON_TPR	3	626	PERSON_ID_2	NUMBER	10	0	Unique, system-generated identifier of the second person in a relationship
2965	PERSON_TPR	4	2396	RELATION_ID	NUMBER	10	0	
2965	PERSON_TPR	5	2612	TPR_TYPE_CD	VARCHAR2	1		
2965	PERSON_TPR	6	2611	TERM_DT	DATE	7		
2965	PERSON_TPR	7	2610	TERM_REASON_CD	VARCHAR2	1		
2965	PERSON_TPR	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2965	PERSON_TPR	9		LAST_CHGD_DT	DATE	7		Last changed date
2975	FC_EXTENSION	1	3677	FC_EXTENSION_ID	NUMBER	10	0	
2975	FC_EXTENSION	2	2614	CONTPLCMT_ID	NUMBER	10	0	
2975	FC_EXTENSION	3	3678	FC_EXTENSION_CD	VARCHAR2	2		
2975	FC_EXTENSION	4	3679	FC_EXT_EFF_DT	DATE	7		
2975	FC_EXTENSION	5	3680	FC_EXT_END_DT	DATE	7		
2975	FC_EXTENSION	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2975	FC_EXTENSION	7		LAST_CHGD_DT	DATE	7		Last changed date
2980	FC_EXT_REVIEW	1	3681	FC_EXT_REVIEW_ID	NUMBER	10	0	
2980	FC_EXT_REVIEW	2	2614	CONTPLCMT_ID	NUMBER	10	0	
2980	FC_EXT_REVIEW	3	3683	REVIEW_STAFF_ID	NUMBER	10	0	
2980	FC_EXT_REVIEW	4	3682	FC_EXT_REVIEW_DT	DATE	7		
2980	FC_EXT_REVIEW	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2980	FC_EXT_REVIEW	6		LAST_CHGD_DT	DATE	7		Last changed date
2985	SW_CONTPLCMT	1	3693	SW_CONTPLCMT_ID	NUMBER	10	0	
2985	SW_CONTPLCMT	2	1457	SW_INDEX_ID	NUMBER	10	0	Statewide SSIS Index ID. Unique system-generated identifier for a person on the statewide client index for SSIS.
2985	SW_CONTPLCMT	3	2614	CONTPLCMT_ID	NUMBER	10	0	
2985	SW_CONTPLCMT	4	2629	CONTPLCMT_START_DT	DATE	7		
2985	SW_CONTPLCMT	5	2628	CONTPLCMT_END_DT	DATE	7		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
2985	SW_CONTPLCMT	6	3694	FROM_CNTY_CD	VARCHAR2	2		
2985	SW_CONTPLCMT	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
2985	SW_CONTPLCMT	8		LAST_CHGD_DT	DATE	7		Last changed date
3000	SW_CASE_ACCESS	1	2658	SW_CASE_ACCESS_ID	NUMBER	10	0	
3000	SW_CASE_ACCESS	2	390	FOLDER_ID	NUMBER	10	0	Unique, system-generated identifier for a WG_FOLDER table row. May also be used as a data element. Is a collection of work groups (a case); county defined. To initialize, must be set to spaces.
3000	SW_CASE_ACCESS	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
3000	SW_CASE_ACCESS	4	1457	SW_INDEX_ID	NUMBER	10	0	Statewide SSIS Index ID. Unique system-generated identifier for a person on the statewide client index for SSIS.
3000	SW_CASE_ACCESS	5	2654	REQUESTING_CNTY_CD	CHAR	2		
3000	SW_CASE_ACCESS	6	2653	REQUESTING_STAFF_ID	NUMBER	10	0	
3000	SW_CASE_ACCESS	7	2656	AUTHORIZED_STAFF_ID	NUMBER	10	0	
3000	SW_CASE_ACCESS	8	1050	TITLE_OF_COURTESY	VARCHAR2	6		Courtesy Title
3000	SW_CASE_ACCESS	9	388	FIRST_NAME	VARCHAR2	20		
3000	SW_CASE_ACCESS	10	485	MIDDLE_NAME	VARCHAR2	20		
3000	SW_CASE_ACCESS	11	452	LAST_NAME	VARCHAR2	30		
3000	SW_CASE_ACCESS	12	499	NAME_SUFFIX	VARCHAR2	5		
3000	SW_CASE_ACCESS	13	632	PHONE_1	VARCHAR2	14		
3000	SW_CASE_ACCESS	14	897	TITLE	VARCHAR2	40		Staff member title: worker, case aide, supervisor
3000	SW_CASE_ACCESS	15	2657	APPROVING_STAFF_ID	NUMBER	10	0	
3000	SW_CASE_ACCESS	16	2652	REQUEST_DT	DATE	7		
3000	SW_CASE_ACCESS	17	2651	RESPONSE_DT	DATE	7		
3000	SW_CASE_ACCESS	18	2655	ACCESS_APPROVED_IND	VARCHAR2	1		
3000	SW_CASE_ACCESS	19	2650	ACCESS_END_DT	DATE	7		
3000	SW_CASE_ACCESS	20	2674	ACCESS_START_DT	DATE	7		
3000	SW_CASE_ACCESS	21	574	PASSWORD	VARCHAR2	40		User password
3000	SW_CASE_ACCESS	22	3473	REQUEST_REASON_CD	VARCHAR2	1		
3000	SW_CASE_ACCESS	23		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3000	SW_CASE_ACCESS	24		LAST_CHGD_DT	DATE	7		Last changed date
3100	VNIMPORT	1	2720	VIKEY	NUMBER	10	0	
3100	VNIMPORT	2	2728	VIVNO	VARCHAR2	20		
3100	VNIMPORT	3	2727	VINAME	VARCHAR2	50		
3100	VNIMPORT	4	2726	VIADD1	VARCHAR2	100		
3100	VNIMPORT	5	2725	VIADD2	VARCHAR2	100		
3100	VNIMPORT	6	2735	VIADD3	VARCHAR2	100		
3100	VNIMPORT	7	2724	VICITY	VARCHAR2	25		
3100	VNIMPORT	8	2723	VIST	VARCHAR2	2		
3100	VNIMPORT	9	2722	VIZIP	VARCHAR2	9		
3100	VNIMPORT	10	2721	VIFSSN	VARCHAR2	9		

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3100	VNIMPORT	11	2719	VIPHON	VARCHAR2	50		
3100	VNIMPORT	12	2718	VIFAX	VARCHAR2	50		
3100	VNIMPORT	13	2717	VIEMAL	VARCHAR2	100		
3100	VNIMPORT	14	2716	VISTAT	VARCHAR2	1		
3100	VNIMPORT	15	2715	VIPAYE	VARCHAR2	20		
3100	VNIMPORT	16	2714	VIMAID	VARCHAR2	10		
3100	VNIMPORT	17	2713	VI1099	VARCHAR2	1		
3100	VNIMPORT	18	2712	VINPI	VARCHAR2	10		
3100	VNIMPORT	19	2711	VICNTY	VARCHAR2	2		
3100	VNIMPORT	20	2710	VIP_DT	DATE	7		
3100	VNIMPORT	21	2709	VIR_CD	VARCHAR2	1		
3100	VNIMPORT	22	2708	VIA_CD	VARCHAR2	1		
3100	VNIMPORT	23	2736	VIDESC	VARCHAR2	200		
3105	SSISVNR	1	2728	VIVNO	VARCHAR2	20		
3105	SSISVNR	2	2707	VIDELT	VARCHAR2	1		
3110	IMP_EXP_LOG	1	2734	IMP_EXP_LOG_ID	NUMBER	10	0	
3110	IMP_EXP_LOG	2	2733	IMP_EXP_LOG_DT	DATE	7		
3110	IMP_EXP_LOG	3	2732	IMP_EXP_LOG_TYPE_CD	VARCHAR2	1		
3110	IMP_EXP_LOG	4	2731	IMP_EXP_LOG_STAT_CD	VARCHAR2	1		
3110	IMP_EXP_LOG	5	2730	IMP_EXP_LOG_MSG	VARCHAR2	400		
3110	IMP_EXP_LOG	6	2729	IMP_EXP_LOG_DATA	VARCHAR2	4000		
3200	SVC_ARRANGEMENT	1	2779	SVC_ARRANGEMENT_ID	NUMBER	10	0	
3200	SVC_ARRANGEMENT	2	2762	SA_AGREEMENT_ID	NUMBER	10	0	
3200	SVC_ARRANGEMENT	3	2777	SA_GROUP_ID	NUMBER	10	0	
3200	SVC_ARRANGEMENT	4	2556	SUBPROG_ID	NUMBER	10	0	
3200	SVC_ARRANGEMENT	5	2548	BRASS_SVC_ID	NUMBER	10	0	
3200	SVC_ARRANGEMENT	6	2551	CNTY_SUBSVC_ID	NUMBER	10	0	
3200	SVC_ARRANGEMENT	7	2834	SVC_BUS_ORG_ID	NUMBER	10	0	
3200	SVC_ARRANGEMENT	8	2833	PAYEE_BUS_ORG_ID	NUMBER	10	0	
3200	SVC_ARRANGEMENT	9	2542	COA_CODE_ID	NUMBER	10	0	
3200	SVC_ARRANGEMENT	10	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
3200	SVC_ARRANGEMENT	11	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
3200	SVC_ARRANGEMENT	12	2817	HCPCS_MOD_ID	NUMBER	10	0	
3200	SVC_ARRANGEMENT	13	2796	SPECIAL_COST_ID	NUMBER	10	0	
3200	SVC_ARRANGEMENT	14	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
3200	SVC_ARRANGEMENT	15	162	CONTACT_LOC_CD	CHAR	1		Contact location code.
3200	SVC_ARRANGEMENT	16	2664	DEFAULT_1099_CD	VARCHAR2	1		
3200	SVC_ARRANGEMENT	17	1962	CONTRACT_NUM	VARCHAR2	20		Contract number of arrangement, if any. NOT USED.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3200	SVC_ARRANGEMENT	18	2789	PAY_CLIENT_SPEC_IND	VARCHAR2	1		
3200	SVC_ARRANGEMENT	19	2788	PREPRTD_VOUCHER_IND	VARCHAR2	1		
3200	SVC_ARRANGEMENT	20	2787	REMIT_ADV_DESC	VARCHAR2	255		
3200	SVC_ARRANGEMENT	21	2786	SA_DESC	VARCHAR2	100		
3200	SVC_ARRANGEMENT	22	2785	SA_DOC_PTS	NUMBER	10	0	
3200	SVC_ARRANGEMENT	23	2784	SA_PAYING_CNTY_CD	VARCHAR2	2		
3200	SVC_ARRANGEMENT	24	2783	SA_PER_DIEM	NUMBER	12	2	
3200	SVC_ARRANGEMENT	25	1988	SA_RATE	NUMBER	14	4	NOT USED IN VERSION 3
3200	SVC_ARRANGEMENT	26	2782	SA_START_DT	DATE	7		
3200	SVC_ARRANGEMENT	27	2781	SA_END_DT	DATE	7		
3200	SVC_ARRANGEMENT	28	834	UNIT_TYPE_CD	VARCHAR2	2		Unit type code: hour, week, day
3200	SVC_ARRANGEMENT	29	2780	SA_STATUS_CD	VARCHAR2	2		
3200	SVC_ARRANGEMENT	30	2849	SA_ENTRY_DT	DATE	7		
3200	SVC_ARRANGEMENT	31	2993	IVE_REIMB_IND	VARCHAR2	1		
3200	SVC_ARRANGEMENT	32	675	PROV_LIC_NUM	VARCHAR2	10		Provider license number
3200	SVC_ARRANGEMENT	33	2516	IVE_SUB_CD	VARCHAR2	1		
3200	SVC_ARRANGEMENT	34		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3200	SVC_ARRANGEMENT	35		LAST_CHGD_DT	DATE	7		Last changed date
3205	SA_GROUP	1	2777	SA_GROUP_ID	NUMBER	10	0	
3205	SA_GROUP	2	2419	BUS_ORG_ID	NUMBER	10	0	
3205	SA_GROUP	3	2776	SAG_AMOUNT	NUMBER	10	0	
3205	SA_GROUP	4	2775	SAG_COMMENTS	CLOB	4000		
3205	SA_GROUP	5	2774	SAG_CONTRACT_NUM	VARCHAR2	20		
3205	SA_GROUP	6	2773	SAG_DESC	VARCHAR2	100		
3205	SA_GROUP	7	2772	SAG_START_DT	DATE	7		
3205	SA_GROUP	8	2771	SAG_END_DT	DATE	7		
3205	SA_GROUP	9	2770	SAG_MIN_GUAR	NUMBER	10	0	
3205	SA_GROUP	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3205	SA_GROUP	11		LAST_CHGD_DT	DATE	7		Last changed date
3210	SA_AGREEMENT	1	2762	SA_AGREEMENT_ID	NUMBER	10	0	
3210	SA_AGREEMENT	2	2751	FISCAL_CONT_LANG_ID	NUMBER	10	0	
3210	SA_AGREEMENT	3	870	LOCATION_ID	NUMBER	10	0	Unique, system-generated identifier for a LOCATION table row. A location is the physical place a staff member works. To initialize, must be set to spaces.
3210	SA_AGREEMENT	4	2834	SVC_BUS_ORG_ID	NUMBER	10	0	
3210	SA_AGREEMENT	5	2833	PAYEE_BUS_ORG_ID	NUMBER	10	0	
3210	SA_AGREEMENT	6	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
3210	SA_AGREEMENT	7	2761	SAA_DESC	VARCHAR2	100		
3210	SA_AGREEMENT	8	2760	SAA_COMMENTS	VARCHAR2	255		
3210	SA_AGREEMENT	9	2804	SAA_ATTN_LINE	VARCHAR2	100		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3210	SA_AGREEMENT	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3210	SA_AGREEMENT	11		LAST_CHGD_DT	DATE	7		Last changed date
3220	SA_COMMENTS_XREF	1	2847	SA_COMMENTS_XREF_ID	NUMBER	10	0	
3220	SA_COMMENTS_XREF	2	2779	SVC_ARRANGEMENT_ID	NUMBER	10	0	
3220	SA_COMMENTS_XREF	3	2842	COMMENTS_LOG_ID	NUMBER	10	0	
3220	SA_COMMENTS_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3220	SA_COMMENTS_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
3225	SA_AMENDMENT	1	2750	SA_AMENDMENT_ID	NUMBER	10	0	
3225	SA_AMENDMENT	2	2779	SVC_ARRANGEMENT_ID	NUMBER	10	0	
3225	SA_AMENDMENT	3	2855	SVC_APR_STAFF_ID	NUMBER	10	0	
3225	SA_AMENDMENT	4	2854	FIS_APR_STAFF_ID	NUMBER	10	0	
3225	SA_AMENDMENT	5	2749	PAY_OTHER_VEND_IND	VARCHAR2	1		
3225	SA_AMENDMENT	6	2748	SAM_AMOUNT	NUMBER	12	2	
3225	SA_AMENDMENT	7	2780	SA_STATUS_CD	VARCHAR2	2		
3225	SA_AMENDMENT	8	2745	SAM_UNITS	NUMBER	12	2	
3225	SA_AMENDMENT	9	2851	SAM_FIS_APR_DT	DATE	7		
3225	SA_AMENDMENT	10	2853	SAM_SVC_APR_DT	DATE	7		
3225	SA_AMENDMENT	11	2852	SAM_ENTRY_DT	DATE	7		
3225	SA_AMENDMENT	12		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3225	SA_AMENDMENT	13		LAST_CHGD_DT	DATE	7		Last changed date
3230	FISCAL_YR_CNTY_PREF	1	2759	FY_CNTY_PREF_ID	NUMBER	10	0	
3230	FISCAL_YR_CNTY_PREF	2	2754	FYCP_YEAR	NUMBER	4	0	
3230	FISCAL_YR_CNTY_PREF	3	2758	FYCP_ENCUMBER_IND	VARCHAR2	1		
3230	FISCAL_YR_CNTY_PREF	4	2757	MAX_EXC_WARN_IND	VARCHAR2	1		
3230	FISCAL_YR_CNTY_PREF	5	2756	FYCP_SIG_BDAY_CD	VARCHAR2	1		
3230	FISCAL_YR_CNTY_PREF	6	2755	FYCP_TOLERANCE_PCT	NUMBER	10	0	
3230	FISCAL_YR_CNTY_PREF	7	2753	FYCP_CLOSING_GL_DT	DATE	7		
3230	FISCAL_YR_CNTY_PREF	8	2819	REQ_COA_MAX_IND	VARCHAR2	1		
3230	FISCAL_YR_CNTY_PREF	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3230	FISCAL_YR_CNTY_PREF	10		LAST_CHGD_DT	DATE	7		Last changed date
3235	SPECIAL_COST	1	2796	SPECIAL_COST_ID	NUMBER	10	0	
3235	SPECIAL_COST	2	2795	SPC_CODE	VARCHAR2	10		
3235	SPECIAL_COST	3	2794	SPC_DESC	VARCHAR2	100		
3235	SPECIAL_COST	4	2793	SPC_START_DT	DATE	7		
3235	SPECIAL_COST	5	2792	SPC_END_DT	DATE	7		
3235	SPECIAL_COST	6	2791	SPC_CNTY_DEF_IND	VARCHAR2	1		
3235	SPECIAL_COST	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3235	SPECIAL_COST	8		LAST_CHGD_DT	DATE	7		Last changed date
3240	FISCAL_CONT_LANG	1	2751	FISCAL_CONT_LANG_ID	NUMBER	10	0	
3240	FISCAL_CONT_LANG	2	2743	FCL_TEXT	CLOB	4000		
3240	FISCAL_CONT_LANG	3	2742	FCL_DEFAULT_IND	VARCHAR2	1		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3240	FISCAL_CONT_LANG	4	2818	FCL_DESC	VARCHAR2	65		
3240	FISCAL_CONT_LANG	5	2832	FCL_TEXT2	CLOB	4000		
3240	FISCAL_CONT_LANG	6	2831	FCL_CNTY_DEF_IND	VARCHAR2	1		
3240	FISCAL_CONT_LANG	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3240	FISCAL_CONT_LANG	8		LAST_CHGD_DT	DATE	7		Last changed date
3250	COMMENTS_LOG	1	2842	COMMENTS_LOG_ID	NUMBER	10	0	
3250	COMMENTS_LOG	2	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
3250	COMMENTS_LOG	3	2835	ENTERED_DT	DATE	7		
3250	COMMENTS_LOG	4	2763	SAC_COMMENTS	CLOB	4000		
3250	COMMENTS_LOG	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3250	COMMENTS_LOG	6		LAST_CHGD_DT	DATE	7		Last changed date
3260	STAFF_CLAIM_QUAL	1	2841	STAFF_CLAIM_QUAL_ID	NUMBER	10	0	
3260	STAFF_CLAIM_QUAL	2	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
3260	STAFF_CLAIM_QUAL	3	2840	CLAIM_CAT_CD	VARCHAR2	1		
3260	STAFF_CLAIM_QUAL	4	129	CLAIM_IND	VARCHAR2	1		Has a claim been filed for this service?
3260	STAFF_CLAIM_QUAL	5	2837	STAFF_CLAIM_ST_DT	DATE	7		
3260	STAFF_CLAIM_QUAL	6	2836	STAFF_CLAIM_END_DT	DATE	7		
3260	STAFF_CLAIM_QUAL	7	3672	QUAL_TYPE_CD	VARCHAR2	1		
3260	STAFF_CLAIM_QUAL	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3260	STAFF_CLAIM_QUAL	9		LAST_CHGD_DT	DATE	7		Last changed date
3300	PAYMENT	1	3068	PAYMENT_ID	NUMBER	10	0	
3300	PAYMENT	2	3067	ORIG_PAYMENT_ID	NUMBER	10	0	
3300	PAYMENT	3	2777	SA_GROUP_ID	NUMBER	10	0	
3300	PAYMENT	4	2779	SVC_ARRANGEMENT_ID	NUMBER	10	0	
3300	PAYMENT	5	3069	APPROVAL_STAFF_ID	NUMBER	10	0	
3300	PAYMENT	6	2556	SUBPROG_ID	NUMBER	10	0	
3300	PAYMENT	7	2548	BRASS_SVC_ID	NUMBER	10	0	
3300	PAYMENT	8	2551	CNTY_SUBSVC_ID	NUMBER	10	0	
3300	PAYMENT	9	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
3300	PAYMENT	10	2796	SPECIAL_COST_ID	NUMBER	10	0	
3300	PAYMENT	11	2834	SVC_BUS_ORG_ID	NUMBER	10	0	
3300	PAYMENT	12	2833	PAYEE_BUS_ORG_ID	NUMBER	10	0	
3300	PAYMENT	13	2542	COA_CODE_ID	NUMBER	10	0	
3300	PAYMENT	14	2817	HCPCS_MOD_ID	NUMBER	10	0	
3300	PAYMENT	15	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
3300	PAYMENT	16	3064	CREATOR_STAFF_ID	NUMBER	10	0	
3300	PAYMENT	17	2888	PYMT_ACCRUAL_CODE_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3300	PAYMENT	18	162	CONTACT_LOC_CD	CHAR	1		Contact location code.
3300	PAYMENT	19	2873	PAYEE_BUS_NAME	VARCHAR2	50		
3300	PAYMENT	20	2872	SVC_BUS_NAME	VARCHAR2	50		
3300	PAYMENT	21	2871	PAYING_CNTY_CD	CHAR	2		
3300	PAYMENT	22	2870	PYMT_INV_NUM	VARCHAR2	20		
3300	PAYMENT	23	2869	PAYEE_CNTY_VEN_NUM	VARCHAR2	20		
3300	PAYMENT	24	2868	SVC_CNTY_VEN_NUM	VARCHAR2	20		
3300	PAYMENT	25	2867	PYMT_TAX_1099_CD	VARCHAR2	1		
3300	PAYMENT	26	65	APPROVAL_DT	DATE	7		Claim Eligibility approval date
3300	PAYMENT	27	3057	PYMT_STATUS_CD	VARCHAR2	2		
3300	PAYMENT	28	2865	PYMT_DOC_PTS	NUMBER	10	0	
3300	PAYMENT	29	2864	PYMT_SVC_START_DT	DATE	7		
3300	PAYMENT	30	2863	PYMT_SVC_END_DT	DATE	7		
3300	PAYMENT	31	2985	PYMT_PER_DIEM	NUMBER	12	2	
3300	PAYMENT	32	2993	IVE_REIMB_IND	VARCHAR2	1		
3300	PAYMENT	33	3000	PYMT_INV_DT	DATE	7		
3300	PAYMENT	34	3059	PYMT_REQ_AMT	NUMBER	12	2	
3300	PAYMENT	35	3061	PYMT_PAID_AMT	NUMBER	12	2	
3300	PAYMENT	36	3066	PYMT_DESC	VARCHAR2	255		
3300	PAYMENT	37	3065	PYMT_DT	DATE	7		
3300	PAYMENT	38	3060	PYMT_RATE	NUMBER	14	4	
3300	PAYMENT	39	3058	PYMT_SEAGR_UNITS	NUMBER	12	2	
3300	PAYMENT	40	3056	PYMT_SUBMITTED_DT	DATE	7		
3300	PAYMENT	41	3055	PYMT_TYPE_CD	VARCHAR2	1		
3300	PAYMENT	42	3054	PYMT_UNITS	NUMBER	12	2	
3300	PAYMENT	43	834	UNIT_TYPE_CD	VARCHAR2	2		Unit type code: hour, week, day
3300	PAYMENT	44	3001	CNTY_DEFINED_DT	DATE	7		
3300	PAYMENT	45	3063	CONFIRMATION_AMT	NUMBER	12	2	
3300	PAYMENT	46	3062	CONFIRMATION_NUM	VARCHAR2	20		
3300	PAYMENT	47	675	PROV_LIC_NUM	VARCHAR2	10		Provider license number
3300	PAYMENT	48	2516	IVE_SUB_CD	VARCHAR2	1		
3300	PAYMENT	49	1962	CONTRACT_NUM	VARCHAR2	20		Contract number of arrangement, if any. NOT USED.
3300	PAYMENT	50	3090	PYMT_CREATED_DT	DATE	7		
3300	PAYMENT	51	3089	CNTY_DEFINED_FLD	VARCHAR2	40		
3300	PAYMENT	52		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3300	PAYMENT	53		LAST_CHGD_DT	DATE	7		Last changed date
3320	PYMT_COMMENT_XREF	1	2862	PYMT_COMMENT_XREF_ID	NUMBER	10	0	
3320	PYMT_COMMENT_XREF	2	3068	PAYMENT_ID	NUMBER	10	0	
3320	PYMT_COMMENT_XREF	3	2842	COMMENTS_LOG_ID	NUMBER	10	0	
3320	PYMT_COMMENT_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3320	PYMT_COMMENT_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3330	PYMT_ACCRUAL_CODE	1	2888	PYMT_ACCRUAL_CODE_ID	NUMBER	10	0	
3330	PYMT_ACCRUAL_CODE	2	2887	ACCRUAL_CODE	VARCHAR2	3		
3330	PYMT_ACCRUAL_CODE	3	2886	ACCRUAL_DESC	VARCHAR2	100		
3330	PYMT_ACCRUAL_CODE	4	2885	ACCRUAL_START_DT	DATE	7		
3330	PYMT_ACCRUAL_CODE	5	2884	ACCRUAL_END_DT	DATE	7		
3330	PYMT_ACCRUAL_CODE	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3330	PYMT_ACCRUAL_CODE	7		LAST_CHGD_DT	DATE	7		Last changed date
3350	PYMT_BATCH	1	2861	PYMT_BATCH_ID	NUMBER	10	0	
3350	PYMT_BATCH	2	2860	OWNER_STAFF_ID	NUMBER	10	0	
3350	PYMT_BATCH	3	2859	PBATCH_CNT_AMT	NUMBER	12	2	
3350	PYMT_BATCH	4	2858	PBATCH_DESC	VARCHAR2	100		
3350	PYMT_BATCH	5	2857	PBATCH_SCH_WARR_DT	DATE	7		
3350	PYMT_BATCH	6	3119	PBATCH_SUB_STAT_CD	VARCHAR2	2		
3350	PYMT_BATCH	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3350	PYMT_BATCH	8		LAST_CHGD_DT	DATE	7		Last changed date
3360	PYMT_BATCH_XREF	1	2874	PYMT_BATCH_XREF_ID	NUMBER	10	0	
3360	PYMT_BATCH_XREF	2	2861	PYMT_BATCH_ID	NUMBER	10	0	
3360	PYMT_BATCH_XREF	3	3068	PAYMENT_ID	NUMBER	10	0	
3360	PYMT_BATCH_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3360	PYMT_BATCH_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
3370	PYMT_VENDOR_IMP	1	3357	PYMT_VENDOR_ID	NUMBER	10	0	
3370	PYMT_VENDOR_IMP	2	3356	CNTY_VEN_NUM	VARCHAR2	20		
3370	PYMT_VENDOR_IMP	3		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3370	PYMT_VENDOR_IMP	4		LAST_CHGD_DT	DATE	7		Last changed date
3375	PAYMENT_IMP	1	3364	PAYMENT_IMP_ID	NUMBER	10	0	
3375	PAYMENT_IMP	2	3363	PYMT_IMP_CNTY_ID	NUMBER	10	0	
3375	PAYMENT_IMP	3	3362	PYMT_IMP_STATUS_CD	VARCHAR2	2		
3375	PAYMENT_IMP	4	3361	PYMT_IMP_STATUS_DT	DATE	7		
3375	PAYMENT_IMP	5	3360	PYMT_IMP_STATUS_CMT	VARCHAR2	200		
3375	PAYMENT_IMP	6	3359	PYMT_IMP_VNDR_CMT	VARCHAR2	200		
3375	PAYMENT_IMP	7	3067	ORIG_PAYMENT_ID	NUMBER	10	0	
3375	PAYMENT_IMP	8	3068	PAYMENT_ID	NUMBER	10	0	
3375	PAYMENT_IMP	9	2777	SA_GROUP_ID	NUMBER	10	0	
3375	PAYMENT_IMP	10	2779	SVC_ARRANGEMENT_ID	NUMBER	10	0	
3375	PAYMENT_IMP	11	2556	SUBPROG_ID	NUMBER	10	0	
3375	PAYMENT_IMP	12	2548	BRASS_SVC_ID	NUMBER	10	0	
3375	PAYMENT_IMP	13	2551	CNTY_SUBSVC_ID	NUMBER	10	0	
3375	PAYMENT_IMP	14	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
3375	PAYMENT_IMP	15	2796	SPECIAL_COST_ID	NUMBER	10	0	
3375	PAYMENT_IMP	16	2834	SVC_BUS_ORG_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3375	PAYMENT_IMP	17	2833	PAYEE_BUS_ORG_ID	NUMBER	10	0	
3375	PAYMENT_IMP	18	2542	COA_CODE_ID	NUMBER	10	0	
3375	PAYMENT_IMP	19	2817	HCPCS_MOD_ID	NUMBER	10	0	
3375	PAYMENT_IMP	20	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
3375	PAYMENT_IMP	21	3064	CREATOR_STAFF_ID	NUMBER	10	0	
3375	PAYMENT_IMP	22	3069	APPROVAL_STAFF_ID	NUMBER	10	0	
3375	PAYMENT_IMP	23	2888	PYMT_ACCRUAL_CODE_ID	NUMBER	10	0	
3375	PAYMENT_IMP	24	162	CONTACT_LOC_CD	CHAR	1		Contact location code.
3375	PAYMENT_IMP	25	2872	SVC_BUS_NAME	VARCHAR2	50		
3375	PAYMENT_IMP	26	2873	PAYEE_BUS_NAME	VARCHAR2	50		
3375	PAYMENT_IMP	27	2871	PAYING_CNTY_CD	CHAR	2		
3375	PAYMENT_IMP	28	2870	PYMT_INV_NUM	VARCHAR2	20		
3375	PAYMENT_IMP	29	2869	PAYEE_CNTY_VEN_NUM	VARCHAR2	20		
3375	PAYMENT_IMP	30	2868	SVC_CNTY_VEN_NUM	VARCHAR2	20		
3375	PAYMENT_IMP	31	2867	PYMT_TAX_1099_CD	VARCHAR2	1		
3375	PAYMENT_IMP	32	65	APPROVAL_DT	DATE	7		Claim Eligibility approval date
3375	PAYMENT_IMP	33	3057	PYMT_STATUS_CD	VARCHAR2	2		
3375	PAYMENT_IMP	34	2865	PYMT_DOC_PTS	NUMBER	10	0	
3375	PAYMENT_IMP	35	2864	PYMT_SVC_START_DT	DATE	7		
3375	PAYMENT_IMP	36	2863	PYMT_SVC_END_DT	DATE	7		
3375	PAYMENT_IMP	37	2985	PYMT_PER_DIEM	NUMBER	12	2	
3375	PAYMENT_IMP	38	2993	IVE_REIMB_IND	VARCHAR2	1		
3375	PAYMENT_IMP	39	3000	PYMT_INV_DT	DATE	7		
3375	PAYMENT_IMP	40	3059	PYMT_REQ_AMT	NUMBER	12	2	
3375	PAYMENT_IMP	41	3061	PYMT_PAID_AMT	NUMBER	12	2	
3375	PAYMENT_IMP	42	3066	PYMT_DESC	VARCHAR2	255		
3375	PAYMENT_IMP	43	3065	PYMT_DT	DATE	7		
3375	PAYMENT_IMP	44	3060	PYMT_RATE	NUMBER	14	4	
3375	PAYMENT_IMP	45	3058	PYMT_SEAGR_UNITS	NUMBER	12	2	
3375	PAYMENT_IMP	46	3056	PYMT_SUBMITTED_DT	DATE	7		
3375	PAYMENT_IMP	47	3055	PYMT_TYPE_CD	VARCHAR2	1		
3375	PAYMENT_IMP	48	3054	PYMT_UNITS	NUMBER	12	2	
3375	PAYMENT_IMP	49	834	UNIT_TYPE_CD	VARCHAR2	2		Unit type code: hour, week, day
3375	PAYMENT_IMP	50	3001	CNTY_DEFINED_DT	DATE	7		
3375	PAYMENT_IMP	51	3063	CONFIRMATION_AMT	NUMBER	12	2	
3375	PAYMENT_IMP	52	3062	CONFIRMATION_NUM	VARCHAR2	20		
3375	PAYMENT_IMP	53	675	PROV_LIC_NUM	VARCHAR2	10		Provider license number
3375	PAYMENT_IMP	54	2516	IVE_SUB_CD	VARCHAR2	1		
3375	PAYMENT_IMP	55	1962	CONTRACT_NUM	VARCHAR2	20		Contract number of arrangement, if any. NOT USED.
3375	PAYMENT_IMP	56	3090	PYMT_CREATED_DT	DATE	7		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3375	PAYMENT_IMP	57	3089	CNTY_DEFINED_FLD	VARCHAR2	40		
3375	PAYMENT_IMP	58		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3375	PAYMENT_IMP	59		LAST_CHGD_DT	DATE	7		Last changed date
3400	ELIG_CWTCM	1	2923	ELIG_CWTCM_ID	NUMBER	10	0	
3400	ELIG_CWTCM	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
3400	ELIG_CWTCM	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
3400	ELIG_CWTCM	4	2919	CWTCM_MALT_DT	DATE	7		
3400	ELIG_CWTCM	5	2918	CWTCM_PLCMT_DT	DATE	7		
3400	ELIG_CWTCM	6	2917	CWTCM_PROTECT_DT	DATE	7		
3400	ELIG_CWTCM	7	2916	CWTCM_SVC_PLAN_DT	DATE	7		
3400	ELIG_CWTCM	8	2915	DET_FACT_START_DT	DATE	7		
3400	ELIG_CWTCM	9	2914	DET_FACT_END_DT	DATE	7		
3400	ELIG_CWTCM	10	1417	PLAN_TYPE_CD	CHAR	1		The specific plan type for this plan, e.g., Out-of Home Placement, Child Protective Service, Social Services Plan, AR Service Plan.
3400	ELIG_CWTCM	11	2912	TEFRA_OVER_START_DT	DATE	7		
3400	ELIG_CWTCM	12	2911	TEFRA_OVER_END_DT	DATE	7		
3400	ELIG_CWTCM	13	3002	CWTCM_PLAN_COMMENT	CLOB	4000		
3400	ELIG_CWTCM	14		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3400	ELIG_CWTCM	15		LAST_CHGD_DT	DATE	7		Last changed date
3405	ELIG_CWTCM_REVIEW	1	2925	ELIG_CWTCM_REVIEW_ID	NUMBER	10	0	
3405	ELIG_CWTCM_REVIEW	2	2923	ELIG_CWTCM_ID	NUMBER	10	0	
3405	ELIG_CWTCM_REVIEW	3	2924	CWTCM_REVIEW_DT	DATE	7		
3405	ELIG_CWTCM_REVIEW	4	1417	PLAN_TYPE_CD	CHAR	1		The specific plan type for this plan, e.g., Out-of Home Placement, Child Protective Service, Social Services Plan, AR Service Plan.
3405	ELIG_CWTCM_REVIEW	5	2913	SVC_PLAN_DT	DATE	7		
3405	ELIG_CWTCM_REVIEW	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3405	ELIG_CWTCM_REVIEW	7		LAST_CHGD_DT	DATE	7		Last changed date
3410	ELIG_MHTCM	1	2922	ELIG_MHTCM_ID	NUMBER	10	0	
3410	ELIG_MHTCM	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
3410	ELIG_MHTCM	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
3410	ELIG_MHTCM	4	2921	MHTCM_START_DT	DATE	7		
3410	ELIG_MHTCM	5	2920	MHTCM_END_DT	DATE	7		
3410	ELIG_MHTCM	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3410	ELIG_MHTCM	7		LAST_CHGD_DT	DATE	7		Last changed date
3415	ELIG_VADDTCM	1	2932	ELIG_VADDTCM_ID	NUMBER	10	0	
3415	ELIG_VADDTCM	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3415	ELIG_VADDTCM	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
3415	ELIG_VADDTCM	4	2931	VADD_START_DT	DATE	7		
3415	ELIG_VADDTCM	5	2930	VADD_END_DT	DATE	7		
3415	ELIG_VADDTCM	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3415	ELIG_VADDTCM	7		LAST_CHGD_DT	DATE	7		Last changed date
3417	ELIG_DD_SCRNG	1	3673	ELIG_DD_SCRNG_ID	NUMBER	10	0	
3417	ELIG_DD_SCRNG	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
3417	ELIG_DD_SCRNG	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
3417	ELIG_DD_SCRNG	4	2898	READY_TO_CLAIM_IND	VARCHAR2	1		
3417	ELIG_DD_SCRNG	5	3674	DD_SCREENING_DT	DATE	7		
3417	ELIG_DD_SCRNG	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3417	ELIG_DD_SCRNG	7		LAST_CHGD_DT	DATE	7		Last changed date
3418	CLM_DD_SCRNG_XREF	1	3675	CLM_DD_SCRNG_XREF_ID	NUMBER	10	0	
3418	CLM_DD_SCRNG_XREF	2	3332	CLM_HEALTHCARE_ID	NUMBER	10	0	
3418	CLM_DD_SCRNG_XREF	3	3673	ELIG_DD_SCRNG_ID	NUMBER	10	0	
3418	CLM_DD_SCRNG_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3418	CLM_DD_SCRNG_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
3420	ELIG_RULE5	1	2929	ELIG_RULE5_ID	NUMBER	10	0	
3420	ELIG_RULE5	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
3420	ELIG_RULE5	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
3420	ELIG_RULE5	4	2928	MH_RULE5_CARE_IND	VARCHAR2	1		
3420	ELIG_RULE5	5	2927	MH_RULE5_END_DT	DATE	7		
3420	ELIG_RULE5	6	2926	MH_RULE5_SCRNG_DT	DATE	7		
3420	ELIG_RULE5	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3420	ELIG_RULE5	8		LAST_CHGD_DT	DATE	7		Last changed date
3425	DI_ELIG_MMIS	1	2981	DI_ELIG_MMIS_ID	NUMBER	10	0	
3425	DI_ELIG_MMIS	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
3425	DI_ELIG_MMIS	3	2960	CNTY_OF_RES_CD	VARCHAR2	3		
3425	DI_ELIG_MMIS	4	2990	CNTY_OF_SERVICE_CD	VARCHAR2	3		
3425	DI_ELIG_MMIS	5	2959	MMIS_UPDATE_DT	DATE	7		
3425	DI_ELIG_MMIS	6	1176	PMI	VARCHAR2	10		This person's unique person identifier from the MAXIS system.
3425	DI_ELIG_MMIS	7	2958	RCP_BIRTH_DT	DATE	7		
3425	DI_ELIG_MMIS	8	2957	RCP_FIRST_NAME	VARCHAR2	30		
3425	DI_ELIG_MMIS	9	2956	RCP_GENDER_CD	VARCHAR2	1		
3425	DI_ELIG_MMIS	10	2955	RCP_LAST_NAME	VARCHAR2	30		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3425	DI_ELIG_MMIS	11	2954	RCP_MIDDLE_INITIAL	VARCHAR2	1		
3425	DI_ELIG_MMIS	12	2953	RCP_SSN	VARCHAR2	9		
3425	DI_ELIG_MMIS	13	2952	TPL_IND	VARCHAR2	1		
3425	DI_ELIG_MMIS	14	228	ELIG_START_DT	DATE	7		
3425	DI_ELIG_MMIS	15	227	ELIG_END_DT	DATE	7		
3425	DI_ELIG_MMIS	16		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3425	DI_ELIG_MMIS	17		LAST_CHGD_DT	DATE	7		Last changed date
3430	DI_ELIG_LTC_DIAG	1	2897	DI_ELIG_LTC_DIAG_ID	NUMBER	10	0	
3430	DI_ELIG_LTC_DIAG	2	2896	DI_ELIG_LTC_SCRNG_ID	NUMBER	10	0	
3430	DI_ELIG_LTC_DIAG	3	203	DIAGNOSIS_CD	VARCHAR2	6		Diagnosis at the detail level of the ICD-9-CM and DSM-IV codes.
3430	DI_ELIG_LTC_DIAG	4	2933	DIAG_INDEX	NUMBER	10	0	
3430	DI_ELIG_LTC_DIAG	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3430	DI_ELIG_LTC_DIAG	6		LAST_CHGD_DT	DATE	7		Last changed date
3440	DI_ELIG_LTC_SCRNG	1	2896	DI_ELIG_LTC_SCRNG_ID	NUMBER	10	0	
3440	DI_ELIG_LTC_SCRNG	2	2981	DI_ELIG_MMIS_ID	NUMBER	10	0	
3440	DI_ELIG_LTC_SCRNG	3	2968	ASSESSMENT_DT	DATE	7		
3440	DI_ELIG_LTC_SCRNG	4	2967	CDCS_AMT	NUMBER	12	2	
3440	DI_ELIG_LTC_SCRNG	5	2966	CDCS_IND	VARCHAR2	1		
3440	DI_ELIG_LTC_SCRNG	6	188	CREATED_DT	DATE	7		Date this document was created
3440	DI_ELIG_LTC_SCRNG	7	2944	LTC_ASSES_EXIT1_CD	VARCHAR2	2		
3440	DI_ELIG_LTC_SCRNG	8	2943	LTC_ASSES_EXIT2_CD	VARCHAR2	2		
3440	DI_ELIG_LTC_SCRNG	9	2942	LTC_WAIVER_TYPE_CD	VARCHAR2	2		
3440	DI_ELIG_LTC_SCRNG	10	2941	PA_SCRNG_STATUS_CD	VARCHAR2	1		
3440	DI_ELIG_LTC_SCRNG	11	2940	PRIOR_AUTH_NUM	NUMBER	11	0	
3440	DI_ELIG_LTC_SCRNG	12	2935	SCRNG_ACT_TYPE_CD	VARCHAR2	2		
3440	DI_ELIG_LTC_SCRNG	13	2934	SCRNG_ACT_TYPE_DT	DATE	7		
3440	DI_ELIG_LTC_SCRNG	14		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3440	DI_ELIG_LTC_SCRNG	15		LAST_CHGD_DT	DATE	7		Last changed date
3445	DI_ELIG_DD_DIAG	1	2983	DI_ELIG_DD_DIAG_ID	NUMBER	10	0	
3445	DI_ELIG_DD_DIAG	2	2982	DI_ELIG_DD_SCRNG_ID	NUMBER	10	0	
3445	DI_ELIG_DD_DIAG	3	203	DIAGNOSIS_CD	VARCHAR2	6		Diagnosis at the detail level of the ICD-9-CM and DSM-IV codes.
3445	DI_ELIG_DD_DIAG	4	2933	DIAG_INDEX	NUMBER	10	0	
3445	DI_ELIG_DD_DIAG	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3445	DI_ELIG_DD_DIAG	6		LAST_CHGD_DT	DATE	7		Last changed date
3450	DI_ELIG_DD_SCRNG	1	2982	DI_ELIG_DD_SCRNG_ID	NUMBER	10	0	
3450	DI_ELIG_DD_SCRNG	2	2981	DI_ELIG_MMIS_ID	NUMBER	10	0	
3450	DI_ELIG_DD_SCRNG	3	2951	ACTION_DT	DATE	7		
3450	DI_ELIG_DD_SCRNG	4	2950	ACTION_TYPE_CD	VARCHAR2	2		
3450	DI_ELIG_DD_SCRNG	5	188	CREATED_DT	DATE	7		Date this document was created
3450	DI_ELIG_DD_SCRNG	6	2941	PA_SCRNG_STATUS_CD	VARCHAR2	1		
3450	DI_ELIG_DD_SCRNG	7	2940	PRIOR_AUTH_NUM	NUMBER	11	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3450	DI_ELIG_DD_SCRNG	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3450	DI_ELIG_DD_SCRNG	9		LAST_CHGD_DT	DATE	7		Last changed date
3455	DI_ELIG_DTH_DATA	1	2894	DI_ELIG_DTH_DATA_ID	NUMBER	10	0	
3455	DI_ELIG_DTH_DATA	2	2981	DI_ELIG_MMIS_ID	NUMBER	10	0	
3455	DI_ELIG_DTH_DATA	3	2964	DTH_START_DT	DATE	7		
3455	DI_ELIG_DTH_DATA	4	2963	DTH_END_DT	DATE	7		
3455	DI_ELIG_DTH_DATA	5	2962	DTH_SERVICE_CD	VARCHAR2	1		
3455	DI_ELIG_DTH_DATA	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3455	DI_ELIG_DTH_DATA	7		LAST_CHGD_DT	DATE	7		Last changed date
3460	DI_ELIG_LIVE_ARR	1	2895	DI_ELIG_LIVE_ARR_ID	NUMBER	10	0	
3460	DI_ELIG_LIVE_ARR	2	2981	DI_ELIG_MMIS_ID	NUMBER	10	0	
3460	DI_ELIG_LIVE_ARR	3	1296	FACILITY_NAME	VARCHAR2	40		Name of the facility in which maltreatment allegedly occurred.
3460	DI_ELIG_LIVE_ARR	4	458	LIVE_ARR_CD	CHAR	2		Living arrangement code
3460	DI_ELIG_LIVE_ARR	5	460	LIVE_ARR_START_DT	DATE	7		Living arrangement start date
3460	DI_ELIG_LIVE_ARR	6	459	LIVE_ARR_END_DT	DATE	7		Living arrangement end date
3460	DI_ELIG_LIVE_ARR	7	2965	OUT_HOME_PROV_NUM	VARCHAR2	20		
3460	DI_ELIG_LIVE_ARR	8	2986	PROV_CNTY_CD	VARCHAR2	3		
3460	DI_ELIG_LIVE_ARR	9	2662	NPI	VARCHAR2	10		
3460	DI_ELIG_LIVE_ARR	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3460	DI_ELIG_LIVE_ARR	11		LAST_CHGD_DT	DATE	7		Last changed date
3465	DI_ELIG_PPHP_DATA	1	2899	DI_ELIG_PPHP_DATA_ID	NUMBER	10	0	
3465	DI_ELIG_PPHP_DATA	2	2981	DI_ELIG_MMIS_ID	NUMBER	10	0	
3465	DI_ELIG_PPHP_DATA	3	2972	PPHP_START_DT	DATE	7		
3465	DI_ELIG_PPHP_DATA	4	2971	PPHP_END_DT	DATE	7		
3465	DI_ELIG_PPHP_DATA	5	2970	PPHP_CONTRACT	VARCHAR2	20		
3465	DI_ELIG_PPHP_DATA	6	2969	PPHP_PROV_NAME	VARCHAR2	50		
3465	DI_ELIG_PPHP_DATA	7	2986	PROV_CNTY_CD	VARCHAR2	3		
3465	DI_ELIG_PPHP_DATA	8	2662	NPI	VARCHAR2	10		
3465	DI_ELIG_PPHP_DATA	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3465	DI_ELIG_PPHP_DATA	10		LAST_CHGD_DT	DATE	7		Last changed date
3470	DI_ELIG_RECIPIENT	1	2900	DI_ELIG_RECIPIENT_ID	NUMBER	10	0	
3470	DI_ELIG_RECIPIENT	2	2981	DI_ELIG_MMIS_ID	NUMBER	10	0	
3470	DI_ELIG_RECIPIENT	3	2991	CNTY_OF_FIN_RESP_CD	VARCHAR2	3		
3470	DI_ELIG_RECIPIENT	4	227	ELIG_END_DT	DATE	7		
3470	DI_ELIG_RECIPIENT	5	2976	ELIG_TYPE_CD	VARCHAR2	2		
3470	DI_ELIG_RECIPIENT	6	2975	EXTRACT_DT	DATE	7		
3470	DI_ELIG_RECIPIENT	7	2974	MAJOR_PROG_CD	VARCHAR2	2		
3470	DI_ELIG_RECIPIENT	8	2973	RCP_ELIG_STATUS_CD	VARCHAR2	1		
3470	DI_ELIG_RECIPIENT	9	228	ELIG_START_DT	DATE	7		
3470	DI_ELIG_RECIPIENT	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3470	DI_ELIG_RECIPIENT	11		LAST_CHGD_DT	DATE	7		Last changed date

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3475	DI_ELIG_WAIVER	1	2909	DI_ELIG_WAIVER_ID	NUMBER	10	0	
3475	DI_ELIG_WAIVER	2	2981	DI_ELIG_MMIS_ID	NUMBER	10	0	
3475	DI_ELIG_WAIVER	3	2980	WAIVER_START_DT	DATE	7		
3475	DI_ELIG_WAIVER	4	2979	WAIVER_SCREEN_DT	DATE	7		
3475	DI_ELIG_WAIVER	5	2978	WAIVER_THRU_DT	DATE	7		
3475	DI_ELIG_WAIVER	6	2977	WAIVER_TYPE_CD	VARCHAR2	1		
3475	DI_ELIG_WAIVER	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3475	DI_ELIG_WAIVER	8		LAST_CHGD_DT	DATE	7		Last changed date
3480	DI_ELIG_SA_LN_ITM	1	2910	DI_ELIG_SA_LN_ITM_ID	NUMBER	10	0	
3480	DI_ELIG_SA_LN_ITM	2	2908	DI_ELIG_SA_ID	NUMBER	10	0	
3480	DI_ELIG_SA_LN_ITM	3	2907	PA_AMT_REQUEST	NUMBER	12	2	
3480	DI_ELIG_SA_LN_ITM	4	2906	PA_AMT_USED	NUMBER	12	2	
3480	DI_ELIG_SA_LN_ITM	5	2905	PA_LINE_START_DT	DATE	7		
3480	DI_ELIG_SA_LN_ITM	6	2904	PA_LINE_END_DT	DATE	7		
3480	DI_ELIG_SA_LN_ITM	7	2903	PA_RATE_PER_UNIT	NUMBER	12	2	
3480	DI_ELIG_SA_LN_ITM	8	2902	PA_UNITS_REQUEST	NUMBER	9	3	
3480	DI_ELIG_SA_LN_ITM	9	2901	PA_UNITS_USED	NUMBER	9	3	
3480	DI_ELIG_SA_LN_ITM	10	409	HCPCS_CD	VARCHAR2	5		Health Care Common Procedural Coding System
3480	DI_ELIG_SA_LN_ITM	11	2813	MOD_1	VARCHAR2	2		
3480	DI_ELIG_SA_LN_ITM	12	2812	MOD_2	VARCHAR2	2		
3480	DI_ELIG_SA_LN_ITM	13	2811	MOD_3	VARCHAR2	2		
3480	DI_ELIG_SA_LN_ITM	14	2810	MOD_4	VARCHAR2	2		
3480	DI_ELIG_SA_LN_ITM	15	2939	PROV_NUM	VARCHAR2	20		
3480	DI_ELIG_SA_LN_ITM	16	2938	SA_LINE_STATUS_CD	VARCHAR2	1		
3480	DI_ELIG_SA_LN_ITM	17	2937	SERVICE_FREQ	VARCHAR2	1		
3480	DI_ELIG_SA_LN_ITM	18	2992	PRIOR_AUTH_LINE_NUM	NUMBER	2	0	
3480	DI_ELIG_SA_LN_ITM	19	2662	NPI	VARCHAR2	10		
3480	DI_ELIG_SA_LN_ITM	20		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3480	DI_ELIG_SA_LN_ITM	21		LAST_CHGD_DT	DATE	7		Last changed date
3485	DI_ELIG_SA	1	2908	DI_ELIG_SA_ID	NUMBER	10	0	
3485	DI_ELIG_SA	2	2981	DI_ELIG_MMIS_ID	NUMBER	10	0	
3485	DI_ELIG_SA	3	188	CREATED_DT	DATE	7		Date this document was created
3485	DI_ELIG_SA	4	2949	EXCLUDED_TIME_IND	VARCHAR2	1		
3485	DI_ELIG_SA	5	2948	EXT_TOT_AMT_USED	NUMBER	12	2	
3485	DI_ELIG_SA	6	2947	EXT_TOT_UNITS_USED	NUMBER	10	3	
3485	DI_ELIG_SA	7	2945	PA_TOTAL_CAP_AMT	NUMBER	12	2	
3485	DI_ELIG_SA	8	2940	PRIOR_AUTH_NUM	NUMBER	11	0	
3485	DI_ELIG_SA	9	2782	SA_START_DT	DATE	7		
3485	DI_ELIG_SA	10	2781	SA_END_DT	DATE	7		
3485	DI_ELIG_SA	11	2936	SA_TYPE_CD	VARCHAR2	1		
3485	DI_ELIG_SA	12	2989	PA_STATUS_REASON1_CD	VARCHAR2	3		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3485	DI_ELIG_SA	13	2988	PA_STATUS_REASON2_CD	VARCHAR2	3		
3485	DI_ELIG_SA	14	2987	PA_STATUS_REASON3_CD	VARCHAR2	3		
3485	DI_ELIG_SA	15	3251	SA_HDR_STATUS_CD	VARCHAR2	1		
3485	DI_ELIG_SA	16		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3485	DI_ELIG_SA	17		LAST_CHGD_DT	DATE	7		Last changed date
3490	MMIS_CODE	1	384	FIELDNAME	VARCHAR2	20		Name of the code field
3490	MMIS_CODE	2	146	CODE	VARCHAR2	6		The code value itself, found in the codes table
3490	MMIS_CODE	3	200	DESCRIPTION	VARCHAR2	65		Text description
3490	MMIS_CODE	4	1694	SORT_ORDER	NUMBER	10	0	NOT USED IN VERSION 3
3490	MMIS_CODE	5	1273	ACTIVE_IND	CHAR	1		
3490	MMIS_CODE	6	3035	MMIS_CODE_COMMENTS	CLOB	4000		
3490	MMIS_CODE	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3490	MMIS_CODE	8		LAST_CHGD_DT	DATE	7		Last changed date
3495	ELIG_DO_NOT_CLAIM	1	3265	ELIG_DO_NOT_CLAIM_ID	NUMBER	10	0	
3495	ELIG_DO_NOT_CLAIM	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
3495	ELIG_DO_NOT_CLAIM	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
3495	ELIG_DO_NOT_CLAIM	4	2840	CLAIM_CAT_CD	VARCHAR2	1		
3495	ELIG_DO_NOT_CLAIM	5	228	ELIG_START_DT	DATE	7		
3495	ELIG_DO_NOT_CLAIM	6	227	ELIG_END_DT	DATE	7		
3495	ELIG_DO_NOT_CLAIM	7	3264	DNC_COMMENTS	VARCHAR2	255		
3495	ELIG_DO_NOT_CLAIM	8	3404	ELIG_DNC_REASON_CD	VARCHAR2	1		
3495	ELIG_DO_NOT_CLAIM	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3495	ELIG_DO_NOT_CLAIM	10		LAST_CHGD_DT	DATE	7		Last changed date
3497	DI_MMIS_PMI	1	1176	PMI	VARCHAR2	10		This person's unique person identifier from the MAXIS system.
3497	DI_MMIS_PMI	2		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3497	DI_MMIS_PMI	3		LAST_CHGD_DT	DATE	7		Last changed date
3500	DEX_DATASTORE	1	2994	DEX_ID	NUMBER	10	0	
3500	DEX_DATASTORE	2	2995	DEX_FILE_KIND_CD	VARCHAR2	3		
3500	DEX_DATASTORE	3	2996	DEX_NAME	VARCHAR2	128		
3500	DEX_DATASTORE	4	2997	DEX_CONTENTS	CLOB	4000		
3500	DEX_DATASTORE	5	3354	DEX_FILE_STATUS_CD	VARCHAR2	2		
3500	DEX_DATASTORE	6	3932	DEX_FILE_DT	DATE	7		
3510	DEX_ELIG_FILES	1	3073	DEX_ELIG_FILES_ID	NUMBER	10	0	
3510	DEX_ELIG_FILES	2	3072	UPDATE_ELIG_FILE	VARCHAR2	65		
3510	DEX_ELIG_FILES	3		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3510	DEX_ELIG_FILES	4		LAST_CHGD_DT	DATE	7		Last changed date
3520	DEX_PARAM	1	3128	DEX_PARAM_ID	NUMBER	10	0	
3520	DEX_PARAM	2	3127	DEX_PARAM_CD_ID	NUMBER	10	0	
3520	DEX_PARAM	3	3122	DEX_PARAM_VAL	VARCHAR2	100		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3520	DEX_PARAM	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3520	DEX_PARAM	5		LAST_CHGD_DT	DATE	7		Last changed date
3530	DEX_PARAM_CD	1	3127	DEX_PARAM_CD_ID	NUMBER	10	0	
3530	DEX_PARAM_CD	2	3126	DEX_PARAM_NAME	VARCHAR2	65		
3530	DEX_PARAM_CD	3	3125	DEX_PARAM_TYPE	VARCHAR2	65		
3530	DEX_PARAM_CD	4	3124	DEX_INTERFACE_CD	VARCHAR2	2		
3530	DEX_PARAM_CD	5	3123	DEX_CONFIG_FILE	VARCHAR2	65		
3530	DEX_PARAM_CD	6	3121	DEX_PARAM_DESC	VARCHAR2	65		
3530	DEX_PARAM_CD	7	3120	DEX_PARAM_PSWD	VARCHAR2	1		
3530	DEX_PARAM_CD	8	3129	DEX_SYS_PARAM_IND	VARCHAR2	1		
3530	DEX_PARAM_CD	9	1694	SORT_ORDER	NUMBER	10	0	NOT USED IN VERSION 3
3530	DEX_PARAM_CD	10	3137	DEX_PARAM_TIME	VARCHAR2	1		
3530	DEX_PARAM_CD	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3530	DEX_PARAM_CD	12		LAST_CHGD_DT	DATE	7		Last changed date
3600	IVE_UMB_CNTY	1	3006	IVE_UMB_CNTY_ID	NUMBER	10	0	
3600	IVE_UMB_CNTY	2	3005	CORR_UMB_CNTY_EFF_DT	DATE	7		
3600	IVE_UMB_CNTY	3	3004	CORR_UMB_CNTY_END_DT	DATE	7		
3600	IVE_UMB_CNTY	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3600	IVE_UMB_CNTY	5		LAST_CHGD_DT	DATE	7		Last changed date
3610	IVE_MNT_AGR	1	3011	IVE_MNT_AGR_ID	NUMBER	10	0	
3610	IVE_MNT_AGR	2	3010	MNT_AGR_EFF_DT	DATE	7		
3610	IVE_MNT_AGR	3	3009	MNT_AGR_END_DT	DATE	7		
3610	IVE_MNT_AGR	4	3008	MNT_AGR_WITH_CD	VARCHAR2	1		
3610	IVE_MNT_AGR	5	3007	MNT_AGR_ST_LVL_IND	VARCHAR2	1		
3610	IVE_MNT_AGR	6	2647	SUP_TRIBE_CD	VARCHAR2	3		
3610	IVE_MNT_AGR	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3610	IVE_MNT_AGR	8		LAST_CHGD_DT	DATE	7		Last changed date
3700	DI_IVE_RMB_WKS	1	3025	DI_IVE_RMB_WKS_ID	NUMBER	10	0	
3700	DI_IVE_RMB_WKS	2	2614	CONTPLCMT_ID	NUMBER	10	0	
3700	DI_IVE_RMB_WKS	3	3031	CHIPS_DT	DATE	7		
3700	DI_IVE_RMB_WKS	4	3032	CHIPS_IND	VARCHAR2	1		
3700	DI_IVE_RMB_WKS	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3700	DI_IVE_RMB_WKS	6		LAST_CHGD_DT	DATE	7		Last changed date
3710	DI_IVE_ELIG_WKS	1	3014	DI_IVE_ELIG_WKS_ID	NUMBER	10	0	
3710	DI_IVE_ELIG_WKS	2	2614	CONTPLCMT_ID	NUMBER	10	0	
3710	DI_IVE_ELIG_WKS	3	3013	NOT_SEEKING_IVE_CD	VARCHAR2	1		
3710	DI_IVE_ELIG_WKS	4	3038	PET_COURT_DETAIL_ID	NUMBER	10	0	
3710	DI_IVE_ELIG_WKS	5	3017	CT_COURT_DETAIL_ID	NUMBER	10	0	
3710	DI_IVE_ELIG_WKS	6	3016	BI_COURT_DETAIL_ID	NUMBER	10	0	
3710	DI_IVE_ELIG_WKS	7	1188	BEST_INTEREST_IND	CHAR	1		Has the court granted a statement that the placement is in the best interest of the child?

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3710	DI_IVE_ELIG_WKS	8	3015	REA_COURT_DETAIL_ID	NUMBER	10	0	
3710	DI_IVE_ELIG_WKS	9	1451	REASONABLE_EFF_IND	CHAR	1		Has the court issued a statement that reasonable efforts (or active efforts) were performed by agency?
3710	DI_IVE_ELIG_WKS	10	3047	IVE_RMV_DT	DATE	7		
3710	DI_IVE_ELIG_WKS	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3710	DI_IVE_ELIG_WKS	12		LAST_CHGD_DT	DATE	7		Last changed date
3800	SEAGR_CONV	1	3044	SEAGR_CONV_ID	NUMBER	10	0	
3800	SEAGR_CONV	2	2548	BRASS_SVC_ID	NUMBER	10	0	
3800	SEAGR_CONV	3	2817	HCPCS_MOD_ID	NUMBER	10	0	
3800	SEAGR_CONV	4	834	UNIT_TYPE_CD	VARCHAR2	2		Unit type code: hour, week, day
3800	SEAGR_CONV	5	3042	SEAGR_MULTIPLIER	NUMBER	7	4	
3800	SEAGR_CONV	6	3046	CLIENT_IND	VARCHAR2	1		
3800	SEAGR_CONV	7	3040	SC_START_DT	DATE	7		
3800	SEAGR_CONV	8	3039	SC_END_DT	DATE	7		
3800	SEAGR_CONV	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3800	SEAGR_CONV	10		LAST_CHGD_DT	DATE	7		Last changed date
3810	COMMON_MESSAGE	1	3136	COMMON_MESSAGE_ID	NUMBER	10	0	
3810	COMMON_MESSAGE	2	3135	COMMON_MSG_TYPE_CD	VARCHAR2	2		
3810	COMMON_MESSAGE	3	3134	COMMON_MSG_NUM	VARCHAR2	10		
3810	COMMON_MESSAGE	4	3133	SHORT_MSG	VARCHAR2	400		
3810	COMMON_MESSAGE	5	3132	LONG_MSG	VARCHAR2	4000		
3810	COMMON_MESSAGE	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3810	COMMON_MESSAGE	7		LAST_CHGD_DT	DATE	7		Last changed date
3900	PYMT_REQ_EXPORT	1	3108	PYMT_REQ_EXPORT_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	2	3069	APPROVAL_STAFF_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	3	3064	CREATOR_STAFF_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	4	2548	BRASS_SVC_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	5	2551	CNTY_SUBSVC_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	6	2542	COA_CODE_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	7	2817	HCPCS_MOD_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	8	2833	PAYEE_BUS_ORG_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	9	3068	PAYMENT_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	10	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
3900	PYMT_REQ_EXPORT	11	2888	PYMT_ACCRUAL_CODE_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	12	2861	PYMT_BATCH_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	13	2777	SA_GROUP_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	14	2796	SPECIAL_COST_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	15	2556	SUBPROG_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	16	2779	SVC_ARRANGEMENT_ID	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	17	2834	SVC_BUS_ORG_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3900	PYMT_REQ_EXPORT	18	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
3900	PYMT_REQ_EXPORT	19	2887	ACCRUAL_CODE	VARCHAR2	3		
3900	PYMT_REQ_EXPORT	20	65	APPROVAL_DT	DATE	7		Claim Eligibility approval date
3900	PYMT_REQ_EXPORT	21	3001	CNTY_DEFINED_DT	DATE	7		
3900	PYMT_REQ_EXPORT	22	3089	CNTY_DEFINED_FLD	VARCHAR2	40		
3900	PYMT_REQ_EXPORT	23	140	CNTY_PERSON_NUM	VARCHAR2	10		Client number
3900	PYMT_REQ_EXPORT	24	2535	COA_DESC	VARCHAR2	65		
3900	PYMT_REQ_EXPORT	25	3102	COA_ELEMENT_1	VARCHAR2	10		
3900	PYMT_REQ_EXPORT	26	3101	COA_ELEMENT_2	VARCHAR2	10		
3900	PYMT_REQ_EXPORT	27	3100	COA_ELEMENT_3	VARCHAR2	10		
3900	PYMT_REQ_EXPORT	28	3099	COA_ELEMENT_4	VARCHAR2	10		
3900	PYMT_REQ_EXPORT	29	3098	COA_ELEMENT_5	VARCHAR2	10		
3900	PYMT_REQ_EXPORT	30	3097	COA_ELEMENT_6	VARCHAR2	10		
3900	PYMT_REQ_EXPORT	31	3096	COA_ELEMENT_7	VARCHAR2	10		
3900	PYMT_REQ_EXPORT	32	3095	COA_ELEMENT_8	VARCHAR2	10		
3900	PYMT_REQ_EXPORT	33	3094	COA_ELEMENT_9	VARCHAR2	10		
3900	PYMT_REQ_EXPORT	34	3093	COA_ELEMENT_10	VARCHAR2	10		
3900	PYMT_REQ_EXPORT	35	3092	COA_ELEMENT_11	VARCHAR2	10		
3900	PYMT_REQ_EXPORT	36	162	CONTACT_LOC_CD	CHAR	1		Contact location code.
3900	PYMT_REQ_EXPORT	37	1962	CONTRACT_NUM	VARCHAR2	20		Contract number of arrangement, if any. NOT USED.
3900	PYMT_REQ_EXPORT	38	188	CREATED_DT	DATE	7		Date this document was created
3900	PYMT_REQ_EXPORT	39	388	FIRST_NAME	VARCHAR2	20		
3900	PYMT_REQ_EXPORT	40	2993	IVE_REIMB_IND	VARCHAR2	1		
3900	PYMT_REQ_EXPORT	41	2516	IVE_SUB_CD	VARCHAR2	1		
3900	PYMT_REQ_EXPORT	42	452	LAST_NAME	VARCHAR2	30		
3900	PYMT_REQ_EXPORT	43	485	MIDDLE_NAME	VARCHAR2	20		
3900	PYMT_REQ_EXPORT	44	499	NAME_SUFFIX	VARCHAR2	5		
3900	PYMT_REQ_EXPORT	45	2873	PAYEE_BUS_NAME	VARCHAR2	50		
3900	PYMT_REQ_EXPORT	46	2869	PAYEE_CNTY_VEN_NUM	VARCHAR2	20		
3900	PYMT_REQ_EXPORT	47	2871	PAYING_CNTY_CD	CHAR	2		
3900	PYMT_REQ_EXPORT	48	675	PROV_LIC_NUM	VARCHAR2	10		Provider license number
3900	PYMT_REQ_EXPORT	49	3066	PYMT_DESC	VARCHAR2	255		
3900	PYMT_REQ_EXPORT	50	2865	PYMT_DOC_PTS	NUMBER	10	0	
3900	PYMT_REQ_EXPORT	51	2870	PYMT_INV_NUM	VARCHAR2	20		
3900	PYMT_REQ_EXPORT	52	3000	PYMT_INV_DT	DATE	7		
3900	PYMT_REQ_EXPORT	53	2985	PYMT_PER_DIEM	NUMBER	12	2	
3900	PYMT_REQ_EXPORT	54	3060	PYMT_RATE	NUMBER	14	4	
3900	PYMT_REQ_EXPORT	55	3059	PYMT_REQ_AMT	NUMBER	12	2	
3900	PYMT_REQ_EXPORT	56	3058	PYMT_SEAGR_UNITS	NUMBER	12	2	
3900	PYMT_REQ_EXPORT	57	2864	PYMT_SVC_START_DT	DATE	7		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
3900	PYMT_REQ_EXPORT	58	2863	PYMT_SVC_END_DT	DATE	7		
3900	PYMT_REQ_EXPORT	59	2867	PYMT_TAX_1099_CD	VARCHAR2	1		
3900	PYMT_REQ_EXPORT	60	3054	PYMT_UNITS	NUMBER	12	2	
3900	PYMT_REQ_EXPORT	61	3107	SCH_WARR_DT	DATE	7		
3900	PYMT_REQ_EXPORT	62	2872	SVC_BUS_NAME	VARCHAR2	50		
3900	PYMT_REQ_EXPORT	63	2868	SVC_CNTY_VEN_NUM	VARCHAR2	20		
3900	PYMT_REQ_EXPORT	64	834	UNIT_TYPE_CD	VARCHAR2	2		Unit type code: hour, week, day
3900	PYMT_REQ_EXPORT	65		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3900	PYMT_REQ_EXPORT	66		LAST_CHGD_DT	DATE	7		Last changed date
3910	PYMT_CONF_IMPORT	1	3118	PYMT_CONF_IMPORT_ID	NUMBER	10	0	
3910	PYMT_CONF_IMPORT	2	3068	PAYMENT_ID	NUMBER	10	0	
3910	PYMT_CONF_IMPORT	3	3117	IMPORTED_DT	DATE	7		
3910	PYMT_CONF_IMPORT	4	3116	PCONF_IMP_STATUS_CD	VARCHAR2	1		
3910	PYMT_CONF_IMPORT	5	3061	PYMT_PAID_AMT	NUMBER	12	2	
3910	PYMT_CONF_IMPORT	6	3114	PYMT_WARRANT_DT	DATE	7		
3910	PYMT_CONF_IMPORT	7	3113	PYMT_WARRANT_NUM	VARCHAR2	20		
3910	PYMT_CONF_IMPORT	8	3112	PYMT_WARRANT_TOT_AMT	NUMBER	12	2	
3910	PYMT_CONF_IMPORT	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3910	PYMT_CONF_IMPORT	10		LAST_CHGD_DT	DATE	7		Last changed date
3920	PYMT_HDR_EXPORT	1	3103	PYMT_HDR_EXPORT_ID	NUMBER	10	0	
3920	PYMT_HDR_EXPORT	2	2861	PYMT_BATCH_ID	NUMBER	10	0	
3920	PYMT_HDR_EXPORT	3	3106	SUBMITTER_STAFF_ID	NUMBER	10	0	
3920	PYMT_HDR_EXPORT	4	3105	ACCT_SYS_USER	VARCHAR2	10		
3920	PYMT_HDR_EXPORT	5	3104	SUBMITTED_DT	DATE	7		
3920	PYMT_HDR_EXPORT	6	3111	PYMT_BATCH_AMT	NUMBER	12	2	
3920	PYMT_HDR_EXPORT	7	3110	PYMT_BATCH_CNT	NUMBER	10	0	
3920	PYMT_HDR_EXPORT	8	3109	PYMT_BATCH_DESC	VARCHAR2	100		
3920	PYMT_HDR_EXPORT	9	2857	PBATCH_SCH_WARR_DT	DATE	7		
3920	PYMT_HDR_EXPORT	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3920	PYMT_HDR_EXPORT	11		LAST_CHGD_DT	DATE	7		Last changed date
3930	BATCH_OWNER	1	3131	BATCH_OWNER_ID	NUMBER	10	0	
3930	BATCH_OWNER	2	3105	ACCT_SYS_USER	VARCHAR2	10		
3930	BATCH_OWNER	3	3130	BATCH_USER_NAME	VARCHAR2	65		
3930	BATCH_OWNER	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
3930	BATCH_OWNER	5		LAST_CHGD_DT	DATE	7		Last changed date
4000	STATE_RPT	1	3190	STATE_RPT_ID	NUMBER	10	0	
4000	STATE_RPT	2	3161	ST_RPT_TYPE_CD	VARCHAR2	1		
4000	STATE_RPT	3	3160	ST_RPT_YEAR	VARCHAR2	4		
4000	STATE_RPT	4	3159	ST_RPT_PERIOD_CD	VARCHAR2	2		
4000	STATE_RPT	5	3158	ST_RPT_STATUS_CD	VARCHAR2	1		
4000	STATE_RPT	6	3157	ST_RPT_STATUS_DT	DATE	7		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4000	STATE_RPT	7	3156	ST_RPT_GEN_DT	DATE	7		
4000	STATE_RPT	8	3155	ST_RPT_REV_NUM	NUMBER	3	0	
4000	STATE_RPT	9	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
4000	STATE_RPT	10	3154	ST_RPT_CONTACT_NAME	VARCHAR2	65		
4000	STATE_RPT	11	3153	ST_CONTACT_PHONE	VARCHAR2	50		
4000	STATE_RPT	12		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4000	STATE_RPT	13		LAST_CHGD_DT	DATE	7		Last changed date
4005	IVE_RPT_CLAIM_MAIN	1	3142	IVE_RPT_CLM_MAIN_ID	NUMBER	10	0	
4005	IVE_RPT_CLAIM_MAIN	2	3190	STATE_RPT_ID	NUMBER	10	0	
4005	IVE_RPT_CLAIM_MAIN	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
4005	IVE_RPT_CLAIM_MAIN	4	3068	PAYMENT_ID	NUMBER	10	0	
4005	IVE_RPT_CLAIM_MAIN	5	642	PLACE_AUTH_CD	VARCHAR2	1		Afcars FC 25: Placement authority: manner of removal for current episode. CWCDR - D 9
4005	IVE_RPT_CLAIM_MAIN	6	245	FACILITY_TYPE_CD	VARCHAR2	3		
4005	IVE_RPT_CLAIM_MAIN	7	3065	PYMT_DT	DATE	7		
4005	IVE_RPT_CLAIM_MAIN	8	2864	PYMT_SVC_START_DT	DATE	7		
4005	IVE_RPT_CLAIM_MAIN	9	2863	PYMT_SVC_END_DT	DATE	7		
4005	IVE_RPT_CLAIM_MAIN	10	3165	IVE_SVC_TYPE_CD	VARCHAR2	2		
4005	IVE_RPT_CLAIM_MAIN	11	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
4005	IVE_RPT_CLAIM_MAIN	12	675	PROV_LIC_NUM	VARCHAR2	10		Provider license number
4005	IVE_RPT_CLAIM_MAIN	13	2516	IVE_SUB_CD	VARCHAR2	1		
4005	IVE_RPT_CLAIM_MAIN	14		SVC_BUS_ORG_ID	NUMBER	10	0	
4005	IVE_RPT_CLAIM_MAIN	15	2872	SVC_BUS_NAME	VARCHAR2	50		
4005	IVE_RPT_CLAIM_MAIN	16	2495	STUDENT_STAT_CD	CHAR	1		
4005	IVE_RPT_CLAIM_MAIN	17	2629	CONTPLCMT_START_DT	DATE	7		
4005	IVE_RPT_CLAIM_MAIN	18	2638	LOC_START_DT	DATE	7		
4005	IVE_RPT_CLAIM_MAIN	19	2477	VOL_PLCMT_AGRMT_DT	DATE	7		
4005	IVE_RPT_CLAIM_MAIN	20	2548	BRASS_SVC_ID	NUMBER	10	0	
4005	IVE_RPT_CLAIM_MAIN	21	2796	SPECIAL_COST_ID	NUMBER	10	0	
4005	IVE_RPT_CLAIM_MAIN	22	2367	BEST_INTEREST_DT	DATE	7		
4005	IVE_RPT_CLAIM_MAIN	23	2624	SUP_AGCY_CD	VARCHAR2	1		
4005	IVE_RPT_CLAIM_MAIN	24	3061	PYMT_PAID_AMT	NUMBER	12	2	
4005	IVE_RPT_CLAIM_MAIN	25	3164	ADJ_PYMT_PAID_AMT	NUMBER	12	2	
4005	IVE_RPT_CLAIM_MAIN	26	3163	NONREIMB_AMT	NUMBER	12	2	
4005	IVE_RPT_CLAIM_MAIN	27	2871	PAYING_CNTY_CD	CHAR	2		
4005	IVE_RPT_CLAIM_MAIN	28	3266	GRAD_BY_19_IND	VARCHAR2	1		
4005	IVE_RPT_CLAIM_MAIN	29		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4005	IVE_RPT_CLAIM_MAIN	30		LAST_CHGD_DT	DATE	7		Last changed date

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4010	IVE_RPT_RCOV_LINE	1	3191	IVE_RPT_RCOV_LINE_ID	NUMBER	10	0	
4010	IVE_RPT_RCOV_LINE	2	3190	STATE_RPT_ID	NUMBER	10	0	
4010	IVE_RPT_RCOV_LINE	3	3152	IVE_RPT_RCOV_LINE_CD	VARCHAR2	2		
4010	IVE_RPT_RCOV_LINE	4	3151	FFH_AMT	NUMBER	10	0	
4010	IVE_RPT_RCOV_LINE	5	3150	RES_RULE_5_AMT	NUMBER	10	0	
4010	IVE_RPT_RCOV_LINE	6	3149	RES_RULE_8_AMT	NUMBER	10	0	
4010	IVE_RPT_RCOV_LINE	7	3148	RES_OTHER_AMT	NUMBER	10	0	
4010	IVE_RPT_RCOV_LINE	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4010	IVE_RPT_RCOV_LINE	9		LAST_CHGD_DT	DATE	7		Last changed date
4015	IVE_RPT_CNT_LINE	1	3143	IVE_RPT_CNT_LINE_ID	NUMBER	10	0	
4015	IVE_RPT_CNT_LINE	2	3190	STATE_RPT_ID	NUMBER	10	0	
4015	IVE_RPT_CNT_LINE	3	3170	ADJ_QTR_END_DT	DATE	7		
4015	IVE_RPT_CNT_LINE	4	3169	IVE_RPT_CNT_LINE_CD	VARCHAR2	2		
4015	IVE_RPT_CNT_LINE	5	3168	MONTH_1_CNT	NUMBER	10	0	
4015	IVE_RPT_CNT_LINE	6	3167	MONTH_2_CNT	NUMBER	10	0	
4015	IVE_RPT_CNT_LINE	7	3166	MONTH_3_CNT	NUMBER	10	0	
4015	IVE_RPT_CNT_LINE	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4015	IVE_RPT_CNT_LINE	9		LAST_CHGD_DT	DATE	7		Last changed date
4020	IVE_RPT_PYMT_XREF	1	3146	IVE_RPT_PYMT_XREF_ID	NUMBER	10	0	
4020	IVE_RPT_PYMT_XREF	2	3190	STATE_RPT_ID	NUMBER	10	0	
4020	IVE_RPT_PYMT_XREF	3	3068	PAYMENT_ID	NUMBER	10	0	
4020	IVE_RPT_PYMT_XREF	4	3142	IVE_RPT_CLM_MAIN_ID	NUMBER	10	0	
4020	IVE_RPT_PYMT_XREF	5	3171	IVE_RPT_PROC_CD	VARCHAR2	1		
4020	IVE_RPT_PYMT_XREF	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4020	IVE_RPT_PYMT_XREF	7		LAST_CHGD_DT	DATE	7		Last changed date
4025	IVE_RPT_PERSON	1	3144	IVE_RPT_PERSON_ID	NUMBER	10	0	
4025	IVE_RPT_PERSON	2	3190	STATE_RPT_ID	NUMBER	10	0	
4025	IVE_RPT_PERSON	3	1176	PMI	VARCHAR2	10		This person's unique person identifier from the MAXIS system.
4025	IVE_RPT_PERSON	4	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
4025	IVE_RPT_PERSON	5	388	FIRST_NAME	VARCHAR2	20		
4025	IVE_RPT_PERSON	6	485	MIDDLE_NAME	VARCHAR2	20		
4025	IVE_RPT_PERSON	7	452	LAST_NAME	VARCHAR2	30		
4025	IVE_RPT_PERSON	8	499	NAME_SUFFIX	VARCHAR2	5		
4025	IVE_RPT_PERSON	9	92	BIRTH_DT	DATE	7		Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12
4025	IVE_RPT_PERSON	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4025	IVE_RPT_PERSON	11		LAST_CHGD_DT	DATE	7		Last changed date
4030	IVE_RPT_CLAIM_FFHA	1	3147	IVE_RPT_CLM_FFHA_ID	NUMBER	10	0	
4030	IVE_RPT_CLAIM_FFHA	2	3142	IVE_RPT_CLM_MAIN_ID	NUMBER	10	0	
4030	IVE_RPT_CLAIM_FFHA	3	3190	STATE_RPT_ID	NUMBER	10	0	
4030	IVE_RPT_CLAIM_FFHA	4	1968	DOC_POINTS	NUMBER	10	0	NOT USED IN VERSION 3

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4030	IVE_RPT_CLAIM_FFHA	5	3189	EXP_PER_DIEM	NUMBER	10	2	
4030	IVE_RPT_CLAIM_FFHA	6	3188	EXP_TOT_PYMT	NUMBER	10	2	
4030	IVE_RPT_CLAIM_FFHA	7	3178	EXP_UNIT_RATE	NUMBER	10	2	
4030	IVE_RPT_CLAIM_FFHA	8	3177	R4_PER_DIEM	NUMBER	10	2	
4030	IVE_RPT_CLAIM_FFHA	9	3176	R4_TOT_RATE	NUMBER	10	2	
4030	IVE_RPT_CLAIM_FFHA	10	3174	R4_APPR_INTK_PLN_PCT	NUMBER	10	2	
4030	IVE_RPT_CLAIM_FFHA	11	3173	R4_APPR_TRNG_PCT	NUMBER	10	2	
4030	IVE_RPT_CLAIM_FFHA	12		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4030	IVE_RPT_CLAIM_FFHA	13		LAST_CHGD_DT	DATE	7		Last changed date
4035	IVE_RPT_CLAIM_GFA	1	3145	IVE_RPT_CLAIM_GFA_ID	NUMBER	10	0	
4035	IVE_RPT_CLAIM_GFA	2	3142	IVE_RPT_CLM_MAIN_ID	NUMBER	10	0	
4035	IVE_RPT_CLAIM_GFA	3	3190	STATE_RPT_ID	NUMBER	10	0	
4035	IVE_RPT_CLAIM_GFA	4	3186	GFA_PER_DIEM	NUMBER	10	2	
4035	IVE_RPT_CLAIM_GFA	5	3184	MAINT_PCT	NUMBER	10	2	
4035	IVE_RPT_CLAIM_GFA	6	3181	INTK_PLAN_PCT	NUMBER	10	2	
4035	IVE_RPT_CLAIM_GFA	7	3178	EXP_UNIT_RATE	NUMBER	10	2	
4035	IVE_RPT_CLAIM_GFA	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4035	IVE_RPT_CLAIM_GFA	9		LAST_CHGD_DT	DATE	7		Last changed date
4040	PROOFING	1	3197	PROOFING_ID	NUMBER	10	0	
4040	PROOFING	2	3190	STATE_RPT_ID	NUMBER	10	0	
4040	PROOFING	3	3196	PROOF_SUB_CD	VARCHAR2	18		
4040	PROOFING	4	3068	PAYMENT_ID	NUMBER	10	0	
4040	PROOFING	5	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
4040	PROOFING	6	3195	PROOF_PATH	VARCHAR2	250		
4040	PROOFING	7	3194	PROOF_CAPTION	VARCHAR2	400		
4040	PROOFING	8	3193	PROOF_DESC	VARCHAR2	1000		
4040	PROOFING	9	3192	PROOF_GROUP_CAPTION	VARCHAR2	64		
4045	IVE_RPT_NON_REMB	1	3245	IVE_RPT_NON_REMB_ID	NUMBER	10	0	
4045	IVE_RPT_NON_REMB	2	3142	IVE_RPT_CLM_MAIN_ID	NUMBER	10	0	
4045	IVE_RPT_NON_REMB	3		IVE_NON_REIMB_CD	VARCHAR2	2		
4045	IVE_RPT_NON_REMB	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4045	IVE_RPT_NON_REMB	5		LAST_CHGD_DT	DATE	7		Last changed date
4100	SYSTEM_ACT_PROFILE	1	3230	SYS_ACT_PROFILE_ID	VARCHAR2	22		
4100	SYSTEM_ACT_PROFILE	2	133	CNTY_CD	CHAR	2		
4100	SYSTEM_ACT_PROFILE	3	3229	WORKSTATION_NAME	VARCHAR2	255		
4100	SYSTEM_ACT_PROFILE	4	3228	SAP_USER_NAME	VARCHAR2	20		
4100	SYSTEM_ACT_PROFILE	5	2951	ACTION_DT	DATE	7		
4100	SYSTEM_ACT_PROFILE	6	3227	ELAPSED_MSEC	NUMBER	12	3	
4100	SYSTEM_ACT_PROFILE	7	3226	SAP_CATEGORY	VARCHAR2	30		
4100	SYSTEM_ACT_PROFILE	8	3225	SAP_NAME	VARCHAR2	30		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4100	SYSTEM_ACT_PROFILE	9	3224	SAP_METHOD	VARCHAR2	30		
4100	SYSTEM_ACT_PROFILE	10	3223	SAP_PARAMS	VARCHAR2	4000		
4100	SYSTEM_ACT_PROFILE	11	3222	CPU	VARCHAR2	40		
4100	SYSTEM_ACT_PROFILE	12	3221	CPU_MHZ	NUMBER	8	0	
4100	SYSTEM_ACT_PROFILE	13	3220	MEMORY_TOTAL_MB	NUMBER	8	0	
4100	SYSTEM_ACT_PROFILE	14	3219	MEMORY_FREE_MB	NUMBER	8	0	
4100	SYSTEM_ACT_PROFILE	15	3218	SERVER_IP	VARCHAR2	15		
4100	SYSTEM_ACT_PROFILE	16	3217	SAP_VERSION	VARCHAR2	25		
4100	SYSTEM_ACT_PROFILE	17	3216	PULLED_IND	VARCHAR2	1		
4100	SYSTEM_ACT_PROFILE	18	3246	SAP_VIEW	VARCHAR2	4000		
4100	SYSTEM_ACT_PROFILE	19	3373	OS_PLATFORM	VARCHAR2	4		
4100	SYSTEM_ACT_PROFILE	20	3372	OS_VERSION	VARCHAR2	12		
4200	SGR_RPT	1	3201	SGR_RPT_ID	NUMBER	10	0	
4200	SGR_RPT	2	3190	STATE_RPT_ID	NUMBER	10	0	
4200	SGR_RPT	3	3200	SS_FUND_RPT_LN1	NUMBER	12	2	
4200	SGR_RPT	4	3199	SS_STAFF_LN8	NUMBER	12	2	
4200	SGR_RPT	5	3198	TOT_STAFF_TIME	NUMBER	12	2	
4200	SGR_RPT	6	3213	SGR_STAFF_RATE	NUMBER	12	6	
4200	SGR_RPT	7	3212	SGR_TOT_STFF_EXP_ADJ	NUMBER	12	2	
4200	SGR_RPT	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4200	SGR_RPT	9		LAST_CHGD_DT	DATE	7		Last changed date
4205	SGR_PAYMENT	1	3215	SGR_PAYMENT_ID	NUMBER	10	0	
4205	SGR_PAYMENT	2	3190	STATE_RPT_ID	NUMBER	10	0	
4205	SGR_PAYMENT	3	3068	PAYMENT_ID	NUMBER	10	0	
4205	SGR_PAYMENT	4	3065	PYMT_DT	DATE	7		
4205	SGR_PAYMENT	5	2548	BRASS_SVC_ID	NUMBER	10	0	
4205	SGR_PAYMENT	6	3058	PYMT_SEAGR_UNITS	NUMBER	12	2	
4205	SGR_PAYMENT	7	3061	PYMT_PAID_AMT	NUMBER	12	2	
4205	SGR_PAYMENT	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4205	SGR_PAYMENT	9		LAST_CHGD_DT	DATE	7		Last changed date
4210	SGR_TIME_RECORD	1	3214	SGR_TIME_RECORD_ID	NUMBER	10	0	
4210	SGR_TIME_RECORD	2	3190	STATE_RPT_ID	NUMBER	10	0	
4210	SGR_TIME_RECORD	3	812	TIME_RECORD_ID	NUMBER	10	0	Unique, system-generated identifier for a TIME_RECORD table row. May also be used as a data element. To initialize, must be set to spaces.
4210	SGR_TIME_RECORD	4	914	ACTIVITY_DT	DATE	7		Activity date
4210	SGR_TIME_RECORD	5	2548	BRASS_SVC_ID	NUMBER	10	0	
4210	SGR_TIME_RECORD	6	223	DURATION	NUMBER	10	0	Duration of the activity
4210	SGR_TIME_RECORD	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4210	SGR_TIME_RECORD	8		LAST_CHGD_DT	DATE	7		Last changed date
4215	SGR_BRASS_DETAIL	1	3211	SGR_BRASS_DETAIL_ID	NUMBER	10	0	
4215	SGR_BRASS_DETAIL	2	3210	SGR_BRASS_LINE_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4215	SGR_BRASS_DETAIL	3	3209	VALUE_TYPE_CD	VARCHAR2	2		
4215	SGR_BRASS_DETAIL	4	3208	SGR_EXP_PUR_SVC	NUMBER	12	2	
4215	SGR_BRASS_DETAIL	5	3207	SGR_UNITS_PUR_SVC	NUMBER	12	4	
4215	SGR_BRASS_DETAIL	6	3206	SGR_HOURS_STAFF_SVC	NUMBER	12	4	
4215	SGR_BRASS_DETAIL	7	3205	SGR_STAFF_EXPENSE	NUMBER	12	4	
4215	SGR_BRASS_DETAIL	8	3204	SGR_DIR_HRS_STFF_SVC	NUMBER	12	4	
4215	SGR_BRASS_DETAIL	9	3203	SGR_DIR_STFF_EXPENSE	NUMBER	12	4	
4215	SGR_BRASS_DETAIL	10	3202	SGR_TOT_EXPENSE	NUMBER	12	4	
4215	SGR_BRASS_DETAIL	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4215	SGR_BRASS_DETAIL	12		LAST_CHGD_DT	DATE	7		Last changed date
4220	SGR_BRASS_LINE	1	3210	SGR_BRASS_LINE_ID	NUMBER	10	0	
4220	SGR_BRASS_LINE	2	3190	STATE_RPT_ID	NUMBER	10	0	
4220	SGR_BRASS_LINE	3	2548	BRASS_SVC_ID	NUMBER	10	0	
4220	SGR_BRASS_LINE	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4220	SGR_BRASS_LINE	5		LAST_CHGD_DT	DATE	7		Last changed date
4225	SGR_REV_MASTER	1	3232	SGR_REV_MASTER_ID	NUMBER	10	0	
4225	SGR_REV_MASTER	2	3190	STATE_RPT_ID	NUMBER	10	0	
4225	SGR_REV_MASTER	3	3240	SGR_REVENUE_CD	VARCHAR2	1		
4225	SGR_REV_MASTER	4	3239	DHS_ENTRY_NUM	VARCHAR2	4		
4225	SGR_REV_MASTER	5	3238	REV_DESC	VARCHAR2	65		
4225	SGR_REV_MASTER	6	3237	REV_ORDER	NUMBER	10	0	
4225	SGR_REV_MASTER	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4225	SGR_REV_MASTER	8		LAST_CHGD_DT	DATE	7		Last changed date
4230	SGR_REV_DETAIL	1	3233	SGR_REV_DETAIL_ID	NUMBER	10	0	
4230	SGR_REV_DETAIL	2	3232	SGR_REV_MASTER_ID	NUMBER	10	0	
4230	SGR_REV_DETAIL	3	3239	DHS_ENTRY_NUM	VARCHAR2	4		
4230	SGR_REV_DETAIL	4	3238	REV_DESC	VARCHAR2	65		
4230	SGR_REV_DETAIL	5	3237	REV_ORDER	NUMBER	10	0	
4230	SGR_REV_DETAIL	6	3236	REV_AMOUNT	NUMBER	12	2	
4230	SGR_REV_DETAIL	7	3234	REV_DESC_EDIT_IND	VARCHAR2	1		
4230	SGR_REV_DETAIL	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4230	SGR_REV_DETAIL	9		LAST_CHGD_DT	DATE	7		Last changed date
4235	SGR_REV_DEF_TOTS	1	3243	SGR_REV_DEF_TOTS_ID	NUMBER	10	0	
4235	SGR_REV_DEF_TOTS	2	3240	SGR_REVENUE_CD	VARCHAR2	1		
4235	SGR_REV_DEF_TOTS	3	3239	DHS_ENTRY_NUM	VARCHAR2	4		
4235	SGR_REV_DEF_TOTS	4	3238	REV_DESC	VARCHAR2	65		
4235	SGR_REV_DEF_TOTS	5	3237	REV_ORDER	NUMBER	10	0	
4235	SGR_REV_DEF_TOTS	6	3235	SGR_YEAR	VARCHAR2	4		
4235	SGR_REV_DEF_TOTS	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4235	SGR_REV_DEF_TOTS	8		LAST_CHGD_DT	DATE	7		Last changed date
4240	SGR_REV_TOTS_XREF	1	3231	SGR_REV_TOTS_XREF_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4240	SGR_REV_TOTS_XREF	2	3243	SGR_REV_DEF_TOTS_ID	NUMBER	10	0	
4240	SGR_REV_TOTS_XREF	3	3242	SGR_REV_DEF_DET_ID	NUMBER	10	0	
4240	SGR_REV_TOTS_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4240	SGR_REV_TOTS_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
4245	SGR_REV_DEF_DETAIL	1	3242	SGR_REV_DEF_DET_ID	NUMBER	10	0	
4245	SGR_REV_DEF_DETAIL	2	3241	SGR_REV_DEF_MASTR_ID	NUMBER	10	0	
4245	SGR_REV_DEF_DETAIL	3	3239	DHS_ENTRY_NUM	VARCHAR2	4		
4245	SGR_REV_DEF_DETAIL	4	3238	REV_DESC	VARCHAR2	65		
4245	SGR_REV_DEF_DETAIL	5	3234	REV_DESC_EDIT_IND	VARCHAR2	1		
4245	SGR_REV_DEF_DETAIL	6	3237	REV_ORDER	NUMBER	10	0	
4245	SGR_REV_DEF_DETAIL	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4245	SGR_REV_DEF_DETAIL	8		LAST_CHGD_DT	DATE	7		Last changed date
4250	SGR_REV_DEF_MASTER	1	3241	SGR_REV_DEF_MASTR_ID	NUMBER	10	0	
4250	SGR_REV_DEF_MASTER	2	3240	SGR_REVENUE_CD	VARCHAR2	1		
4250	SGR_REV_DEF_MASTER	3	3239	DHS_ENTRY_NUM	VARCHAR2	4		
4250	SGR_REV_DEF_MASTER	4	3238	REV_DESC	VARCHAR2	65		
4250	SGR_REV_DEF_MASTER	5	3237	REV_ORDER	NUMBER	10	0	
4250	SGR_REV_DEF_MASTER	6	3235	SGR_YEAR	VARCHAR2	4		
4250	SGR_REV_DEF_MASTER	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4250	SGR_REV_DEF_MASTER	8		LAST_CHGD_DT	DATE	7		Last changed date
4260	SGR_RPT_EXP	1	3259	SGR_RPT_EXP_ID	NUMBER	10	0	
4260	SGR_RPT_EXP	2	133	CNTY_CD	CHAR	2		
4260	SGR_RPT_EXP	3	3159	ST_RPT_PERIOD_CD	VARCHAR2	2		
4260	SGR_RPT_EXP	4	3261	SS_EXPENSE	NUMBER	12	0	
4260	SGR_RPT_EXP	5	3260	SS_STAFF_COST	NUMBER	12	2	
4260	SGR_RPT_EXP	6	3160	ST_RPT_YEAR	VARCHAR2	4		
4260	SGR_RPT_EXP	7	3156	ST_RPT_GEN_DT	DATE	7		
4260	SGR_RPT_EXP	8	3155	ST_RPT_REV_NUM	NUMBER	3	0	
4260	SGR_RPT_EXP	9	3154	ST_RPT_CONTACT_NAME	VARCHAR2	65		
4260	SGR_RPT_EXP	10	3153	ST_CONTACT_PHONE	VARCHAR2	50		
4260	SGR_RPT_EXP	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4260	SGR_RPT_EXP	12		LAST_CHGD_DT	DATE	7		Last changed date
4265	SGR_SERVICE_EXP	1	3262	SGR_SERVICE_EXP_ID	NUMBER	10	0	
4265	SGR_SERVICE_EXP	2	133	CNTY_CD	CHAR	2		
4265	SGR_SERVICE_EXP	3	3259	SGR_RPT_EXP_ID	NUMBER	10	0	
4265	SGR_SERVICE_EXP	4	2548	BRASS_SVC_ID	NUMBER	10	0	
4265	SGR_SERVICE_EXP	5	3257	HOURS_SVC	NUMBER	12	2	
4265	SGR_SERVICE_EXP	6	3256	PURCHASED_SVC	NUMBER	12	0	
4265	SGR_SERVICE_EXP	7	3255	STAFF_COST	NUMBER	12	2	
4265	SGR_SERVICE_EXP	8	3254	TOTAL_COST	NUMBER	12	2	
4265	SGR_SERVICE_EXP	9	3253	UNITS_PURCHASED_SVC	NUMBER	10	3	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4265	SGR_SERVICE_EXP	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4265	SGR_SERVICE_EXP	11		LAST_CHGD_DT	DATE	7		Last changed date
4270	SGR_REVENUES_EXP	1	3252	SGR_REVENUES_EXP_ID	NUMBER	10	0	
4270	SGR_REVENUES_EXP	2	133	CNTY_CD	CHAR	2		
4270	SGR_REVENUES_EXP	3	3259	SGR_RPT_EXP_ID	NUMBER	10	0	
4270	SGR_REVENUES_EXP	4	3239	DHS_ENTRY_NUM	VARCHAR2	4		
4270	SGR_REVENUES_EXP	5	3236	REV_AMOUNT	NUMBER	12	2	
4270	SGR_REVENUES_EXP	6	3238	REV_DESC	VARCHAR2	65		
4270	SGR_REVENUES_EXP	7	3237	REV_ORDER	NUMBER	10	0	
4270	SGR_REVENUES_EXP	8	3258	REV_TYPE_CD	VARCHAR2	1		
4270	SGR_REVENUES_EXP	9		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4270	SGR_REVENUES_EXP	10		LAST_CHGD_DT	DATE	7		Last changed date
4300	CP_RPT	1	3280	CP_RPT_ID	NUMBER	10	0	
4300	CP_RPT	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
4300	CP_RPT	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
4300	CP_RPT	4	1133	IMMINENT_DANGER_IND	VARCHAR2	1		Does this child maltreatment report involves imminent danger to the child(ren)?
4300	CP_RPT	5	2438	POLICE_REPORT_NUM	VARCHAR2	20		
4300	CP_RPT	6	3279	CP_RPT_STATUS_CD	VARCHAR2	2		
4300	CP_RPT	7	2399	NUM_CHILDREN	NUMBER	10	0	
4300	CP_RPT	8	3278	MAND_REPORTER_IND	VARCHAR2	1		
4300	CP_RPT	9	3277	CP_RPT_SOURCE_CD	VARCHAR2	2		
4300	CP_RPT	10	3276	CP_RPT_END_DT	DATE	7		
4300	CP_RPT	11	3275	CP_RPT_END_REASON_CD	VARCHAR2	2		
4300	CP_RPT	12	3274	MALT_DETERM_IND	VARCHAR2	1		
4300	CP_RPT	13	187	CP_SVCS_NEED_IND	VARCHAR2	1		Are Child Protection services needed?
4300	CP_RPT	14	3273	CP_SVCS_AGREE_IND	VARCHAR2	1		
4300	CP_RPT	15	1482	FACILITY_RESP_IND	VARCHAR2	1		Did the investigating worker determine that the facility was responsible?
4300	CP_RPT	16	1495	INDV_RESP_IND	VARCHAR2	1		Did the investigating worker determine that an individual staff person was responsible?
4300	CP_RPT	17	1683	REC_LIC_ACTION_IND	VARCHAR2	1		
4300	CP_RPT	18	1473	CONCLUDE_COMMENTS	VARCHAR2	500		Concluding comments.
4300	CP_RPT	19	3272	APPEAL_DETERM_IND	VARCHAR2	1		
4300	CP_RPT	20		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4300	CP_RPT	21		LAST_CHGD_DT	DATE	7		Last changed date
4305	CP_RPT_TRACK	1	3281	CP_RPT_TRACK_ID	NUMBER	10	0	
4305	CP_RPT_TRACK	2	3280	CP_RPT_ID	NUMBER	10	0	
4305	CP_RPT_TRACK	3	3270	TRACK_EFF_DT	DATE	7		
4305	CP_RPT_TRACK	4	1942	TRACK_CD	VARCHAR2	1		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4305	CP_RPT_TRACK	5	3269	INV_TRACK_REASON_CD	VARCHAR2	2		
4305	CP_RPT_TRACK	6	3268	TRACK_SWITCH_RSN_CD	VARCHAR2	2		
4305	CP_RPT_TRACK	7	3296	TRACK_COMMENTS	VARCHAR2	255		
4305	CP_RPT_TRACK	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4305	CP_RPT_TRACK	9		LAST_CHGD_DT	DATE	7		Last changed date
4310	CP_RPT_FACILITY	1	3282	CP_RPT_FACILITY_ID	NUMBER	10	0	
4310	CP_RPT_FACILITY	2	3280	CP_RPT_ID	NUMBER	10	0	
4310	CP_RPT_FACILITY	3	2419	BUS_ORG_ID	NUMBER	10	0	
4310	CP_RPT_FACILITY	4	675	PROV_LIC_NUM	VARCHAR2	10		Provider license number
4310	CP_RPT_FACILITY	5	457	LICENSE_TYPE_CD	CHAR	2		License type code. For example, Licensed for Family Day Care, Family Foster Home.
4310	CP_RPT_FACILITY	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4310	CP_RPT_FACILITY	7		LAST_CHGD_DT	DATE	7		Last changed date
4315	CP_RPT_VICTIM	1	3286	CP_RPT_VICTIM_ID	NUMBER	10	0	
4315	CP_RPT_VICTIM	2	3280	CP_RPT_ID	NUMBER	10	0	
4315	CP_RPT_VICTIM	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
4315	CP_RPT_VICTIM	4	2237	CT_APPOINT_REP_IND	VARCHAR2	1		
4315	CP_RPT_VICTIM	5	2266	CM_LIVING_SIT_CD	VARCHAR2	1		
4315	CP_RPT_VICTIM	6	110	CHILD_BEHAVIOR_IND	VARCHAR2	1		Ncands 36: Does the child have a behavior problem? (Other chld disabilities recorded on disability tables)
4315	CP_RPT_VICTIM	7	631	PETITION_DT	DATE	7		Ncands 57: Petition date
4315	CP_RPT_VICTIM	8	2670	NO_INTERVW_REASON_CD	VARCHAR2	1		
4315	CP_RPT_VICTIM	9	3337	JUV_PETITION_IND	VARCHAR2	1		
4315	CP_RPT_VICTIM	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4315	CP_RPT_VICTIM	11		LAST_CHGD_DT	DATE	7		Last changed date
4320	CP_RECOMMENDED_SVCS	1	3283	CP_REC_SVCS_ID	NUMBER	10	0	
4320	CP_RECOMMENDED_SVCS	2	3280	CP_RPT_ID	NUMBER	10	0	
4320	CP_RECOMMENDED_SVCS	3	1512	REC_SVCS_CD	VARCHAR2	2		The type of services recommended.
4320	CP_RECOMMENDED_SVCS	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4320	CP_RECOMMENDED_SVCS	5		LAST_CHGD_DT	DATE	7		Last changed date
4325	CP_INIT_NOTIFICATION	1	3284	CP_INIT_NOTIF_ID	NUMBER	10	0	
4325	CP_INIT_NOTIFICATION	2	3280	CP_RPT_ID	NUMBER	10	0	
4325	CP_INIT_NOTIFICATION	3	1600	AGENCY_NOTIFY_CD	VARCHAR2	1		The type of agency notified that a report of child maltreatment was received.
4325	CP_INIT_NOTIFICATION	4	1604	NOTIFY_DT	DATE	7		The date of the notification.
4325	CP_INIT_NOTIFICATION	5	1605	NOTIFY_METHOD_CD	VARCHAR2	1		The method of notification.
4325	CP_INIT_NOTIFICATION	6	1606	NOTIFY_PERSON	VARCHAR2	50		The name of the person notified.
4325	CP_INIT_NOTIFICATION	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4325	CP_INIT_NOTIFICATION	8		LAST_CHGD_DT	DATE	7		Last changed date
4330	CP_FAMILY_CONDITIONS	1	3285	CP_FAMILY_COND_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4330	CP_FAMILY_CONDITIONS	2	3280	CP_RPT_ID	NUMBER	10	0	
4330	CP_FAMILY_CONDITIONS	3	1540	FAMILY_COND_CD	VARCHAR2	1		The type of family conditions that exist.
4330	CP_FAMILY_CONDITIONS	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4330	CP_FAMILY_CONDITIONS	5		LAST_CHGD_DT	DATE	7		Last changed date
4350	CP_ALLEG	1	3291	CP_ALLEG_ID	NUMBER	10	0	
4350	CP_ALLEG	2	3280	CP_RPT_ID	NUMBER	10	0	
4350	CP_ALLEG	3	1523	OFFENDER_ID	NUMBER	10	0	Unique system-generated identifier for a PERSON table row, for a person alleged to be a maltreatment offender.
4350	CP_ALLEG	4	1525	VICTIM_ID	NUMBER	10	0	Unique system-generated identifier for a PERSON table row, for a person alleged to be a victim of maltreatment.
4350	CP_ALLEG	5	3263	NCANDS_REL_CD	VARCHAR2	2		
4350	CP_ALLEG	6	3290	ALLEG_DETERM_IND	VARCHAR2	1		
4350	CP_ALLEG	7	3289	ALLEG_DETERM_DT	DATE	7		
4350	CP_ALLEG	8	3288	ALLEG_SEVERITY_CD	VARCHAR2	1		
4350	CP_ALLEG	9	2411	ALLEGATION_CD	VARCHAR2	1		
4350	CP_ALLEG	10	2410	OFFENDER_DESC	VARCHAR2	65		
4350	CP_ALLEG	11	2409	VICTIM_DESC	VARCHAR2	65		
4350	CP_ALLEG	12	3012	EST_INCIDENT_DT	DATE	7		
4350	CP_ALLEG	13	3272	APPEAL_DETERM_IND	VARCHAR2	1		
4350	CP_ALLEG	14		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4350	CP_ALLEG	15		LAST_CHGD_DT	DATE	7		Last changed date
4355	CP_ALLEG_DETAIL	1	3292	CP_ALLEG_DETAIL_ID	NUMBER	10	0	
4355	CP_ALLEG_DETAIL	2	3291	CP_ALLEG_ID	NUMBER	10	0	
4355	CP_ALLEG_DETAIL	3	3287	CP_ALLEG_DETAIL_CD	VARCHAR2	2		
4355	CP_ALLEG_DETAIL	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4355	CP_ALLEG_DETAIL	5		LAST_CHGD_DT	DATE	7		Last changed date
4360	CP_ALLEG_APPEAL	1	3267	CP_ALLEG_APPEAL_ID	NUMBER	10	0	
4360	CP_ALLEG_APPEAL	2	3291	CP_ALLEG_ID	NUMBER	10	0	
4360	CP_ALLEG_APPEAL	3	2373	APPEAL_VENUE_CD	VARCHAR2	1		
4360	CP_ALLEG_APPEAL	4	2374	DECISION_DT	DATE	7		
4360	CP_ALLEG_APPEAL	5	3290	ALLEG_DETERM_IND	VARCHAR2	1		
4360	CP_ALLEG_APPEAL	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4360	CP_ALLEG_APPEAL	7		LAST_CHGD_DT	DATE	7		Last changed date
4400	TCM_CSR_STAT	1	3305	TCM_CSR_STAT_ID	NUMBER	10	0	
4400	TCM_CSR_STAT	2	3304	TCM_CSR_LINE_ID	NUMBER	10	0	
4400	TCM_CSR_STAT	3	3299	TCM_CSR_VAL_TYPE_CD	VARCHAR2	2		
4400	TCM_CSR_STAT	4	3298	TCM_CSR_ADJ_TYPE_CD	VARCHAR2	2		
4400	TCM_CSR_STAT	5	3168	MONTH_1_CNT	NUMBER	10	0	
4400	TCM_CSR_STAT	6	3167	MONTH_2_CNT	NUMBER	10	0	
4400	TCM_CSR_STAT	7	3166	MONTH_3_CNT	NUMBER	10	0	
4400	TCM_CSR_STAT	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4400	TCM_CSR_STAT	9		LAST_CHGD_DT	DATE	7		Last changed date
4405	TCM_CSR_LINE	1	3304	TCM_CSR_LINE_ID	NUMBER	10	0	
4405	TCM_CSR_LINE	2	3190	STATE_RPT_ID	NUMBER	10	0	
4405	TCM_CSR_LINE	3	3301	TCM_CSR_QTR_CD	VARCHAR2	1		
4405	TCM_CSR_LINE	4	3300	TCM_CSR_LINE_CD	VARCHAR2	2		
4405	TCM_CSR_LINE	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4405	TCM_CSR_LINE	6		LAST_CHGD_DT	DATE	7		Last changed date
4410	TCM_CSR_CLIENT	1	3297	TCM_CSR_CLIENT_ID	NUMBER	10	0	
4410	TCM_CSR_CLIENT	2	3304	TCM_CSR_LINE_ID	NUMBER	10	0	
4410	TCM_CSR_CLIENT	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
4410	TCM_CSR_CLIENT	4	3303	TCM_CSR_MONTH_CD	VARCHAR2	2		
4410	TCM_CSR_CLIENT	5	2843	RTC_HOST_CNTY_CD	VARCHAR2	2		
4410	TCM_CSR_CLIENT	6	3302	TCM_CSR_CLNT_INCL_CD	VARCHAR2	2		
4410	TCM_CSR_CLIENT	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4410	TCM_CSR_CLIENT	8		LAST_CHGD_DT	DATE	7		Last changed date
4500	CLM_HEALTHCARE	1	3332	CLM_HEALTHCARE_ID	NUMBER	10	0	
4500	CLM_HEALTHCARE	2	3325	ORIG_CLM_HEALTHCR_ID	NUMBER	10	0	
4500	CLM_HEALTHCARE	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
4500	CLM_HEALTHCARE	4	2236	DIAGNOSIS_ID	NUMBER	10	0	Unique, system-generated identifier for a DIAGNOSIS_CODE table row. May also be used as a data element. To initialize, must be set to spaces.
4500	CLM_HEALTHCARE	5	2817	HCPCS_MOD_ID	NUMBER	10	0	
4500	CLM_HEALTHCARE	6	1176	PMI	VARCHAR2	10		This person's unique person identifier from the MAXIS system.
4500	CLM_HEALTHCARE	7	2840	CLAIM_CAT_CD	VARCHAR2	1		
4500	CLM_HEALTHCARE	8	3310	CLM_STAT_CD	VARCHAR2	2		
4500	CLM_HEALTHCARE	9	133	CNTY_CD	CHAR	2		
4500	CLM_HEALTHCARE	10	3328	CLM_AMT	NUMBER	12	2	
4500	CLM_HEALTHCARE	11	3327	MMIS_PLACE_SVC_CD	VARCHAR2	2		
4500	CLM_HEALTHCARE	12	3326	MMIS_FREQ_CD	VARCHAR2	1		
4500	CLM_HEALTHCARE	13	3324	CLM_UNITS	NUMBER	10	0	
4500	CLM_HEALTHCARE	14	2940	PRIOR_AUTH_NUM	NUMBER	11	0	
4500	CLM_HEALTHCARE	15	3323	CLM_START_DT	DATE	7		
4500	CLM_HEALTHCARE	16	3322	CLM_END_DT	DATE	7		
4500	CLM_HEALTHCARE	17	1296	FACILITY_NAME	VARCHAR2	40		Name of the facility in which maltreatment allegedly occurred.
4500	CLM_HEALTHCARE	18	2965	OUT_HOME_PROV_NUM	VARCHAR2	20		
4500	CLM_HEALTHCARE	19	3347	TCN	VARCHAR2	17		
4500	CLM_HEALTHCARE	20	3355	CLM_PAID_AMT	NUMBER	12	2	
4500	CLM_HEALTHCARE	21	3345	CLM_GEN_DT	DATE	7		
4500	CLM_HEALTHCARE	22	3344	CLM_STAT_DT	DATE	7		
4500	CLM_HEALTHCARE	23	3371	CLM_PAID_UNITS	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4500	CLM_HEALTHCARE	24	2662	NPI	VARCHAR2	10		
4500	CLM_HEALTHCARE	25	3378	CLM_CLIENT_RESP_AMT	NUMBER	12	2	
4500	CLM_HEALTHCARE	26	2828	CLAIM_CAT_DETAIL_CD	VARCHAR2	1		
4500	CLM_HEALTHCARE	27	3518	CLM_DISPOSITION_CD	VARCHAR2	1		
4500	CLM_HEALTHCARE	28	3517	CLM_DISPOSITION_DT	DATE	7		
4500	CLM_HEALTHCARE	29		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4500	CLM_HEALTHCARE	30		LAST_CHGD_DT	DATE	7		Last changed date
4505	CLM_BATCH	1	3333	CLM_BATCH_ID	NUMBER	10	0	
4505	CLM_BATCH	2	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
4505	CLM_BATCH	3	3331	CLM_BATCH_DESC	VARCHAR2	40		
4505	CLM_BATCH	4	3330	CLM_INCL_TYPE_CD	VARCHAR2	1		
4505	CLM_BATCH	5	133	CNTY_CD	CHAR	2		
4505	CLM_BATCH	6	3321	CLM_BATCH_START_DT	DATE	7		
4505	CLM_BATCH	7	3320	CLM_BATCH_END_DT	DATE	7		
4505	CLM_BATCH	8	3319	CLM_BATCH_GEN_DT	DATE	7		
4505	CLM_BATCH	9	3318	CLM_BATCH_SUB_DT	DATE	7		
4505	CLM_BATCH	10	3317	CLM_BATCH_STAT_CD	VARCHAR2	1		
4505	CLM_BATCH	11	2840	CLAIM_CAT_CD	VARCHAR2	1		
4505	CLM_BATCH	12	3329	ISA_CTRL_NUM	NUMBER	10	0	
4505	CLM_BATCH	13	3349	DEX_837_ID	NUMBER	10	0	
4505	CLM_BATCH	14	3348	DEX_997_ID	NUMBER	10	0	
4505	CLM_BATCH	15		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4505	CLM_BATCH	16		LAST_CHGD_DT	DATE	7		Last changed date
4510	CLM_BATCH_XREF	1	3306	CLM_BATCH_XREF_ID	NUMBER	10	0	
4510	CLM_BATCH_XREF	2	3333	CLM_BATCH_ID	NUMBER	10	0	
4510	CLM_BATCH_XREF	3	3332	CLM_HEALTHCARE_ID	NUMBER	10	0	
4510	CLM_BATCH_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4510	CLM_BATCH_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
4515	CLM_ON_BEHALF_XREF	1	3307	CLM_ONBEHALF_XREF_ID	NUMBER	10	0	
4515	CLM_ON_BEHALF_XREF	2	3332	CLM_HEALTHCARE_ID	NUMBER	10	0	
4515	CLM_ON_BEHALF_XREF	3	908	ON_BEHALF_OF_ID	NUMBER	10	0	Unique, system-generated identifier for an ON_BEHALF_OF table row. May also be used as a data element. To initialize, must be set to spaces.
4515	CLM_ON_BEHALF_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4515	CLM_ON_BEHALF_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
4520	CLM_PAYMENT_XREF	1	3308	CLM_PAYMENT_XREF_ID	NUMBER	10	0	
4520	CLM_PAYMENT_XREF	2	3332	CLM_HEALTHCARE_ID	NUMBER	10	0	
4520	CLM_PAYMENT_XREF	3	3068	PAYMENT_ID	NUMBER	10	0	
4520	CLM_PAYMENT_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4520	CLM_PAYMENT_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
4525	CNTY_CLM_CONTROL	1	3309	CNTY_CLM_CONTROL_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4525	CNTY_CLM_CONTROL	2	133	CNTY_CD	CHAR	2		
4525	CNTY_CLM_CONTROL	3	490	MMIS_PROV_NUM	VARCHAR2	10		MMIS Provider Number
4525	CNTY_CLM_CONTROL	4	381	FED_TID	VARCHAR2	9		Federal Tax ID
4525	CNTY_CLM_CONTROL	5	2662	NPI	VARCHAR2	10		
4525	CNTY_CLM_CONTROL	6	3329	ISA_CTRL_NUM	NUMBER	10	0	
4525	CNTY_CLM_CONTROL	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4525	CNTY_CLM_CONTROL	8		LAST_CHGD_DT	DATE	7		Last changed date
4530	CLM_EXCEPTION	1	3343	CLM_EXCEPTION_ID	NUMBER	10	0	
4530	CLM_EXCEPTION	2	3332	CLM_HEALTHCARE_ID	NUMBER	10	0	
4530	CLM_EXCEPTION	3	3342	CLM_EXCEPTION_CD	VARCHAR2	4		
4530	CLM_EXCEPTION	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4530	CLM_EXCEPTION	5		LAST_CHGD_DT	DATE	7		Last changed date
4535	CLM_RATE_ADJ	1	3353	CLM_RATE_ADJ_ID	NUMBER	10	0	
4535	CLM_RATE_ADJ	2	3332	CLM_HEALTHCARE_ID	NUMBER	10	0	
4535	CLM_RATE_ADJ	3	3352	CLM_RATE_ADJ_INDEX	NUMBER	10	0	
4535	CLM_RATE_ADJ	4	3351	CLM_RATE_ADJ_RSN_CD	VARCHAR2	2		
4535	CLM_RATE_ADJ	5	3350	CLM_RATE_ADJ_RATE	NUMBER	12	2	
4535	CLM_RATE_ADJ	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4535	CLM_RATE_ADJ	7		LAST_CHGD_DT	DATE	7		Last changed date
4540	CLM_REMIT_ADV_ADJ	1	3383	CLM_REMIT_ADV_ADJ_ID	NUMBER	10	0	
4540	CLM_REMIT_ADV_ADJ	2	3332	CLM_HEALTHCARE_ID	NUMBER	10	0	
4540	CLM_REMIT_ADV_ADJ	3	3382	CLM_RA_ADJ_GRP_CD	VARCHAR2	2		
4540	CLM_REMIT_ADV_ADJ	4	3381	CLM_RA_ADJ_REASON_CD	VARCHAR2	3		
4540	CLM_REMIT_ADV_ADJ	5	3380	CLM_RA_ADJ_AMT	NUMBER	12	2	
4540	CLM_REMIT_ADV_ADJ	6	3379	CLM_RA_ADJ_UNITS	NUMBER	10	0	
4540	CLM_REMIT_ADV_ADJ	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4540	CLM_REMIT_ADV_ADJ	8		LAST_CHGD_DT	DATE	7		Last changed date
4545	CLM_LTC_SCRNG_XREF	1	3387	CLM_LTC_SCRNG_XRF_ID	NUMBER	10	0	
4545	CLM_LTC_SCRNG_XREF	2	3332	CLM_HEALTHCARE_ID	NUMBER	10	0	
4545	CLM_LTC_SCRNG_XREF	3	3398	ELIG_LTC_SCRNG_ID	NUMBER	10	0	
4545	CLM_LTC_SCRNG_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4545	CLM_LTC_SCRNG_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
4550	CLM_REV_ACCT	1	3393	CLM_REV_ACCT_ID	NUMBER	10	0	
4550	CLM_REV_ACCT	2	2840	CLAIM_CAT_CD	VARCHAR2	1		
4550	CLM_REV_ACCT	3	3392	REV_ACCT_CODE	VARCHAR2	10		
4550	CLM_REV_ACCT	4	3391	REV_ACCT_DESC	VARCHAR2	65		
4550	CLM_REV_ACCT	5	3390	REV_ACCT_START_DT	DATE	7		
4550	CLM_REV_ACCT	6	3389	REV_ACCT_END_DT	DATE	7		
4550	CLM_REV_ACCT	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4550	CLM_REV_ACCT	8		LAST_CHGD_DT	DATE	7		Last changed date
4555	ELIG_REV_ACCT	1	3394	ELIG_REV_ACCT_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4555	ELIG_REV_ACCT	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
4555	ELIG_REV_ACCT	3	3393	CLM_REV_ACCT_ID	NUMBER	10	0	
4555	ELIG_REV_ACCT	4	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
4555	ELIG_REV_ACCT	5	3396	ELIG_REV_START_DT	DATE	7		
4555	ELIG_REV_ACCT	6	3395	ELIG_REV_END_DT	DATE	7		
4555	ELIG_REV_ACCT	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4555	ELIG_REV_ACCT	8		LAST_CHGD_DT	DATE	7		Last changed date
4560	ELIG_LTC_SCRNG	1	3398	ELIG_LTC_SCRNG_ID	NUMBER	10	0	
4560	ELIG_LTC_SCRNG	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
4560	ELIG_LTC_SCRNG	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
4560	ELIG_LTC_SCRNG	4	2898	READY_TO_CLAIM_IND	VARCHAR2	1		
4560	ELIG_LTC_SCRNG	5	3399	LTC_SCREENING_DT	DATE	7		
4560	ELIG_LTC_SCRNG	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4560	ELIG_LTC_SCRNG	7		LAST_CHGD_DT	DATE	7		Last changed date
4565	CLM_ELEMENT	1	3534	CLM_ELEMENT_ID	NUMBER	10	0	
4565	CLM_ELEMENT	2	2840	CLAIM_CAT_CD	VARCHAR2	1		
4565	CLM_ELEMENT	3	3532	CLM_ELEMENT_TYPE	VARCHAR2	15		
4565	CLM_ELEMENT	4	3531	CLM_ELEMENT_NAME	VARCHAR2	30		
4565	CLM_ELEMENT	5	3530	CLM_ELEMENT_START_DT	DATE	7		
4565	CLM_ELEMENT	6	3529	CLM_ELEMENT_END_DT	DATE	7		
4565	CLM_ELEMENT	7	3528	CLM_ELEMENT_VALUE	VARCHAR2	30		
4565	CLM_ELEMENT	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4565	CLM_ELEMENT	9		LAST_CHGD_DT	DATE	7		Last changed date
4600	CONN_AUDIT	1	3336	CONN_AUDIT_ID	NUMBER	10	0	
4600	CONN_AUDIT	2	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
4600	CONN_AUDIT	3	3335	AUDIT_DT	DATE	7		
4600	CONN_AUDIT	4	3334	ON_OFF	VARCHAR2	3		
4605	MULTI_CNTY	1	4039	MULTI_CNTY_ID	NUMBER	10	0	
4605	MULTI_CNTY	2	4040	MULTI_CNTY_CD	CHAR	2		
4605	MULTI_CNTY	3		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4605	MULTI_CNTY	4		LAST_CHGD_DT	DATE	7		Last changed date
4610	MULTI_CNTY_DETAIL	1	4041	MULTI_CNTY_DETAIL_ID	NUMBER	10	0	
4610	MULTI_CNTY_DETAIL	2	4039	MULTI_CNTY_ID	NUMBER	10	0	
4610	MULTI_CNTY_DETAIL	3	133	CNTY_CD	CHAR	2		
4610	MULTI_CNTY_DETAIL	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4610	MULTI_CNTY_DETAIL	5		LAST_CHGD_DT	DATE	7		Last changed date

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4700	AP_RPT	1	3469	AP_RPT_ID	NUMBER	10	0	
4700	AP_RPT	2	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
4700	AP_RPT	3	3419	CALLER_PERSON_ID	NUMBER	10	0	
4700	AP_RPT	4	3418	RECEIVED_STAFF_ID	NUMBER	10	0	
4700	AP_RPT	5	1525	VICTIM_ID	NUMBER	10	0	Unique system-generated identifier for a PERSON table row, for a person alleged to be a victim of maltreatment.
4700	AP_RPT	6	3417	VA_SPNDX_ID	NUMBER	10	0	
4700	AP_RPT	7	3416	INCIDENT_SPNDX_ID	NUMBER	10	0	
4700	AP_RPT	8	3474	VA_BUS_ORG_ID	NUMBER	10	0	
4700	AP_RPT	9	3475	INCIDENT_BUS_ORG_ID	NUMBER	10	0	
4700	AP_RPT	10	1133	IMMINENT_DANGER_IND	VARCHAR2	1		Does this child maltreatment report involves imminent danger to the child(ren)?
4700	AP_RPT	11	3449	AP_RPT_STATUS_CD	VARCHAR2	2		
4700	AP_RPT	12	3278	MAND_REPORTER_IND	VARCHAR2	1		
4700	AP_RPT	13	3448	AP_RPT_SOURCE_CD	VARCHAR2	2		
4700	AP_RPT	14	3447	AP_RPT_END_DT	DATE	7		
4700	AP_RPT	15	3446	CALLER_PROTECT_IND	VARCHAR2	1		
4700	AP_RPT	16	3431	INCIDENT_LOCATION	VARCHAR2	65		
4700	AP_RPT	17	3012	EST_INCIDENT_DT	DATE	7		
4700	AP_RPT	18	3430	INT_INVESTIGATE_IND	VARCHAR2	1		
4700	AP_RPT	19	3429	CORRECTIVE_ACTION	VARCHAR2	120		
4700	AP_RPT	20	3428	INCIDENT_COMMUN_CD	VARCHAR2	2		
4700	AP_RPT	21	3427	VA_LIVING_SIT_IND	VARCHAR2	1		
4700	AP_RPT	22	3426	VA_CLASSIFICATION_CD	VARCHAR2	2		
4700	AP_RPT	23	3425	RECEIVED_BY_PHONE	VARCHAR2	50		
4700	AP_RPT	24	3424	RECEIVED_BY	VARCHAR2	40		
4700	AP_RPT	25	3423	VA_DIAGNOSIS	VARCHAR2	120		
4700	AP_RPT	26	1205	ISSUED_BY_CD	CHAR	1		The state or tribal agency that issued the actual license.
4700	AP_RPT	27	3422	CALLER_DISP_INIT_IND	VARCHAR2	1		
4700	AP_RPT	28	3421	CALLER_DISP_FIN_IND	VARCHAR2	1		
4700	AP_RPT	29	3420	INCIDENT_DESCRIPTION	CLOB	4000		
4700	AP_RPT	30	3495	REPORT_COMPLAINT_IND	VARCHAR2	1		
4700	AP_RPT	31	3494	CALLER_REFUSE_IND	VARCHAR2	1		
4700	AP_RPT	32	4279	NURSING_HOME_RPT_NUM	NUMBER	10	0	
4700	AP_RPT	33		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4700	AP_RPT	34		LAST_CHGD_DT	DATE	7		Last changed date
4705	AP_ALLEG	1	3471	AP_ALLEG_ID	NUMBER	10	0	
4705	AP_ALLEG	2	3469	AP_RPT_ID	NUMBER	10	0	
4705	AP_ALLEG	3	1523	OFFENDER_ID	NUMBER	10	0	Unique system-generated identifier for a PERSON table row, for a person alleged to be a maltreatment offender.

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4705	AP_ALLEG	4	3445	ALLEG_DETERM_CD	VARCHAR2	2		
4705	AP_ALLEG	5	3289	ALLEG_DETERM_DT	DATE	7		
4705	AP_ALLEG	6	3444	AP_ALLEGATION_CD	VARCHAR2	2		
4705	AP_ALLEG	7	3443	APPEAL_DETERM_CD	VARCHAR2	2		
4705	AP_ALLEG	8	3442	PREV_MALT_CD	VARCHAR2	2		
4705	AP_ALLEG	9	3414	OFF_MORE_INFO	VARCHAR2	120		
4705	AP_ALLEG	10	3413	OFF_NATURE	VARCHAR2	120		
4705	AP_ALLEG	11	3412	FIDUCIARY_REL_CD	VARCHAR2	2		
4705	AP_ALLEG	12	3472	PERPETRATOR_DESC	VARCHAR2	65		
4705	AP_ALLEG	13		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4705	AP_ALLEG	14		LAST_CHGD_DT	DATE	7		Last changed date
4710	AP_ALLEG_APPEAL	1	3415	AP_ALLEG_APPEAL_ID	NUMBER	10	0	
4710	AP_ALLEG_APPEAL	2	3471	AP_ALLEG_ID	NUMBER	10	0	
4710	AP_ALLEG_APPEAL	3	3470	AP_APPEAL_VENUE_CD	VARCHAR2	2		
4710	AP_ALLEG_APPEAL	4	2374	DECISION_DT	DATE	7		
4710	AP_ALLEG_APPEAL	5	3445	ALLEG_DETERM_CD	VARCHAR2	2		
4710	AP_ALLEG_APPEAL	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4710	AP_ALLEG_APPEAL	7		LAST_CHGD_DT	DATE	7		Last changed date
4715	AP_REFERRAL	1	3432	AP_REFERRAL_ID	NUMBER	10	0	
4715	AP_REFERRAL	2	3469	AP_RPT_ID	NUMBER	10	0	
4715	AP_REFERRAL	3	2419	BUS_ORG_ID	NUMBER	10	0	
4715	AP_REFERRAL	4	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
4715	AP_REFERRAL	5	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
4715	AP_REFERRAL	6	3464	AP_IND	VARCHAR2	1		
4715	AP_REFERRAL	7	3463	AP_CNTY_CD	VARCHAR2	2		
4715	AP_REFERRAL	8	3462	AP_DT	DATE	7		
4715	AP_REFERRAL	9	3461	AP_CONTACT_NAME	VARCHAR2	65		
4715	AP_REFERRAL	10	3460	AP_CONTACT_PHONE	VARCHAR2	50		
4715	AP_REFERRAL	11	3459	LEAD_AGENCY_IND	VARCHAR2	1		
4715	AP_REFERRAL	12	3458	LEAD_AGENCY_DT	DATE	7		
4715	AP_REFERRAL	13	3457	LEAD_AGENCY_CNTY_CD	VARCHAR2	2		
4715	AP_REFERRAL	14	3456	LEAD_AGENCY_STATE_CD	VARCHAR2	2		
4715	AP_REFERRAL	15	3455	CRIMINAL_ACT_IND	VARCHAR2	1		
4715	AP_REFERRAL	16	3454	VA_CRIME_CD	VARCHAR2	2		
4715	AP_REFERRAL	17	3453	POLICE_REPORT_CD	VARCHAR2	2		
4715	AP_REFERRAL	18	2438	POLICE_REPORT_NUM	VARCHAR2	20		
4715	AP_REFERRAL	19	3452	CEP_TO_LAW_IND	VARCHAR2	1		
4715	AP_REFERRAL	20	3451	CEP_TO_LAW_DT	DATE	7		
4715	AP_REFERRAL	21	3450	LAW_AGENCY_CNTY_CD	VARCHAR2	2		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4715	AP_REFERRAL	22	3440	LEAD_AGENCY_CD	VARCHAR2	2		
4715	AP_REFERRAL	23	3439	VA_CRIME_OTHER	VARCHAR2	150		
4715	AP_REFERRAL	24	3438	OUT_ST_LAW_AGCY_NAME	VARCHAR2	200		
4715	AP_REFERRAL	25	3437	OUT_ST_LAW_AGCY_CONT	VARCHAR2	120		
4715	AP_REFERRAL	26	3436	OUT_ST_LAW_AGCY_PHON	VARCHAR2	50		
4715	AP_REFERRAL	27		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4715	AP_REFERRAL	28		LAST_CHGD_DT	DATE	7		Last changed date
4720	AP_RPT_ROLES	1	3435	AP_RPT_ROLES_ID	NUMBER	10	0	
4720	AP_RPT_ROLES	2	3469	AP_RPT_ID	NUMBER	10	0	
4720	AP_RPT_ROLES	3	3467	PERSON_ID1	NUMBER	10	0	
4720	AP_RPT_ROLES	4	3466	PERSON_ID2	NUMBER	10	0	
4720	AP_RPT_ROLES	5	3434	AP_ROLE_CD	VARCHAR2	2		
4720	AP_RPT_ROLES	6	3433	OTHER_AP_ROLE_INFO	VARCHAR2	65		
4720	AP_RPT_ROLES	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4720	AP_RPT_ROLES	8		LAST_CHGD_DT	DATE	7		Last changed date
4725	AP_RPT_DISABILITY	1	3465	AP_RPT_DISABILITY_ID	NUMBER	10	0	
4725	AP_RPT_DISABILITY	2	3469	AP_RPT_ID	NUMBER	10	0	
4725	AP_RPT_DISABILITY	3	3468	VA_DISABILITY_CD	VARCHAR2	2		
4725	AP_RPT_DISABILITY	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4725	AP_RPT_DISABILITY	5		LAST_CHGD_DT	DATE	7		Last changed date
4730	AP_LEAD_AGENCY	1	3441	AP_LEAD_AGENCY_ID	NUMBER	10	0	
4730	AP_LEAD_AGENCY	2	3432	AP_REFERRAL_ID	NUMBER	10	0	
4730	AP_LEAD_AGENCY	3	3440	LEAD_AGENCY_CD	VARCHAR2	2		
4730	AP_LEAD_AGENCY	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4730	AP_LEAD_AGENCY	5		LAST_CHGD_DT	DATE	7		Last changed date
4735	AP_RPT_DIST_LIST	1	3482	AP_RPT_DIST_LIST_ID	NUMBER	10	0	
4735	AP_RPT_DIST_LIST	2	3469	AP_RPT_ID	NUMBER	10	0	
4735	AP_RPT_DIST_LIST	3	3481	INCLUDE_IND	VARCHAR2	1		
4735	AP_RPT_DIST_LIST	4	3480	INCLUDE_CALLER_IND	VARCHAR2	1		
4735	AP_RPT_DIST_LIST	5	3479	PRINTED_IND	VARCHAR2	1		
4735	AP_RPT_DIST_LIST	6	3478	AP_DIST_LIST_CD	VARCHAR2	2		
4735	AP_RPT_DIST_LIST	7	3477	APDL_NAME	VARCHAR2	256		
4735	AP_RPT_DIST_LIST	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4735	AP_RPT_DIST_LIST	9		LAST_CHGD_DT	DATE	7		Last changed date
4740	AP_RPT_DL_PHONE_XREF	1	3483	AP_RPT_DL_PHNXREF_ID	NUMBER	10	0	
4740	AP_RPT_DL_PHONE_XREF	2	3482	AP_RPT_DIST_LIST_ID	NUMBER	10	0	
4740	AP_RPT_DL_PHONE_XREF	3	2412	PHONE_ID	NUMBER	10	0	
4740	AP_RPT_DL_PHONE_XREF	4	1165	PHONE_TYPE_CD	CHAR	1		
4740	AP_RPT_DL_PHONE_XREF	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4740	AP_RPT_DL_PHONE_XREF	6		LAST_CHGD_DT	DATE	7		Last changed date
4800	CMHRS_CLIENT	1	3505	CMHRS_CLIENT_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4800	CMHRS_CLIENT	2	3190	STATE_RPT_ID	NUMBER	10	0	
4800	CMHRS_CLIENT	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
4800	CMHRS_CLIENT	4	2662	NPI	VARCHAR2	10		
4800	CMHRS_CLIENT	5	760	SSN	VARCHAR2	9		Social Security Number.
4800	CMHRS_CLIENT	6	1176	PMI	VARCHAR2	10		This person's unique person identifier from the MAXIS system.
4800	CMHRS_CLIENT	7	139	CNTY_OF_SVC_CD	CHAR	2		County of service
4800	CMHRS_CLIENT	8	136	CNTY_FIN_RESP_CD	CHAR	2		County of Financial Responsibility
4800	CMHRS_CLIENT	9	92	BIRTH_DT	DATE	7		Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12
4800	CMHRS_CLIENT	10	2386	ESTIMATED_BIRTH_DT	DATE	7		
4800	CMHRS_CLIENT	11	402	GENDER_CD	CHAR	1		
4800	CMHRS_CLIENT	12	3504	CAUCASIAN_IND	VARCHAR2	1		
4800	CMHRS_CLIENT	13	3503	ASIAN_IND	VARCHAR2	1		
4800	CMHRS_CLIENT	14	3502	PACIFIC_IND	VARCHAR2	1		
4800	CMHRS_CLIENT	15	3501	BLACK_IND	VARCHAR2	1		
4800	CMHRS_CLIENT	16	3500	NORTH_AMER_IND	VARCHAR2	1		
4800	CMHRS_CLIENT	17	412	HISPANIC_IND	VARCHAR2	1		Is this person Hispanic?
4800	CMHRS_CLIENT	18	3499	CMHRS_SUB_POP_CD	VARCHAR2	1		
4800	CMHRS_CLIENT	19	411	HIGHLVL_DISABIL_CD	CHAR	2		
4800	CMHRS_CLIENT	20		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4800	CMHRS_CLIENT	21		LAST_CHGD_DT	DATE	7		Last changed date
4805	CMHRS_SVC	1	3507	CMHRS_SVC_ID	NUMBER	10	0	
4805	CMHRS_SVC	2	3505	CMHRS_CLIENT_ID	NUMBER	10	0	
4805	CMHRS_SVC	3	2548	BRASS_SVC_ID	NUMBER	10	0	
4805	CMHRS_SVC	4	3497	TOT_REPORTED_MIN	NUMBER	10	0	
4805	CMHRS_SVC	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4805	CMHRS_SVC	6		LAST_CHGD_DT	DATE	7		Last changed date
4810	CMHRS_SVC_OBO_XREF	1	3496	CMHRS_SVC_OBO_XRF_ID	NUMBER	10	0	
4810	CMHRS_SVC_OBO_XREF	2	3507	CMHRS_SVC_ID	NUMBER	10	0	
4810	CMHRS_SVC_OBO_XREF	3	908	ON_BEHALF_OF_ID	NUMBER	10	0	Unique, system-generated identifier for an ON_BEHALF_OF table row. May also be used as a data element. To initialize, must be set to spaces.
4810	CMHRS_SVC_OBO_XREF	4	3506	GRP_TIME_IND	VARCHAR2	1		
4810	CMHRS_SVC_OBO_XREF	5	3498	REPORTED_MIN	NUMBER	10	0	
4810	CMHRS_SVC_OBO_XREF	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4810	CMHRS_SVC_OBO_XREF	7		LAST_CHGD_DT	DATE	7		Last changed date
4811	CLM_COMMENT_XREF	1	3516	CLM_COMMENT_XREF_ID	NUMBER	10	0	
4811	CLM_COMMENT_XREF	2	3332	CLM_HEALTHCARE_ID	NUMBER	10	0	
4811	CLM_COMMENT_XREF	3	2842	COMMENTS_LOG_ID	NUMBER	10	0	
4811	CLM_COMMENT_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
4811	CLM_COMMENT_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
4900	Q\$ERROR	1	3550	Q\$ERROR_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
4900	Q\$ERROR	2	3549	ERROR_CATEGORY_NAME	VARCHAR2	500		
4900	Q\$ERROR	3	3548	CODE_NUM	NUMBER	10	0	
4900	Q\$ERROR	4	3547	ERROR_NAME	VARCHAR2	500		
4900	Q\$ERROR	5	3546	ERR_DESCRIPTION	VARCHAR2	4000		
4900	Q\$ERROR	6	3545	SUBSTITUTE_STRING	VARCHAR2	4000		
4900	Q\$ERROR	7	3544	RECOMMENDATION	VARCHAR2	4000		
4900	Q\$ERROR	8	3557	CREATED_ON_DT	DATE	7		
4900	Q\$ERROR	9	3556	CREATED_BY	VARCHAR2	100		
4900	Q\$ERROR	10	3555	CHANGED_ON_DT	DATE	7		
4900	Q\$ERROR	11	3554	CHANGED_BY	VARCHAR2	100		
4905	Q\$ERROR_INSTANCE	1	3543	Q\$ERROR_INSTANCE_ID	NUMBER	10	0	
4905	Q\$ERROR_INSTANCE	2	3550	Q\$ERROR_ID	NUMBER	10	0	
4905	Q\$ERROR_INSTANCE	3	3542	ERROR_STACK	VARCHAR2	4000		
4905	Q\$ERROR_INSTANCE	4	3541	CALL_STACK	VARCHAR2	4000		
4905	Q\$ERROR_INSTANCE	5	3540	EI_MESSAGE	VARCHAR2	4000		
4905	Q\$ERROR_INSTANCE	6	3539	SYSTEM_ERROR_CODE	NUMBER	10	0	
4905	Q\$ERROR_INSTANCE	7	3538	SYSTEM_ERROR_MSG	VARCHAR2	4000		
4905	Q\$ERROR_INSTANCE	8	3537	ENVIRONMENT_INFO	VARCHAR2	4000		
4905	Q\$ERROR_INSTANCE	9	3557	CREATED_ON_DT	DATE	7		
4905	Q\$ERROR_INSTANCE	10	3556	CREATED_BY	VARCHAR2	100		
4905	Q\$ERROR_INSTANCE	11	3555	CHANGED_ON_DT	DATE	7		
4905	Q\$ERROR_INSTANCE	12	3554	CHANGED_BY	VARCHAR2	100		
4910	Q\$ERROR_CONTEXT	1	3560	Q\$ERROR_CONTEXT_ID	NUMBER	10	0	
4910	Q\$ERROR_CONTEXT	2	3543	Q\$ERROR_INSTANCE_ID	NUMBER	10	0	
4910	Q\$ERROR_CONTEXT	3	3559	EC_NAME	VARCHAR2	500		
4910	Q\$ERROR_CONTEXT	4	3558	EC_VALUE	VARCHAR2	4000		
4910	Q\$ERROR_CONTEXT	5	3557	CREATED_ON_DT	DATE	7		
4910	Q\$ERROR_CONTEXT	6	3556	CREATED_BY	VARCHAR2	100		
4910	Q\$ERROR_CONTEXT	7	3555	CHANGED_ON_DT	DATE	7		
4910	Q\$ERROR_CONTEXT	8	3554	CHANGED_BY	VARCHAR2	100		
4915	Q\$LOG	1	3553	Q\$LOG_ID	NUMBER	10	0	
4915	Q\$LOG	2	3552	CONTEXT	VARCHAR2	500		
4915	Q\$LOG	3	3551	QL_TEXT	VARCHAR2	4000		
4915	Q\$LOG	4	3541	CALL_STACK	VARCHAR2	4000		
4915	Q\$LOG	5	3557	CREATED_ON_DT	DATE	7		
4915	Q\$LOG	6	3556	CREATED_BY	VARCHAR2	100		
4915	Q\$LOG	7	3555	CHANGED_ON_DT	DATE	7		
4915	Q\$LOG	8	3554	CHANGED_BY	VARCHAR2	100		
5000	SPECIAL_STUDY	1	3695	SPECIAL_STUDY_ID	NUMBER	10	0	
5000	SPECIAL_STUDY	2	3696	SP_STUDY_NAME	VARCHAR2	100		
5000	SPECIAL_STUDY	3	3697	SP_STUDY_DESC	VARCHAR2	1000		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
5000	SPECIAL_STUDY	4	3698	SP_STUDY_ST_DT	DATE	7		
5000	SPECIAL_STUDY	5	3699	SP_STUDY_END_DT	DATE	7		
5000	SPECIAL_STUDY	6	3700	SP_STUDY_TYPE_CD	VARCHAR2	2		
5000	SPECIAL_STUDY	7	3701	WG_LEVEL_IND	VARCHAR2	1		
5000	SPECIAL_STUDY	8	3702	PERSON_LEVEL_IND	VARCHAR2	1		
5000	SPECIAL_STUDY	9	3703	STAFF_LEVEL_IND	VARCHAR2	1		
5000	SPECIAL_STUDY	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5000	SPECIAL_STUDY	11		LAST_CHGD_DT	DATE	7		Last changed date
5005	PERSON_SP_STUDY	1	3704	PERSON_SP_STUDY_ID	NUMBER	10	0	
5005	PERSON_SP_STUDY	2	3695	SPECIAL_STUDY_ID	NUMBER	10	0	
5005	PERSON_SP_STUDY	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
5005	PERSON_SP_STUDY	4	3705	PRSN_SP_STDY_ST_DT	DATE	7		
5005	PERSON_SP_STUDY	5	3706	PRSN_SP_STDY_END_DT	DATE	7		
5005	PERSON_SP_STUDY	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5005	PERSON_SP_STUDY	7		LAST_CHGD_DT	DATE	7		Last changed date
5010	STAFF_SP_STUDY	1	3707	STAFF_SP_STUDY_ID	NUMBER	10	0	
5010	STAFF_SP_STUDY	2	3695	SPECIAL_STUDY_ID	NUMBER	10	0	
5010	STAFF_SP_STUDY	3	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
5010	STAFF_SP_STUDY	4	3708	STAFF_SP_STDY_ST_DT	DATE	7		
5010	STAFF_SP_STUDY	5	3709	STAFF_SP_STDY_END_DT	DATE	7		
5010	STAFF_SP_STUDY	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5010	STAFF_SP_STUDY	7		LAST_CHGD_DT	DATE	7		Last changed date
5015	WG_SP_STUDY	1	3710	WG_SP_STUDY_ID	NUMBER	10	0	
5015	WG_SP_STUDY	2	3695	SPECIAL_STUDY_ID	NUMBER	10	0	
5015	WG_SP_STUDY	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
5015	WG_SP_STUDY	4	3711	WG_SP_STDY_ST_DT	DATE	7		
5015	WG_SP_STUDY	5	3712	WG_SP_STDY_END_DT	DATE	7		
5015	WG_SP_STUDY	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5015	WG_SP_STUDY	7		LAST_CHGD_DT	DATE	7		Last changed date
5100	IVE_ABSTRACT_CLM	1	3795	IVE_ABSTRACT_CLM_ID	NUMBER	10	0	
5100	IVE_ABSTRACT_CLM	2	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
5100	IVE_ABSTRACT_CLM	3	3190	STATE_RPT_ID	NUMBER	10	0	
5100	IVE_ABSTRACT_CLM	4	3068	PAYMENT_ID	NUMBER	10	0	
5100	IVE_ABSTRACT_CLM	5	2614	CONTPLCMT_ID	NUMBER	10	0	
5100	IVE_ABSTRACT_CLM	6	3806	ORIG_IVE_CLM_ID	NUMBER	10	0	
5100	IVE_ABSTRACT_CLM	7	2834	SVC_BUS_ORG_ID	NUMBER	10	0	
5100	IVE_ABSTRACT_CLM	8	3328	CLM_AMT	NUMBER	12	2	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
5100	IVE_ABSTRACT_CLM	9	2367	BEST_INTEREST_DT	DATE	7		
5100	IVE_ABSTRACT_CLM	10	2629	CONTPLCMT_START_DT	DATE	7		
5100	IVE_ABSTRACT_CLM	11	3796	RULE_CD	VARCHAR2	3		
5100	IVE_ABSTRACT_CLM	12	3165	IVE_SVC_TYPE_CD	VARCHAR2	2		
5100	IVE_ABSTRACT_CLM	13	642	PLACE_AUTH_CD	VARCHAR2	1		Afcars FC 25: Placement authority: manner of removal for current episode. CWCDR - D 9
5100	IVE_ABSTRACT_CLM	14	3797	PROVIDER_CODE	VARCHAR2	11		
5100	IVE_ABSTRACT_CLM	15	3065	PYMT_DT	DATE	7		
5100	IVE_ABSTRACT_CLM	16	3798	CLM_SVC_START_DT	DATE	7		
5100	IVE_ABSTRACT_CLM	17	3799	CLM_SVC_END_DT	DATE	7		
5100	IVE_ABSTRACT_CLM	18	3800	EXTENDED_ELIG_IND	VARCHAR2	1		
5100	IVE_ABSTRACT_CLM	19	2477	VOL_PLCMT_AGRMT_DT	DATE	7		
5100	IVE_ABSTRACT_CLM	20	1091	AGE	NUMBER	5	0	Frequently calculated age as of the current date, based on person's date of birth. May also be entered by user (when a report of child maltreatment is received)
5100	IVE_ABSTRACT_CLM	21	3802	CLM_DOC_POINTS	NUMBER	3	0	
5100	IVE_ABSTRACT_CLM	22	3803	PROVIDER_TYPE_CD	VARCHAR2	1		
5100	IVE_ABSTRACT_CLM	23	3804	RULE5_RB_IND	VARCHAR2	1		
5100	IVE_ABSTRACT_CLM	24	3924	LEGACY_IND	VARCHAR2	1		
5100	IVE_ABSTRACT_CLM	25		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5100	IVE_ABSTRACT_CLM	26		LAST_CHGD_DT	DATE	7		Last changed date
5105	IVE_ABSTRACT_CNT	1	3999	IVE_ABSTRACT_CNT_ID	NUMBER	10	0	
5105	IVE_ABSTRACT_CNT	1		IVE_ABSTRACT_CNT_ID	NUMBER	10	0	
5105	IVE_ABSTRACT_CNT	2	3190	STATE_RPT_ID	NUMBER	10	0	
5105	IVE_ABSTRACT_CNT	3	3169	IVE_RPT_CNT_LINE_CD	VARCHAR2	2		
5105	IVE_ABSTRACT_CNT	4	4000	IVE_RPT_CNT_TYPE_CD	VARCHAR2	2		
5105	IVE_ABSTRACT_CNT	5	4001	LINE_CNT	NUMBER	10	0	
5105	IVE_ABSTRACT_CNT	6	4002	LINE_COUNT_DT	DATE	7		
5105	IVE_ABSTRACT_CNT	7	4026	LINE_ADJUSTMENT	NUMBER	10	0	
5105	IVE_ABSTRACT_CNT	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5105	IVE_ABSTRACT_CNT	9		LAST_CHGD_DT	DATE	7		Last changed date
5110	IVE_ABSTRACT_RCOV	1	3808	IVE_ABSTRACT_RCOV_ID	NUMBER	10	0	
5110	IVE_ABSTRACT_RCOV	2	3190	STATE_RPT_ID	NUMBER	10	0	
5110	IVE_ABSTRACT_RCOV	3	3809	RECOVERY_AMT	NUMBER	10	0	
5110	IVE_ABSTRACT_RCOV	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5110	IVE_ABSTRACT_RCOV	5		LAST_CHGD_DT	DATE	7		Last changed date
5115	SSIS_MESSAGE	1	3911	SSIS_MESSAGE_ID	NUMBER	10	0	
5115	SSIS_MESSAGE	2	3912	SSIS_MSG_NUM	VARCHAR2	10		
5115	SSIS_MESSAGE	3	3913	MESSAGE_TEXT	VARCHAR2	400		
5115	SSIS_MESSAGE	4	3914	MSG_HELP_TEXT	VARCHAR2	4000		
5115	SSIS_MESSAGE	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
5115	SSIS_MESSAGE	6		LAST_CHGD_DT	DATE	7		Last changed date
5120	MODULE_MESSAGE	1	3901	MODULE_MESSAGE_ID	NUMBER	10	0	
5120	MODULE_MESSAGE	2	3902	MODULE_CD	VARCHAR2	2		
5120	MODULE_MESSAGE	3	3903	SUB_MODULE_CD	VARCHAR2	2		
5120	MODULE_MESSAGE	4	3904	MODULE_DETAIL_CD	VARCHAR2	2		
5120	MODULE_MESSAGE	5	3905	RECORD_TYPE_CD	VARCHAR2	2		
5120	MODULE_MESSAGE	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5120	MODULE_MESSAGE	7		LAST_CHGD_DT	DATE	7		Last changed date
5125	MESSAGE_GROUP	1	3895	MESSAGE_GROUP_ID	NUMBER	10	0	
5125	MESSAGE_GROUP	2	3901	MODULE_MESSAGE_ID	NUMBER	10	0	
5125	MESSAGE_GROUP	3	3896	GROUP_LABEL	VARCHAR2	65		
5125	MESSAGE_GROUP	4	3897	GROUP_DEFAULT_IND	VARCHAR2	1		
5125	MESSAGE_GROUP	5	3898	DISPLAY_ROW_NUM	NUMBER	3	0	
5125	MESSAGE_GROUP	6	3899	DISPLAY_COL_NUM	NUMBER	3	0	
5125	MESSAGE_GROUP	7	3900	GROUP_VISIBLE_IND	VARCHAR2	1		
5125	MESSAGE_GROUP	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5125	MESSAGE_GROUP	9		LAST_CHGD_DT	DATE	7		Last changed date
5130	MODULE_MESSAGE_XREF	1	3906	MODULE_MSG_XREF_ID	NUMBER	10	0	
5130	MODULE_MESSAGE_XREF	2	3901	MODULE_MESSAGE_ID	NUMBER	10	0	
5130	MODULE_MESSAGE_XREF	3	3895	MESSAGE_GROUP_ID	NUMBER	10	0	
5130	MODULE_MESSAGE_XREF	4	3911	SSIS_MESSAGE_ID	NUMBER	10	0	
5130	MODULE_MESSAGE_XREF	5	1273	ACTIVE_IND	CHAR	1		
5130	MODULE_MESSAGE_XREF	6	3907	IMAGE_NUM	NUMBER	10	0	
5130	MODULE_MESSAGE_XREF	7	3915	MSG_SEVERITY_CD	VARCHAR2	2		
5130	MODULE_MESSAGE_XREF	8	3916	MSG_NAV_HINT_CD	VARCHAR2	2		
5130	MODULE_MESSAGE_XREF	9	3910	MSG_XPATH	VARCHAR2	4000		
5130	MODULE_MESSAGE_XREF	10	3917	MSG_ACTION_CD	VARCHAR2	2		
5130	MODULE_MESSAGE_XREF	11	3918	SPEC_REF	NUMBER	10	5	
5130	MODULE_MESSAGE_XREF	12	3929	MSG_PREFIX_CD	VARCHAR2	2		
5130	MODULE_MESSAGE_XREF	13		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5130	MODULE_MESSAGE_XREF	14		LAST_CHGD_DT	DATE	7		Last changed date
5135	IVE_CNT_PERS_XREF	1	4003	IVE_CNT_PERS_XREF_ID	NUMBER	10	0	
5135	IVE_CNT_PERS_XREF	2	3999	IVE_ABSTRACT_CNT_ID	NUMBER	10	0	
5135	IVE_CNT_PERS_XREF	2		IVE_ABSTRACT_CNT_ID	NUMBER	10	0	
5135	IVE_CNT_PERS_XREF	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
5135	IVE_CNT_PERS_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5135	IVE_CNT_PERS_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
5200	DT_DECISION_TREE	1	3826	DT_DECISION_TREE_ID	NUMBER	10	0	
5200	DT_DECISION_TREE	2	3819	DT_SQL_ID	NUMBER	10	0	
5200	DT_DECISION_TREE	3	3833	DT_TOOL_TEMPLATE_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
5200	DT_DECISION_TREE	4	3886	YES_TREE_BRANCH_ID	NUMBER	10	0	
5200	DT_DECISION_TREE	5	3887	NO_TREE_BRANCH_ID	NUMBER	10	0	
5200	DT_DECISION_TREE	6	3885	BRANCH_DESC	VARCHAR2	128		
5200	DT_DECISION_TREE	7	3873	TEST_VALUE	VARCHAR2	32		
5200	DT_DECISION_TREE	8	3854	DECISION_CD	VARCHAR2	6		
5200	DT_DECISION_TREE	9	3920	ROOT_NODE_IND	CHAR	1		
5200	DT_DECISION_TREE	10	3980	DT_DECISION_TYPE_CD	VARCHAR2	2		
5200	DT_DECISION_TREE	11		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5200	DT_DECISION_TREE	12		LAST_CHGD_DT	DATE	7		Last changed date
5205	DT_TOOL_DECISION	1	3824	DT_TOOL_DECISION_ID	NUMBER	10	0	
5205	DT_TOOL_DECISION	2	3826	DT_DECISION_TREE_ID	NUMBER	10	0	
5205	DT_TOOL_DECISION	3	3825	DECISION_DESC	VARCHAR2	128		
5205	DT_TOOL_DECISION	4	3827	DECISION_COLUMN_CD	VARCHAR2	6		
5205	DT_TOOL_DECISION	5	3828	DISPLAY_SEQ	NUMBER	10	0	
5205	DT_TOOL_DECISION	6	3829	GRID_COLUMN_NBR	NUMBER	10	0	
5205	DT_TOOL_DECISION	7	3936	PERSON_IND	VARCHAR2	1		
5205	DT_TOOL_DECISION	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5205	DT_TOOL_DECISION	9		LAST_CHGD_DT	DATE	7		Last changed date
5210	DT_TOOL_TAB	1	3823	DT_TOOL_TAB_ID	NUMBER	10	0	
5210	DT_TOOL_TAB	2	3833	DT_TOOL_TEMPLATE_ID	NUMBER	10	0	
5210	DT_TOOL_TAB	3	3834	TAB_DESC	VARCHAR2	32		
5210	DT_TOOL_TAB	4	3835	DT_Q_SET_SELECT_IND	VARCHAR2	1		
5210	DT_TOOL_TAB	5	1694	SORT_ORDER	NUMBER	10	0	NOT USED IN VERSION 3
5210	DT_TOOL_TAB	6	3817	DFT_TO_DISABLED_IND	VARCHAR2	1		
5210	DT_TOOL_TAB	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5210	DT_TOOL_TAB	8		LAST_CHGD_DT	DATE	7		Last changed date
5215	DT_TOOL_TAB_ROLE	1	3836	DT_TOOL_TAB_ROLE_ID	NUMBER	10	0	
5215	DT_TOOL_TAB_ROLE	2	3823	DT_TOOL_TAB_ID	NUMBER	10	0	
5215	DT_TOOL_TAB_ROLE	3	3837	PERSON_DT_ROLE_CD	VARCHAR2	6		
5215	DT_TOOL_TAB_ROLE	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5215	DT_TOOL_TAB_ROLE	5		LAST_CHGD_DT	DATE	7		Last changed date
5220	DT_TAB_Q_SET_XREF	1	3822	DT_TAB_Q_SET_XREF_ID	NUMBER	10	0	
5220	DT_TAB_Q_SET_XREF	2	3823	DT_TOOL_TAB_ID	NUMBER	10	0	
5220	DT_TAB_Q_SET_XREF	3	3812	DT_Q_SET_ID	NUMBER	10	0	
5220	DT_TAB_Q_SET_XREF	4	3891	DISPLAY_ARRANGE_CD	VARCHAR2	6		
5220	DT_TAB_Q_SET_XREF	5	1694	SORT_ORDER	NUMBER	10	0	NOT USED IN VERSION 3
5220	DT_TAB_Q_SET_XREF	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5220	DT_TAB_Q_SET_XREF	7		LAST_CHGD_DT	DATE	7		Last changed date
5225	DT_Q_SET_ROLE	1	3892	DT_Q_SET_ROLE_ID	NUMBER	10	0	
5225	DT_Q_SET_ROLE	2	3812	DT_Q_SET_ID	NUMBER	10	0	
5225	DT_Q_SET_ROLE	3	3837	PERSON_DT_ROLE_CD	VARCHAR2	6		

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
5225	DT_Q_SET_ROLE	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5225	DT_Q_SET_ROLE	5		LAST_CHGD_DT	DATE	7		Last changed date
5230	DT_ANSWER_SET	1	3860	DT_ANSWER_SET_ID	NUMBER	10	0	
5230	DT_ANSWER_SET	2	3811	DT_QUESTION_ID	NUMBER	10	0	
5230	DT_ANSWER_SET	3	3866	ANSWER_SET_DESC	VARCHAR2	64		
5230	DT_ANSWER_SET	4	3867	DFT_ANSWER_SET_IND	VARCHAR2	1		
5230	DT_ANSWER_SET	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5230	DT_ANSWER_SET	6		LAST_CHGD_DT	DATE	7		Last changed date
5235	DT_ANSWER	1	3847	DT_ANSWER_ID	NUMBER	10	0	
5235	DT_ANSWER	2	3860	DT_ANSWER_SET_ID	NUMBER	10	0	
5235	DT_ANSWER	3	3861	CONDITION_SCORE	NUMBER	3	0	
5235	DT_ANSWER	4	3862	ANSWER_SCORE	NUMBER	3	0	
5235	DT_ANSWER	5	3863	ANSWER	VARCHAR2	512		
5235	DT_ANSWER	6	3864	ANSWER_RANGE_LOW	NUMBER	5	0	
5235	DT_ANSWER	7	3865	ANSWER_RANGE_HIGH	NUMBER	5	0	
5235	DT_ANSWER	8	2363	ANSWER_HELP	VARCHAR2	1000		
5235	DT_ANSWER	9	3851	EXCL_FROM_SCORE_IND	VARCHAR2	1		
5235	DT_ANSWER	10	1694	SORT_ORDER	NUMBER	10	0	NOT USED IN VERSION 3
5235	DT_ANSWER	11	3855	OVERRIDE_CD	VARCHAR2	6		
5235	DT_ANSWER	12	3921	APPROVAL_REQ_IND	VARCHAR2	1		
5235	DT_ANSWER	13		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5235	DT_ANSWER	14		LAST_CHGD_DT	DATE	7		Last changed date
5240	DT_COND_QUEST_XREF	1	3868	DT_COND_QUEST_XRF_ID	NUMBER	10	0	
5240	DT_COND_QUEST_XREF	2	3869	DT_CONDITION_ID	NUMBER	10	0	
5240	DT_COND_QUEST_XREF	3	3811	DT_QUESTION_ID	NUMBER	10	0	
5240	DT_COND_QUEST_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5240	DT_COND_QUEST_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
5245	DT_D_TREE_QUEST_XREF	1	3884	DT_DTREE_Q_XREF_ID	NUMBER	10	0	
5245	DT_D_TREE_QUEST_XREF	2	3826	DT_DECISION_TREE_ID	NUMBER	10	0	
5245	DT_D_TREE_QUEST_XREF	3	3811	DT_QUESTION_ID	NUMBER	10	0	
5245	DT_D_TREE_QUEST_XREF	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5245	DT_D_TREE_QUEST_XREF	5		LAST_CHGD_DT	DATE	7		Last changed date
5250	DT_Q_SET	1	3812	DT_Q_SET_ID	NUMBER	10	0	
5250	DT_Q_SET	2	3888	DT_Q_SET_DESC	VARCHAR2	256		
5250	DT_Q_SET	3	3889	PANEL_TEXT	VARCHAR2	128		
5250	DT_Q_SET	4	3890	PANEL_BORDER_IND	VARCHAR2	1		
5250	DT_Q_SET	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5250	DT_Q_SET	6		LAST_CHGD_DT	DATE	7		Last changed date
5255	DT_QUESTION	1	3811	DT_QUESTION_ID	NUMBER	10	0	
5255	DT_QUESTION	2	3812	DT_Q_SET_ID	NUMBER	10	0	
5255	DT_QUESTION	3	1694	SORT_ORDER	NUMBER	10	0	NOT USED IN VERSION 3

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
5255	DT_QUESTION	4	3813	QUESTION_PREFIX	VARCHAR2	5		
5255	DT_QUESTION	5	3814	QUESTION	VARCHAR2	512		
5255	DT_QUESTION	6	2352	SHOW_SCORE_IND	CHAR	1		
5255	DT_QUESTION	7	3815	DT_CONTROL_TYPE_CD	VARCHAR2	6		
5255	DT_QUESTION	8	3816	SHOW_ANS_TEXT_IND	VARCHAR2	1		
5255	DT_QUESTION	9	2362	QUESTION_HELP	VARCHAR2	1000		
5255	DT_QUESTION	10	3817	DFT_TO_DISABLED_IND	VARCHAR2	1		
5255	DT_QUESTION	11	3818	DFT_NOT_VISIBLE_IND	VARCHAR2	1		
5255	DT_QUESTION	12		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5255	DT_QUESTION	13		LAST_CHGD_DT	DATE	7		Last changed date
5260	DT_CONDITION_EFFECT	1	3876	DT_CONDITION_EFF_ID	NUMBER	10	0	
5260	DT_CONDITION_EFFECT	2	3869	DT_CONDITION_ID	NUMBER	10	0	
5260	DT_CONDITION_EFFECT	3	3812	DT_Q_SET_ID	NUMBER	10	0	
5260	DT_CONDITION_EFFECT	4	3811	DT_QUESTION_ID	NUMBER	10	0	
5260	DT_CONDITION_EFFECT	5	3833	DT_TOOL_TEMPLATE_ID	NUMBER	10	0	
5260	DT_CONDITION_EFFECT	6	3826	DT_DECISION_TREE_ID	NUMBER	10	0	
5260	DT_CONDITION_EFFECT	7	3911	SSIS_MESSAGE_ID	NUMBER	10	0	
5260	DT_CONDITION_EFFECT	8	3823	DT_TOOL_TAB_ID	NUMBER	10	0	
5260	DT_CONDITION_EFFECT	9	3860	DT_ANSWER_SET_ID	NUMBER	10	0	
5260	DT_CONDITION_EFFECT	10	3847	DT_ANSWER_ID	NUMBER	10	0	
5260	DT_CONDITION_EFFECT	11	3877	CONDITION_EFF_DESC	VARCHAR2	256		
5260	DT_CONDITION_EFFECT	12	3878	DT_AFFECTED_TYPE_CD	VARCHAR2	6		
5260	DT_CONDITION_EFFECT	13	3879	RUN_SEQUENCE	NUMBER	5	0	
5260	DT_CONDITION_EFFECT	14	3880	EFFECT_CD	VARCHAR2	6		
5260	DT_CONDITION_EFFECT	15		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5260	DT_CONDITION_EFFECT	16		LAST_CHGD_DT	DATE	7		Last changed date
5265	DT_CONDITION	1	3869	DT_CONDITION_ID	NUMBER	10	0	
5265	DT_CONDITION	2	3875	DT_CONDITION_SET_ID	NUMBER	10	0	
5265	DT_CONDITION	3	3826	DT_DECISION_TREE_ID	NUMBER	10	0	
5265	DT_CONDITION	4	3870	CONDITION_DESC	VARCHAR2	256		
5265	DT_CONDITION	5	3871	EVALUATION_SEQUENCE	NUMBER	5	0	
5265	DT_CONDITION	6	3872	COMPARISON_OP_CD	VARCHAR2	6		
5265	DT_CONDITION	7	3873	TEST_VALUE	VARCHAR2	32		
5265	DT_CONDITION	8	3874	PLSQL_IND	VARCHAR2	1		
5265	DT_CONDITION	9	3938	RUN_ON_OPEN_IND	VARCHAR2	1		
5265	DT_CONDITION	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5265	DT_CONDITION	11		LAST_CHGD_DT	DATE	7		Last changed date
5270	DT_CONDITION_SET	1	3875	DT_CONDITION_SET_ID	NUMBER	10	0	
5270	DT_CONDITION_SET	2	3811	DT_QUESTION_ID	NUMBER	10	0	
5270	DT_CONDITION_SET	3	3812	DT_Q_SET_ID	NUMBER	10	0	
5270	DT_CONDITION_SET	4	3823	DT_TOOL_TAB_ID	NUMBER	10	0	

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
5270	DT_CONDITION_SET	5	3833	DT_TOOL_TEMPLATE_ID	NUMBER	10	0	
5270	DT_CONDITION_SET	6	3826	DT_DECISION_TREE_ID	NUMBER	10	0	
5270	DT_CONDITION_SET	7	3881	CONDITION_SET_DESC	VARCHAR2	256		
5270	DT_CONDITION_SET	8	3882	DT_DRIVER_TYPE_CD	VARCHAR2	6		
5270	DT_CONDITION_SET	9	3883	EVENT_TYPE_CD	VARCHAR2	6		
5270	DT_CONDITION_SET	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5270	DT_CONDITION_SET	11		LAST_CHGD_DT	DATE	7		Last changed date
5275	DT_TOOL_TMPL_ROLE	1	3842	DT_TOOL_TMPL_ROLE_ID	NUMBER	10	0	
5275	DT_TOOL_TMPL_ROLE	2	3833	DT_TOOL_TEMPLATE_ID	NUMBER	10	0	
5275	DT_TOOL_TMPL_ROLE	3	3837	PERSON_DT_ROLE_CD	VARCHAR2	6		
5275	DT_TOOL_TMPL_ROLE	4	3843	ROLE_REQUIRED_IND	VARCHAR2	1		
5275	DT_TOOL_TMPL_ROLE	5	3844	LIMIT_TO_ONE_IND	VARCHAR2	1		
5275	DT_TOOL_TMPL_ROLE	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5275	DT_TOOL_TMPL_ROLE	7		LAST_CHGD_DT	DATE	7		Last changed date
5280	DT_TOOL_TEMPLATE	1	3833	DT_TOOL_TEMPLATE_ID	NUMBER	10	0	
5280	DT_TOOL_TEMPLATE	2	3838	WG_BASED_TOOL_IND	VARCHAR2	1		
5280	DT_TOOL_TEMPLATE	3	3839	DT_TEMPLATE_DESC	VARCHAR2	64		
5280	DT_TOOL_TEMPLATE	4	3840	DTT_VERSION	VARCHAR2	32		
5280	DT_TOOL_TEMPLATE	5	3841	DT_TMPL_STATUS_CD	VARCHAR2	6		
5280	DT_TOOL_TEMPLATE	6	3979	DT_TOOL_TYPE_CD	VARCHAR2	2		
5280	DT_TOOL_TEMPLATE	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5280	DT_TOOL_TEMPLATE	8		LAST_CHGD_DT	DATE	7		Last changed date
5285	DT_TOOL_HEADER	1	3830	DT_TOOL_HEADER_ID	NUMBER	10	0	
5285	DT_TOOL_HEADER	2	3833	DT_TOOL_TEMPLATE_ID	NUMBER	10	0	
5285	DT_TOOL_HEADER	3	3831	HEADER_COLUMN_CD	VARCHAR2	6		
5285	DT_TOOL_HEADER	4	3832	HEADER_DESCRIPTION	VARCHAR2	32		
5285	DT_TOOL_HEADER	5	3828	DISPLAY_SEQ	NUMBER	10	0	
5285	DT_TOOL_HEADER	6	3829	GRID_COLUMN_NBR	NUMBER	10	0	
5285	DT_TOOL_HEADER	7		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5285	DT_TOOL_HEADER	8		LAST_CHGD_DT	DATE	7		Last changed date
5290	DT_SQL	1	3819	DT_SQL_ID	NUMBER	10	0	
5290	DT_SQL	2	3820	SQL_DESCRIPTION	VARCHAR2	128		
5290	DT_SQL	3	3821	SQL_TO_RUN	CLOB	4000		
5290	DT_SQL	4		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5290	DT_SQL	5		LAST_CHGD_DT	DATE	7		Last changed date
5295	DT_TOOL_WG_RULES	1	3845	DT_TOOL_WG_RULES_ID	NUMBER	10	0	
5295	DT_TOOL_WG_RULES	2	3833	DT_TOOL_TEMPLATE_ID	NUMBER	10	0	
5295	DT_TOOL_WG_RULES	3	1184	WG_TYPE_CD	CHAR	1		Assessment or Case Management.
5295	DT_TOOL_WG_RULES	4	2556	SUBPROG_ID	NUMBER	10	0	
5295	DT_TOOL_WG_RULES	5	1942	TRACK_CD	VARCHAR2	1		
5295	DT_TOOL_WG_RULES	6		LAST_CHGD_BY	NUMBER	10	0	Last changed by

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
5295	DT_TOOL_WG_RULES	7		LAST_CHGD_DT	DATE	7		Last changed date
5300	TI_TOOL	1	3856	TI_TOOL_ID	NUMBER	10	0	
5300	TI_TOOL	2	3833	DT_TOOL_TEMPLATE_ID	NUMBER	10	0	
5300	TI_TOOL	3	843	WG_ID	NUMBER	10	0	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.
5300	TI_TOOL	4	763	STAFF_ID	NUMBER	10	0	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.
5300	TI_TOOL	5	4079	APPROVE_STAFF_ID	NUMBER	10	0	
5300	TI_TOOL	6	3857	TOOL_CREATE_DT	DATE	7		
5300	TI_TOOL	7	3858	TOOL_ASSESSMENT_DT	DATE	7		
5300	TI_TOOL	8	3859	TOOL_FINALIZE_DT	DATE	7		
5300	TI_TOOL	9	2196	TOOL_STATUS_CD	VARCHAR2	2		Indicates the completeness of the tool
5300	TI_TOOL	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5300	TI_TOOL	11		LAST_CHGD_DT	DATE	7		Last changed date
5305	TI_DECISION	1	3852	TI_DECISION_ID	NUMBER	10	0	
5305	TI_DECISION	2	3856	TI_TOOL_ID	NUMBER	10	0	
5305	TI_DECISION	3	3848	TI_PERSON_ID	NUMBER	10	0	
5305	TI_DECISION	4	3826	DT_DECISION_TREE_ID	NUMBER	10	0	
5305	TI_DECISION	5	3853	CALCULATED_SCORE	NUMBER	5	0	
5305	TI_DECISION	6	3854	DECISION_CD	VARCHAR2	6		
5305	TI_DECISION	7	3855	OVERRIDE_CD	VARCHAR2	6		
5305	TI_DECISION	8		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5305	TI_DECISION	9		LAST_CHGD_DT	DATE	7		Last changed date
5310	TI_ANSWER	1	3846	TI_ANSWER_ID	NUMBER	10	0	
5310	TI_ANSWER	2	3811	DT_QUESTION_ID	NUMBER	10	0	
5310	TI_ANSWER	3	3847	DT_ANSWER_ID	NUMBER	10	0	
5310	TI_ANSWER	4	3848	TI_PERSON_ID	NUMBER	10	0	
5310	TI_ANSWER	5	3856	TI_TOOL_ID	NUMBER	10	0	
5310	TI_ANSWER	6	3849	TI_ANSWER_SCORE	NUMBER	3	0	
5310	TI_ANSWER	7	3850	TI_ANSWER_TEXT	VARCHAR2	1024		
5310	TI_ANSWER	8	3851	EXCL_FROM_SCORE_IND	VARCHAR2	1		
5310	TI_ANSWER	9	2315	PRIORITY_IND	CHAR	1		
5310	TI_ANSWER	10		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5310	TI_ANSWER	11		LAST_CHGD_DT	DATE	7		Last changed date
5315	TI_PERSON	1	3848	TI_PERSON_ID	NUMBER	10	0	
5315	TI_PERSON	2	3856	TI_TOOL_ID	NUMBER	10	0	
5315	TI_PERSON	3	625	PERSON_ID	NUMBER	10	0	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.
5315	TI_PERSON	4	3837	PERSON_DT_ROLE_CD	VARCHAR2	6		
5315	TI_PERSON	5		LAST_CHGD_BY	NUMBER	10	0	Last changed by
5315	TI_PERSON	6		LAST_CHGD_DT	DATE	7		Last changed date

12.2 Database Layout.xlsx

Trans Code	Table Name	Seq	Field ID	Field Name	Type	Length	Decimals	Description
5330	DT_XML_DATA	1	4059	DT_XML_DATA_ID	NUMBER	10	0	
5330	DT_XML_DATA	2	4060	XML_1	CLOB	4000		
5330	DT_XML_DATA	3	4061	TBL_1	VARCHAR2	32		
5330	DT_XML_DATA	4	4062	XML_2	CLOB	4000		
5330	DT_XML_DATA	5	4063	TBL_2	VARCHAR2	32		
5330	DT_XML_DATA	6	4064	XML_3	CLOB	4000		
5330	DT_XML_DATA	7	4065	TBL_3	VARCHAR2	32		
5330	DT_XML_DATA	8	4066	XML_4	CLOB	4000		
5330	DT_XML_DATA	9	4067	TBL_4	VARCHAR2	32		