

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ACTIVITY (200) Data Type (DATE [30])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ACTIVITY_DESC	(5)	N	Free form text. See SSIS Transaction Edit Guide: 200-1.	An allowable User activity, such as viewing or editing data	11/19/1998	
ACTIVITY_ID	(854)	N	Integer. See SSIS Codes Table.	Unique, system-generated identifier of an ACTIVITY table row. May also be used as a data element To initialize, must be set to spaces.	05/23/2001	
ADDRESS (2320) Data Type (DATE [100])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ADDR_1	(1676)	N			03/23/1999	
ADDR_2	(1677)	Y			03/23/1999	
ADDR_3	(1678)	Y			03/23/1999	
ADDRESS_ID	(2398)	Y			02/28/2003	
CITY	(126)	N	See SSIS Transaction Edit Guide: 515-1; 810-1.	City	11/19/1998	
CNTY_CD	(133)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998	
CONCAT_ADDR	(2661)	Y			07/19/2004	
COUNTRY	(181)	Y		Country Name (as used in an address)	01/01/1998	
DIRECTIONS	(206)	Y	Free form text.	Text directions on how to get to this address	11/01/2001	
FOREIGN_POST_CODE	(394)	Y		Foreign Postal Code	01/01/1998	
FOREIGN_STATE_PROV	(2354)	N			09/26/2001	
STATE_CD	(773)	Y	See SSIS Codes Table. May be left blank for non-US addresses. See SSIS Transaction Edit Guide: 120-4.	U.S. Postal Code abbreviation.	05/10/1999	
UPPER_CITY	(1350)	N		City name in upper case.	12/04/1998	
ZIP_CODE	(851)	Y	nnnnn	First 5 digits of the zip code	01/01/1998	
ZIP_CODE_EXT	(852)	N	nnnn	6th through 9th digits of the zip code	01/01/1998	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ADOPT_CHILD_ENROLL (485) Data Type (CHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ADOPT_CHILD_ENR_ID	(1745)	N	Integer	Unique, system-generated identifier for a ADOPT_CHILD_ENROLL table row. May also be used as a data element. To initialize, must be set to spaces.	01/21/2000	
ADOPTION_ID	(1744)	N	Integer. See Transaction Edit Guide: 460-2; 480-2; 485-1;490-1.	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001	
CHILD_ENROLL_CD	(1762)	N	See SSIS Codes Table. See Transaction Edit Guide: 485-2.	Type(s) of school settings in which a child may be enrolled (multiple table rows may be entered).	08/27/2001	

ADOPT_CHILD_EXPER (480) Data Type (CHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ADOPT_CHILD_EXP_ID	(1746)	N	Integer	Unique, system-generated identifier for an ADOPT_CHILD_EXPER table row. May also be used as a data element. To initialize, must be set to spaces.	01/20/2000	
ADOPTION_ID	(1744)	N	Integer. See Transaction Edit Guide: 460-2; 480-2; 485-1;490-1.	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001	
CHILD_EXPER_CD	(1763)	N	See SSIS Codes Table. See Transaction Edit Guide: 480-3.	Type(s) of maltreatment this adoptive child has experienced (multiple table rows may be entered).	08/27/2001	

ADOPT_CONT_AGRMNT (465) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ADOPT_CONT_AGR_ID	(1747)	N	Integer	Unique, system-generated identifier for an ADOPT_CONT_AGRMNT table row. May also be used as a data element. To initialize, must be set to spaces.	11/18/1999	
ADOPTION_ID	(1744)	N	Integer. See Transaction Edit Guide: 460-2; 480-2; 485-1;490-1.	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001	
CONT_AGREEMENT_CD	(1768)	N	See SSIS Codes Table. See Transaction Edit Guide: 465-1		05/11/2001	

ADOPT_PETITION (470) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ADOPT_PARENT1_ID	(1867)	N	Integer	The PERSON_ID for the first adopting parent.	12/20/1999	
ADOPT_PARENT2_ID	(1868)	Y	Integer	The PERSON_ID for the second adopting parent.	12/20/1999	
ADOPT_PLCMT_DT	(1752)	N	The date that this child was placed for adoption in this home.	The date that this chld was placed for adoption in this home.	01/24/2000	
ADOPTDATE_TYPE_CD	(1743)	Y	See SSIS Codes Table.	The type of adoptive placement that occurred on the ADOPT_PLCMT_DT.	05/11/2001	
ADOPTION_ID	(1744)	Y	Integer. See Transaction Edit Guide: 460-2; 480-2; 485-1;490-1.	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001	
FIRST_PLCMTPET_IND	(1777)	N	Y/N	Is this the first adoption placement petition for this child?	01/24/2000	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ADOPT_PETITION (470) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
REASN_NOTPLCDBY_CD	(1804)	Y	See SSIS Codes Table.	When a child is not placed by an agency, the reason why.	05/11/2001
WILLRESIDE_ADDR_ID	(1821)	Y	Integer	ADDRESS_ID for the address where the adoptee will reside.	01/24/2000
ADOPT_RECRUITMENT (490) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADOPT_RECRUIT_ID	(1753)	N	Integer	Unique, system-generated identifier for an ADOPT_RECRUITMENT table row. May also be used as a data element. To initialize, must be set to spaces.	01/21/2000
ADOPTION_ID	(1744)	N	Integer. See Transaction Edit Guide: 460-2; 480-2; 485-1;490-1.	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001
RECRUIT_OPTION_CD	(1806)	N	See SSIS Codes Table. See Transaction Edit Guide: 490-2.	The type of recruitment options which the agency will approve for this child's adoptive placement consideration.	08/27/2001
ADOPT_SAE_PREFCHAR (475) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADOPTION_ID	(1744)	N	Integer. See Transaction Edit Guide: 460-2; 480-2; 485-1;490-1.	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001
PREF_CHARACTER	(1802)	N	Free form text.	The agency's preferred characteristics for an adopting family for this child.	11/18/1999
ADOPTION (415) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADOPT_STATUS_CD	(17)	Y	See SSIS Codes Table.	CSIS codes	03/20/2000
ADOPTION_ID	(1744)	Y	Integer. See Transaction Edit Guide: 460-2; 480-2; 485-1;490-1.	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001
ADOPTPET_RPT_DT	(1866)	Y			12/20/1999
ALLEG_FATHER_IND	(2691)	Y			10/06/2004
CHILD_PLC_BY_CD	(3086)	Y			01/31/2006
CHILD_PLC_FROM_CD	(3087)	N			01/31/2006
CNTY_COMMITMENT_CD	(1766)	Y	See: SSIS Codes Table.		05/15/2001
CONTPLCMT_ID	(2614)	Y			06/04/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ADOPTION		(415)	Data Type (VARCHAR [1])			
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
FOSTERPRNT1_REL_CD	(1778)	Y	See SSIS Codes table.	Fosterparent relationship	06/21/2001	
FOSTERPRNT2_REL_CD	(1779)	Y	See SSIS Codes table.	Fosterparent relationship	06/21/2001	
MONTHLY_AA_AMOUNT	(3084)	N			01/31/2006	
MONTHLY_AA_IVA_IND	(3083)	Y			01/31/2006	
MONTHLY_AA_MAINT_IND	(3085)	N			01/31/2006	
OTHER_AGENCY_ROLE_CD	(1822)	Y	See SSIS Codes Table.		05/11/2001	
OTHER_AGENCY_CD	(1870)	Y	See SSIS Codes Table		07/23/2001	
OTHER_CONTACT_NAME	(1789)	Y			11/18/1999	
OTHER_PHONE	(1790)	Y			11/18/1999	
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
PRNT_1_ID	(2678)	Y			09/15/2004	
PRNT_2_ID	(2677)	Y			09/15/2004	
PRNT1_MSTAT_BTH_CD	(1872)	Y	See SSIS Codes Table.		06/21/2001	
PRNT1_MSTAT_REL_CD	(1873)	Y	See SSIS Codes Table.		06/21/2001	
PRNT2_MSTAT_BTH_CD	(1874)	N	See SSIS Codes Table		06/21/2001	
PRNT2_MSTAT_REL_CD	(1875)	Y	See SSIS Codes Table		06/21/2001	
RESP_AGENCY_CD	(1810)	Y	See SSIS Codes Table.		01/12/2000	
RESP_AGENCY_PHN	(1811)	Y			11/18/1999	
RESP_AGENCY_SUP	(1812)	Y			11/18/1999	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ADOPTION (415) Data Type (VARCHAR [14])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
RESP_AGENCY_SUPPH N	(1823)	Y			11/23/1999	
RESP_AGENCY_WRKR	(1813)	Y			11/18/1999	
RSP_AGCY_WKR_EMAI L	(2672)	Y			08/24/2004	
SAE_RPT_DT	(1877)	Y			12/20/1999	
STATE_INVOLV_IND	(3088)	Y			01/31/2006	
STATEWARD_RPT_DT	(1878)	Y			12/20/1999	
STRUCT_AD_FAM_CD	(780)	Y	See SSIS Codes Table.	Afcars AD 22: Structure of the Adoptive family	04/13/1999	
SUPERVIS_AGENCY_C D	(1816)	Y	See SSIS Codes Table.		01/12/2000	
TERM_COMPLETE_1_IN D	(2682)	Y			09/17/2004	
TERM_COMPLETE_2_IN D	(2681)	Y			09/17/2004	
TERM_PROG_1_DT	(2690)	Y			10/06/2004	
TERM_PROG_2_DT	(2689)	Y			10/06/2004	
TERM_PROG_DT_1_CD	(2680)	Y			09/17/2004	
TERM_PROG_DT_2_CD	(2679)	Y			09/17/2004	
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	

ADOPTION_CHILD (492) Data Type (CHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ADOPTION_ID	(1744)	N	Integer. See Transaction Edit Guide: 460-2; 480-2; 485-1;490-1.	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001	
BAPTISM_DT	(1756)	Y	YYYYMMDD	The date on which a child was baptized, if applicable.	01/21/2000	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ADOPTION_CHILD (492) Data Type (DATE [20])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BIRTH_CITY	(1757)	Y	Free form text.	The city in which the child was born.	11/18/1999
BIRTH_CNTY	(1758)	Y	Free form text.	The county in which the child was born.	11/18/1999
BIRTH_COUNTRY	(1759)	N	Free form text.	The country in which the child was born. For non-foreign adoptions, enter "USA".	11/18/1999
BIRTH_NAME	(1760)	N	Free form text.	The full name given to the child at birth, typically the name entered on the original birth certificate.	11/18/1999
BIRTH_STATE_CD	(1761)	N	See SSIS Codes Table.	The state in which the child was born.	01/21/2000
DENOMINATION	(1772)	Y	Free form text.	The religious denomination which the child (or his or her parents) claim.	11/18/1999
OTHER_CEREMONY	(1787)	N	Free form text.	The name of the religious/spiritual ceremony other than baptism for the child.	11/18/1999
OTHER_CEREMONY_DT	(1788)	N	YYYYMMDD	The date on which the religious or spiritual ceremony other than baptism was held.	01/21/2000

ADOPTION_SAE (455) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADOPTION_ID	(1744)	Y	Integer. See Transaction Edit Guide: 460-2; 480-2; 485-1;490-1.	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001
APPROVED_SEP_DT	(1755)	Y	YYYYMMDD	The date on which the separation of birth siblings was approved by the DHS Adoption Unit.	01/20/2000
CHILD_PERSONALITY	(1764)	N	Free form text.	Worker's description of child's personality.	01/20/2000
DEF_LETTER_ATT_IND	(1770)	Y	Y/N. See Transaction Edit Guide: 455-2.	Is a deferral request letter sent with this child's registration for the State Adoption Exchange (SAE)?	01/20/2000
DEF_LETTER_DT	(1771)	Y	YYYYMMDD	Date on which the county anticipates the State Adoption Exchange (SAE) deferral request letter will be sent to DHS.	01/20/2000
DENOMINATION_PREF	(1869)	Y	Free form text.	Religious denomination preference, if any, of the child or his/her birth parents.	12/20/1999
ELIG_MA_IND	(1773)	N	Y/N	Is this child eligible for adoption assistance - medical only?	01/20/2000
ELIG_MNT_ASST_IND	(1774)	N	Y/N	Is this child eligible for adoption maintenance assistance?	01/20/2000
LEGALLY_AT_RISK_CD	(1781)	N	See SSIS Codes Table.	Indicates the type of legal risk for a legally at risk adoption. The application defaults this code to '2'. Not legally at risk.	05/11/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ADOPTION_SAE (455) Data Type (CHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MATERIALS_ATT_IND	(1784)	N	Y/N. See Transaction Edit Guide: 455-1.	Indicates whether or not State Adoption Exchange (SAE) materials are sent at the time of the child's registration.	01/20/2000
MATERIALS_DT	(1785)	Y	YYYYMMDD	Date on which the court anticipates the child's follow-up registration materials will be sent.	01/20/2000
PRESENT_SCHOOL_GR D	(1803)	Y	The child's current grade in school, as of the submission of the State Adoption Exchange (SAE) registration materials.		11/18/1999
REASON_FOR_DEF_CD	(1805)	Y	See SSIS Codes Table.	Reason for deferral from State Adoption Exchange (SAE).	05/11/2001
REGISTER_CD	(1807)	Y	See SSIS Codes Table.	For children older than 14 years, indicates future plan for registration on State Adoption Exchange (SAE) if not being registered at time of submission of TPR info.	05/11/2001
REL_PREF_CD	(1876)	N	See SSIS Codes Table.	Religious preference, if any, of the child or his/her birth parents.	12/20/1999
SCHOOL_YEAR	(1814)	N	YYYY (only one four digit year is stored in the database; two four digit years are displayed in the application).	The first year of the current school year. For example, in a school year spanning the years 2000/2001, 2000 is the School_Year.	11/18/1999

ADOPTION_SIBLING (460) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADOPT_SIBLING_ID	(1754)	N	Integer	Unique, system-generated identifier for an ADOPTION_SIBLING table row. May also be used as a data element. To initialize, must be set to spaces.	01/21/2000
ADOPTION_ID	(1744)	N	Integer. See Transaction Edit Guide: 460-2; 480-2; 485-1;490-1.	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001
CHILD_REQ_CONT_IND	(1765)	N	Y/N. See Transaction Edit Guide: 460-5.	Indicates whether contact is required with this particular sibling.	01/21/2000
COMMITMENT_DT	(1767)	N	YYYYMMDD	The date that this particular sibling was committed as a state ward of the Commissioner of the DHS.	01/21/2000
FATHER_ALLEGED_IND	(1775)	Y	Y/N	Indicates whether the father is "alleged" to be the birth parent, as opposed to being adjudicated or admitting to be the birth parent.	01/21/2000
FATHER_NAME	(1776)	N	Free form text.	The name of the birth father of this particular sibling.	11/18/1999
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PLACE_WITH_IND	(1794)	N	Y/N. See Transaction Edit Guide: 460-4.	Indicates whether the child should be placed with this particular sibling.	01/21/2000

AGENCY (4620) Data Type (DATE [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGENCY_CD	(4565)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

AGENCY (4620) Data Type (VARCHAR [65])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGENCY_DESCRIPTION	(4567)	N			
AGENCY_TYPE_CD	(4566)	N			
FED_TID	(381)	N		Federal Tax ID	01/01/1998
ISA_CTRL_NUM	(3329)	N			10/02/2006
MMIS_PROV_NUM	(490)	N		MMIS Provider Number	01/01/1998
NPI	(2662)	N			08/03/2004
SYSTEM_AGENCY_IND	(4568)	Y			

AGENCY_RELATION_XREF (4625) Data Type (VARCHAR [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGENCY_CD	(4565)	N			
AGENCY_REL_XREF_ID	(4569)	N			
SYSTEM_AGENCY_CD	(4570)	N			

AP_ALLEG (4705) Data Type (DATE [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ALLEG_DETERM_CD	(3445)	Y			10/05/2007
ALLEG_DETERM_DT	(3289)	Y			09/27/2006
AP_ALLEG_ID	(3471)	N			10/05/2007
AP_RPT_ID	(3469)	Y			10/05/2007
APPEAL_DETERM_CD	(3443)	Y			10/05/2007
FIDUCIARY_REL_CD	(3412)	N			10/05/2007

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

AP_ALLEG (4705) Data Type (VARCHAR [120])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
OFF_MORE_INFO	(3414)	Y			10/05/2007
OFF_NATURE	(3413)	Y			10/05/2007
OFFENDER_ID	(1523)	Y	Integer. See SSIS Transaction Edit Guide: 905-3.	Unique system-generated identifier for a PERSON table row, for a person alleged to be a maltreatment offender.	03/22/1999
PERPETRATOR_DESC	(3472)	N			10/24/2007
PREV_MALT_CD	(3442)	Y			10/05/2007

AP_ALLEG_APPEAL (4710) Data Type (DATE [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ALLEG_DETERM_CD	(3445)	N			10/05/2007
AP_ALLEG_APPEAL_ID	(3415)	N			10/05/2007
AP_ALLEG_ID	(3471)	N			10/05/2007
AP_APPEAL_VENUE_CD	(3470)	N			10/05/2007
DECISION_DT	(2374)	N			11/06/2001

AP_ALLEG_DET_XREF (4708) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AP_ALLEG_DET_XREF_ID	(8600)	N			
AP_ALLEG_ID	(3471)	N			10/05/2007
CC_ALLEG_DETAIL_ID	(8482)	N			

AP_LEAD_AGENCY (4730) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AP_LEAD_AGENCY_ID	(3441)	N			10/05/2007
AP_REFERRAL_ID	(3432)	N			10/05/2007

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

AP_LEAD_AGENCY (4730) Data Type (NUMBER [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
LEAD_AGENCY_CD	(3440)	N			10/05/2007

AP_REFERRAL (4715) Data Type (VARCHAR [300])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AP_BOUNCE_REASON	(9181)	Y			
AP_CNTY_CD	(3463)	N			10/05/2007
AP_CONTACT_NAME	(3461)	Y			10/05/2007
AP_CONTACT_PHONE	(3460)	N			10/05/2007
AP_DT	(3462)	N			10/05/2007
AP_IND	(3464)	Y			10/05/2007
AP_REFERRAL_ID	(3432)	Y			10/05/2007
AP_RPT_ID	(3469)	Y			10/05/2007
BOUNCE_REFERRAL_D T	(8702)	Y			
BUS_ORG_ID	(2419)	Y			02/28/2003
CEP_TO_LAW_DT	(3451)	Y			10/05/2007
CEP_TO_LAW_IND	(3452)	Y			10/05/2007
CRIMINAL_ACT_IND	(3455)	Y			10/05/2007
LAW_AGENCY_CNTY_C D	(3450)	N			10/05/2007
LEAD_AGENCY_CD	(3440)	Y			10/05/2007
LEAD_AGENCY_CNTY_ CD	(3457)	Y			10/05/2007

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

AP_REFERRAL (4715) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
LEAD_AGENCY_DT	(3458)	Y			10/05/2007
LEAD_AGENCY_IND	(3459)	Y			10/05/2007
LEAD_AGENCY_STATE_CD	(3456)	Y			10/05/2007
MEDICAL_EXAM_DT	(8402)	Y			
MEDICAL_EXAM_IND	(8401)	Y			
MH_DD_OMBUDDS_DT	(8404)	Y			
MH_DD_OMBUDDS_IND	(8403)	Y			
OUT_ST_LAW_AGCY_C ONT	(3437)	N			10/05/2007
OUT_ST_LAW_AGCY_N AME	(3438)	Y			10/05/2007
OUT_ST_LAW_AGCY_P HON	(3436)	Y			10/05/2007
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
POLICE_REPORT_CD	(3453)	Y			10/05/2007
POLICE_REPORT_NUM	(2438)	Y			02/28/2003
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
VA_CRIME_CD	(3454)	Y			10/05/2007
VA_CRIME_OTHER	(3439)	Y			10/05/2007

AP_RPT (4700) Data Type (VARCHAR [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AP_RPT_END_DT	(3447)	Y			10/05/2007

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

AP_RPT	(4700)	Data Type (NUMBER	[10])			
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
AP_RPT_ID	(3469)	N			10/05/2007	
AP_RPT_SOURCE_CD	(3448)	Y			10/05/2007	
AP_RPT_STATUS_CD	(3449)	Y			10/05/2007	
CALLER_DISP_FIN_IND	(3421)	Y			10/05/2007	
CALLER_DISP_INIT_IND	(3422)	Y			10/05/2007	
CALLER_PERSON_ID	(3419)	Y			10/05/2007	
CALLER_PROTECT_IND	(3446)	Y			10/05/2007	
CALLER_REFUSE_IND	(3494)	Y			02/07/2008	
CC_AP_RPT_ID	(8488)	Y				
CORRECTIVE_ACTION	(3429)	Y			10/05/2007	
EST_INCIDENT_DT	(3012)	Y			06/16/2005	
IMMINENT_DANGER_IN D	(1133)	Y	Y/N	Does this child maltreatment report involves imminent danger to the child(ren)?	01/04/1999	
INCIDENT_BUS_ORG_ID	(3475)	Y			11/14/2007	
INCIDENT_COMMUN_C D	(3428)	Y			10/05/2007	
INCIDENT_DESCRIPTOR	(3420)	Y			10/05/2007	
INCIDENT_LOCATION	(3431)	N			10/05/2007	
INCIDENT_SPNDX_ID	(3416)	N			10/05/2007	
INT_INVESTIGATE_IND	(3430)	Y			10/05/2007	
ISSUED_BY_CD	(1205)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 820-7; 820-18; entry is required.	The state or tribal agency that issued the actual license.	08/28/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

AP_RPT (4700) Data Type (VARCHAR [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
MAND_REPORTER_IND	(3278)	Y			09/27/2006	
NURSING_HOME_RPT_NUM	(4279)	Y			05/03/2012	
RECEIVED_BY	(3424)	Y			10/05/2007	
RECEIVED_BY_PHONE	(3425)	Y			10/05/2007	
RECEIVED_STAFF_ID	(3418)	Y			10/05/2007	
REPORT_COMPLAINT_IND	(3495)	Y			02/07/2008	
VA_BUS_ORG_ID	(3474)	Y			11/14/2007	
VA_CLASSIFICATION_CD	(3426)	Y			10/05/2007	
VA_DECEASED_IND	(8405)	N				
VA_DECEASED_MALT_IND	(8406)	Y				
VA_DIAGNOSIS	(3423)	N			10/05/2007	
VA_LIVING_SIT_IND	(3427)	Y			10/05/2007	
VA_SERIOUS_INJURY_IND	(8407)	Y				
VA_SPNDX_ID	(3417)	Y			10/05/2007	
VICTIM_ID	(1525)	Y	Integer. See SSIS Transaction Edit Guide: 905-2.	Unique system-generated identifier for a PERSON table row, for a person alleged to be a victim of maltreatment.	03/22/1999	
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	
AP_RPT_DISABILITY (4725) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
AP_RPT_DISABILITY_ID	(3465)	N			10/05/2007	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

AP_RPT_DISABILITY (4725) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AP_RPT_ID	(3469)	N			10/05/2007
VA_DISABILITY_CD	(3468)	N			10/05/2007

AP_RPT_DIST_LIST (4735) Data Type (VARCHAR [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AP_DIST_LIST_CD	(3478)	Y			12/18/2007
AP_RPT_DIST_LIST_ID	(3482)	Y			12/18/2007
AP_RPT_ID	(3469)	Y			10/05/2007
APDL_NAME	(3477)	N			12/18/2007
INCLUDE_CALLER_IND	(3480)	Y			12/18/2007
INCLUDE_IND	(3481)	N			12/18/2007
PRINTED_IND	(3479)	N			12/18/2007

AP_RPT_DL_PHONE_XREF (4740) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AP_RPT_DIST_LIST_ID	(3482)	N			12/18/2007
AP_RPT_DL_PHNXREF_ID	(3483)	N			12/18/2007
PHONE_ID	(2412)	N			02/28/2003
PHONE_TYPE_CD	(1165)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 590-1.		04/15/1999

AP_RPT_ROLES (4720) Data Type (DATE [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AP_ROLE_CD	(3434)	N			10/05/2007
AP_RPT_ID	(3469)	Y			10/05/2007

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

AP_RPT_ROLES (4720) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AP_RPT_ROLES_ID	(3435)	N			10/05/2007
OTHER_AP_ROLE_INFO	(3433)	N			10/05/2007
PERSON_ID1	(3467)	Y			10/05/2007
PERSON_ID2	(3466)	N			10/05/2007

APPROVAL (1945) Data Type (NUMBER [400])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
APPROVAL_COMMENT S	(1947)	Y	Freeform text.		05/01/2001
APPROVAL_ID	(1948)	N	Integer	Unique, system-generated identifier for an APPROVAL table row. May also be used as a data element. To initialize, must be set to spaces.	04/27/2001
APPROVE_STAT_CD	(1951)	Y	See SSIS Codes Table	Identifies status of application.	05/01/2001
APPROVE_STAT_DT	(1952)	N	YYYYMMDD	Approval status date.	05/01/2001
AUTHENTICATION	(1958)	N		NOT USED IN VERSION3	05/01/2001
REQ_STAFF_ID	(2259)	Y	Integer	Id number of the user requesting the approval.	05/01/2001
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001

AUTHORIZED_SERVICE (1105) Data Type (NUMBER [200])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AUTH_DESCRIPTION	(1611)	N	Free form text.		02/18/1999
AUTH_ID	(84)	N	Integer. See Transaction Edit Guide: 1105-7.	Unique, system-generated identifier for a SERVICE_AUTH table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001
AUTH_SERVICE_ID	(85)	N	Integer	Unique, system-generated identifier for an AUTHORIZED_SERVICE table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999
BRASS_SVC_ID	(2548)	Y			05/04/2004
CLOTHING_ALLOW_AM T	(130)	N	7 digits to the left of the decimal, an explicit decimal point, 2 digits to the right; for a total of 10. See Transaction Edit Guide: 1490-5.	The amount of the clothing allowance allotted for a child of this age.	08/31/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

AUTHORIZED_SERVICE	(1105)	Data Type (CHAR	[10])			
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CNTY_SUBSVC_ID	(2551)	Y			05/04/2004	
COFARS_OBJ_CD	(150)	N	See SSIS Codes Table. Format is 6nnn. nnn = county defined.	COFARS Object Code	06/19/1998	
END_DT	(233)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.		03/24/1999	
FUNDING_SRCE_2_CD	(399)	N	Field is not currently used.	Second funding source for the authorized service	01/01/1998	
FUNDING_SRCE_3_CD	(400)	Y	Field is not currently used.	Third funding source for the authorized service	01/01/1998	
FUNDING_SRCE_CD	(401)	Y	Field is not currently used.	Funding source code for the authorized service	01/01/1998	
HCPCS_CD	(409)	N	See SSIS Codes Table. See Transaction Edit Guide: 1460-1.	Health Care Common Procedural Coding System	08/31/2001	
P_O_NUM	(1864)	N			12/09/1999	
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
START_DT	(770)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.		08/29/2001	
SUBPROG_ID	(2556)	N			05/04/2004	
SUBSTITUTE_PROV_ID	(784)	N	Integer	The identifier of a substitute provider.	02/11/1999	
SVC_AMT_USED	(794)	N	7 digits to the left of the decimal, an explicit decimal point, 2 digits to the right; for a total of 10.	Dollar amount already spent on this service	12/21/1998	
TOTAL_POINTS	(890)	N	Integer. See Transaction Edit Guide: 1485-4.	DOC Assessment: Total Points	08/31/2001	
UNIT_RATE	(833)	N	5 digits to the left of the decimal, an explicit decimal point, 4 digits to the right; for a total of 10. See SSIS Transaction Edit Guide: 1105-4.	Unit rate: amount that is billable for this unit	03/22/1999	
UNIT_TYPE_CD	(834)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1105-3.	Unit type code: hour, week, day	04/13/1999	
UNITS_AUTH	(827)	N	7 digits to the left of the decimal, and explicit decimal point, 2 digits to the right; for a total of 10. See SSIS Transaction Edit Guide: 1105-5.	Units authorized; could include a fraction such as 1/2 hour of something	03/22/1999	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

BASIC_PER_DIEM (1482) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
AGE_HIGH	(1879)	Y	Integer. See Transaction Edit Guide: 1485-2; 1490-2.	The high end of the age range to which this foster care payment rate applies.	08/31/2001	
AGE_LOW	(1880)	N	Integer. See Transaction Edit Guide: 1485-3;1490-3	The low end of the age range to which this foster care payment rate applies.	08/31/2001	
ALTERNATE_BASIC_RATE	(6662)	Y				
BASIC_PER_DIEM_ID	(6203)	N				
CLOTHING_ALLOW_AMOUNT	(130)	N	7 digits to the left of the decimal, an explicit decimal point, 2 digits to the right; for a total of 10. See Transaction Edit Guide: 1490-5.	The amount of the clothing allowance allotted for a child of this age.	08/31/2001	
DAILY_BASIC_RATE	(1881)	N	7 digits to the left of the decimal, an explicit decimal point, 2 digits to the right; for a total of 10. See Transaction Edit Guide: 1490-4.	The basic daily rate for foster care for a child of this age; excludes Difficulty of Care (DOC).	08/31/2001	
EFF_END_DT	(225)	N	YYYYMMDD	Effective end date	01/01/1998	
EFF_START_DT	(226)	Y	YYYYMMDD	Effective start date	01/01/1998	
MONTH_BASIC_RATE	(6661)	N				
PER_DIEM_TYPE_CD	(6204)	N				

BATCH_OWNER (3930) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ACCT_SYS_USER	(3105)	N			02/15/2006	
BATCH_OWNER_ID	(3131)	Y			03/06/2006	
BATCH_USER_NAME	(3130)	N			03/06/2006	

BRASS_PROGRAM (2800) Data Type (VARCHAR [100])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BRASS_PROG_DESC	(2558)	Y			05/04/2004	
BRASS_PROG_NUM	(2559)	N			05/04/2004	
BRASS_PROGRAM_ID	(2566)	Y			05/04/2004	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

BRASS_SERVICE (1400) Data Type (VARCHAR [65])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DESCRIPTION	(200)	N	Free form text. See SSIS Transaction Edit Guide: 120-1; 1400-1; 1405-1;1430-3.	Text description	08/31/2001
EFF_END_DT	(225)	N	YYYYMMDD	Effective end date	01/01/1998
EFF_START_DT	(226)	Y	YYYYMMDD	Effective start date	01/01/1998
LONG_DESC	(919)	Y	Free form text.	Long description	11/13/1998
STAFF_PROV_IND	(1075)	N	Y/N. See SSIS Transaction Edit Guide: 1400-3.	Is this BRASS service provided by staff in this county?	03/22/1999
SVC_CD	(797)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 800-3; 800-6; 850-1; 850-2; 850-4; 1105-2;1135-2; 1400-2;1410-3.	Brass Program (P), Sub-Program (BB) , County sub-sub program (bb), Brass Service (SS), County sub-service (ss)= PBBbbSSss	08/30/2001
VENDOR_PROV_IND	(1077)	N	Y/N. See SSIS Transaction Edit Guide: 1400-4.	Is this BRASS service provided by Vendors in this county?	03/22/1999
WG_SCOPE_CD	(1607)	Y	See SSIS Codes Table.		04/13/1999

BRASS_SVC (2810) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_PROGRAM_ID	(2566)	N			05/04/2004
BRASS_SVC_ID	(2548)	N			05/04/2004
BRASS_SVC_NUM	(2544)	N			05/04/2004

BRASS_SVC_CNTY_PREF (2805) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_SVC_ID	(2548)	Y			05/04/2004
BSVC_CNTY_PREF_ID	(2564)	N			05/04/2004
STAFF_PROV_IND	(1075)	N	Y/N. See SSIS Transaction Edit Guide: 1400-3.	Is this BRASS service provided by staff in this county?	03/22/1999
SUBSVC_REQ_IND	(2560)	N			05/04/2004
VENDOR_PROV_IND	(1077)	N	Y/N. See SSIS Transaction Edit Guide: 1400-4.	Is this BRASS service provided by Vendors in this county?	03/22/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

BRASS_SVC_HIST (2815) Data Type (VARCHAR [100])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_SVC_DESC	(2545)	Y			05/04/2004
BRASS_SVC_HIST_ID	(2546)	N			05/04/2004
BRASS_SVC_ID	(2548)	Y			05/04/2004
CMHRS_IND	(3510)	Y			03/07/2008
OVERRD_STAFFPROV_I ND	(2671)	N			08/18/2004
STAFF_PROV_IND	(1075)	Y	Y/N. See SSIS Transaction Edit Guide: 1400-3.	Is this BRASS service provided by staff in this county?	03/22/1999
UNIT_TYPE_CD	(834)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1105-3.	Unit type code: hour, week, day	04/13/1999
VALID_END_DT	(2578)	Y			05/18/2004
VALID_START_DT	(2579)	N			05/18/2004
VENDOR_PROV_IND	(1077)	N	Y/N. See SSIS Transaction Edit Guide: 1400-4.	Is this BRASS service provided by Vendors in this county?	03/22/1999

BRASS_SVC_WG_TYPE (2820) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_SVC_ID	(2548)	N			05/04/2004
BRASS_SVC_WGTYPE_I D	(2547)	N			05/04/2004
EFF_END_DT	(225)	N	YYYYMMDD	Effective end date	01/01/1998
EFF_START_DT	(226)	N	YYYYMMDD	Effective start date	01/01/1998
WG_TYPE_CD	(1184)	N	See SSIS Codes Table. See Transaction Edit Guide: 1800-3.	Assessment or Case Management.	08/31/2001

BRASS_TR_ACT_HCPCS (1410) Data Type (NUMBER [240])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BILLING_REQ_TEXT	(1602)	N	Free form text.		02/04/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

BRASS_TR_ACT_HCPCS (1410) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BRASS_TR_ACT_ID	(2450)	Y				03/13/2003
CONT_REQ_IND	(1079)	N	Y/N. See SSIS Transaction Edit Guide: 1410-1.	Does this activity require a contact?		03/22/1999
EFF_END_DT	(225)	N	YYYYMMDD	Effective end date		01/01/1998
EFF_START_DT	(226)	Y	YYYYMMDD	Effective start date		01/01/1998
HCPCS_CD	(409)	N	See SSIS Codes Table. See Transaction Edit Guide: 1460-1.	Health Care Common Procedural Coding System		08/31/2001
HCPCS_PROGRAM	(906)	Y	Field is not currently used.			12/04/1998
HCPCS_UNIT_TYPE	(907)	Y	Field is not currently used.			11/11/1998
SUBPROG_SVC_ID	(2557)	N				05/04/2004
TR_ACTIVITY_ID	(968)	N	Integer. See SSIS Codes Table. See Transaction Edit Guide: 1410-2; 1455-1.	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.		11/19/2001

BRASS_TRACT_MOD (1412) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BRASS_TR_ACT_ID	(2450)	N				03/13/2003
BRASS_TRACT_MOD_ID	(2454)	N				03/13/2003
CPT_MODIFIER	(2449)	N				03/13/2003

BUS_ORG (2300) Data Type (CHAR [6])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
AGENCY_ABBREVIATIO N	(4719)	N				05/15/2013
BUS_NAME	(2415)	Y				02/28/2003
BUS_ORG_DESC	(2414)	N				02/28/2003
BUS_ORG_ID	(2419)	Y				02/28/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

BUS_ORG (2300) Data Type (VARCHAR [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BUS_ORG_STATUS_CD	(2642)	Y				06/04/2004
BUS_ORG_STATUS_DT	(2641)	Y				06/04/2004
BUS_ORG_TYPE_ID	(2444)	Y				02/28/2003
CNTY_PROV_NUM	(142)	N	County-defined.	County-defined Provider Number		01/01/1998
DEFAULT_1099_CD	(2664)	Y				08/17/2004
FED_TID	(381)	N		Federal Tax ID		01/01/1998
MMIS_PROV_NUM	(490)	Y		MMIS Provider Number		01/01/1998
MNCHOICES_TYPE_CD	(4539)	N				
NPI	(2662)	Y				08/03/2004
VOUCHER_METH_CD	(2645)	Y				06/15/2004

BUS_ORG_ADDR_XREF (2315) Data Type (CHAR [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ADDR_TYPE_CD	(12)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 510-2; 510-3; 815-2.	The type of address..		04/15/1999
ADDRESS_ID	(2398)	N				02/28/2003
BUS_ORG_ADDR_ID	(2420)	Y				02/28/2003
BUS_ORG_ID	(2419)	Y				02/28/2003
CARE_OF_LINE	(102)	N	Free form text.	Care/of line is the 2nd line of an addressee (when needed)		11/13/1998
END_DT	(233)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.			03/24/1999
START_DT	(770)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.			08/29/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

BUS_ORG_DEPT_XREF (2318) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_DEPT_XREF_ID	(4540)	N			
BUS_ORG_ID	(2419)	N			02/28/2003
DEPT_ID	(199)	N	Integer. See SSIS Transaction Edit Guide: 115-2.	Unique, system-generated identifier for a DEPARTMENT table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999

BUS_ORG_EMAIL_XREF (2375) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_EMAIL_ID	(2577)	N			05/18/2004
BUS_ORG_ID	(2419)	N			02/28/2003
EMAIL_ID	(2576)	N			05/18/2004
EMAIL_TYPE_CD	(2573)	N			05/18/2004

BUS_ORG_LNDX_XREF (2390) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_ID	(2419)	N			02/28/2003
BUS_ORG_LNDX_XREF_ID	(6400)	N			
DI_LNDX_ID	(6401)	N			

BUS_ORG_PHONE_XREF (2310) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_ID	(2419)	N			02/28/2003
BUS_ORG_PHONE_ID	(2388)	N			02/28/2003
PHONE_ID	(2412)	N			02/28/2003
PHONE_TYPE_CD	(1165)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 590-1.		04/15/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

BUS_ORG_RELATION (2385) Data Type (NUMBER [100])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BUS_ORG_REL_DESC	(2584)	N			05/18/2004	
BUS_ORG_REL_DESC2	(2583)	Y			05/18/2004	
BUS_ORG_RELATION_ID	(2586)	Y			05/18/2004	

BUS_ORG_SUBSVC (2355) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BUS_ORG_SUBSVC_ID	(2569)	N			05/07/2004	
BUS_ORG_SVC_ID	(2571)	N			05/07/2004	
CNTY_SUBSVC_ID	(2551)	N			05/04/2004	

BUS_ORG_SVC (2350) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BRASS_SVC_ID	(2548)	N			05/04/2004	
BUS_ORG_ID	(2419)	N			02/28/2003	
BUS_ORG_SVC_ID	(2571)	N			05/07/2004	
DEFAULT_1099_CD	(2664)	N			08/17/2004	
WILL_SERVE_PREFS_ID	(2582)	N			05/18/2004	

BUS_ORG_TYPE (2340) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BUS_ORG_TYPE_ID	(2444)	N			02/28/2003	
DESCRIPTION	(200)	N	Free form text. See SSIS Transaction Edit Guide: 120-1; 1400-1; 1405-1;1430-3.	Text description	08/31/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

BUS_ORG_WSP_XREF (2365) Data Type (NUMBER [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_ID	(2419)	N			02/28/2003
BUS_ORG_WSP_XREF_ID	(2580)	Y			05/18/2004
DEFAULT_WSP_IND	(2581)	Y			05/18/2004
WILL_SERVE_PREFS_ID	(2582)	N			05/18/2004

BUS_ORG_XREF (2380) Data Type (DATE [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_ID	(2419)	N			02/28/2003
BUS_ORG_ID2	(2585)	N			05/18/2004
BUS_ORG_RELATION_ID	(2586)	N			05/18/2004
BUS_ORG_XREF_ID	(2574)	N			05/18/2004

CARD_INFO (395) Data Type (DATE [30])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CARD_CAPTION_FIELD	(3644)	N			02/08/2010
CARD_FIELDLIST	(3646)	Y			02/08/2010
CARD_HEIGHT	(3647)	Y			02/08/2010
CARD_INFO_ID	(3630)	N			12/17/2009
CARD_WIDTH	(3648)	N			02/08/2010
DISABLE_BUS_RULES	(3641)	N			02/08/2010
DO_ACTIVE_VIEW	(3643)	Y			02/08/2010
DO_SERVER_OBJECT	(3642)	N			02/08/2010

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CARD_INFO (395) Data Type (DATE [30])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
KEY_FIELD_NAME	(3645)	N			02/08/2010

CC_ALLEG_DET_XREF (7040) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CC_ALLEG_DET_XREF_ID	(8480)	N			
CC_ALLEG_DETAIL_ID	(8482)	N			
CC_AP_ALLEG_ID	(8481)	N			

CC_ALLEG_DETAIL (7050) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTIVE_IND	(1273)	Y	Y/N		07/19/1999
ALLEG_DETAIL_DESC	(8483)	Y			
AP_ALLEGATION_CD	(3444)	Y			10/05/2007
CC_ALLEG_DETAIL_ID	(8482)	N			
KEYWORD	(2588)	Y			05/18/2004
SORT_ORDER	(1694)	Y		NOT USED IN VERSION 3	05/01/2001

CC_AP_ALLEG (7060) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CC_AP_ALLEG_ID	(8481)	N			
CC_AP_RPT_ID	(8488)	N			
CC_LICENSED_BY_CD	(8486)	Y			
CC_RELATIONSHIP_CD	(8487)	N			
FIDUCIARY_REL_CD	(3412)	N			10/05/2007

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CC_AP_ALLEG (7060) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERP_CC_PERSON_ID	(8489)	N			
PERPETRATOR_DESC	(3472)	N			10/24/2007
RELATION_TO_VICTIM_CD	(8484)	N			
SELF_NEGLECT_IND	(8485)	N			

CC_AP_DOI (7080) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CC_AP_DOI_ID	(8490)	Y			
CC_AP_RPT_ID	(8488)	N			
INCIDENT_DESC	(8491)	N			

CC_AP_LEAD_AGENCY (7075) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CC_AP_LEAD_AGENCY_ID	(8492)	N			
CC_AP_REFERRAL_ID	(8496)	N			
CNTY_CD	(133)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998
CREATED_DT	(188)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 300-2;1700-2.	Date this document was created	08/31/2001
LEAD_AGENCY_CD	(3440)	N			10/05/2007
REFERRAL_DT	(8493)	Y			
REFERRAL_STATUS_CD	(8494)	N			
RETURNED_DT	(8495)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ASSESSMENT_FOR_EPS	(8497)	N			
CC_911_CALLED_IND	(8498)	Y			
CC_AP_CONTACT_NAME	(8780)	N			
CC_AP_CONTACT_PHONE	(8781)	Y			
CC_AP_REFERRAL_ID	(8496)	N			
CC_AP_REFERRAL_NOTES	(8510)	Y			
CC_AP_RPT_ID	(8488)	N			
CC_CEP_TO_LAW_DT	(8782)	N			
CC_EPS_AGENCY_CALED_IND	(8499)	Y			
CC_LAW_CONTACT_NAME	(8783)	Y			
CRIMES_DESC	(8502)	Y			
DEATH_DESC	(8504)	Y			
DEATH_RESULT_DESC	(8509)	Y			
EPS_AGENCY_CD	(8500)	N			
EPS_CALLED_DT	(8501)	Y			
EPS_RESULT_DESC	(8508)	N			
LAW_CALLED_IND	(8503)	Y			
LAW_RESULTS_DESC	(8507)	N			
LIA_DETERMINATION_CD	(8511)	Y			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CC_AP_REFERRAL (7005) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MEDICAL_EXAM_CALLED_IND	(8506)	Y			
OMBUDSMAN_CALLED_IND	(8505)	Y			
CC_AP_RPT (7000) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ANONYMOUS_IND	(8522)	Y			
CALL_END_DT	(8523)	Y			
CALL_TRACKING_ID	(8524)	Y			
CC_AP_RPT_ID	(8488)	Y			
CC_AP_RPT_STATUS_CD	(8513)	Y			
CC_RECEIVED_DT	(8514)	Y			
CC_RECEIVED_TYPE_CD	(8515)	Y			
CC_RPT_TYPE_CD	(8516)	Y			
EDMS_REPORT_ID	(8741)	Y			
EST_INCIDENT_DT	(3012)	Y			06/16/2005
IMMINENT_DANGER_IND	(1133)	Y	Y/N	Does this child maltreatment report involves imminent danger to the child(ren)?	01/04/1999
INCIDENT_CNTY_CD	(8521)	Y			
INCIDENT_LOCATION	(3431)	Y			10/05/2007
INCIDENT_SPNDX_ID	(3416)	Y			10/05/2007
MALTREAT_RECURREN_G_IND	(8526)	Y			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CC_AP_RPT (7000) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
NURSING_HOME_RPT_NUM	(4279)	Y			05/03/2012
ONBEHALF_IND	(8525)	Y			
RECEIVE_NOTIF_IND	(8517)	Y			
RECEIVED_STAFF_ID	(3418)	Y			10/05/2007
VA_CLASSIFICATION_CD	(3426)	Y			10/05/2007
VA_DEATH_AS_RESULT_IND	(8518)	Y			
VA_DISABILITY_TEXT	(8519)	Y			
VA_LIVING_SIT_IND	(3427)	Y			10/05/2007
VA_NEEDS_ASS_TEXT	(8520)	Y			
VA_SERIOUS_INJURY_IND	(8407)	Y			
VA_SPNDX_ID	(3417)	Y			10/05/2007

CC_AP_SERVICE_LIA (7085) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CC_AP_SERVICE_LIA_ID	(8601)	N			
PERP_LIA_TYPE_CD	(8602)	N			
SELF_LIA_TYPE_CD	(8603)	N			
SERVICES_REC_CD	(8541)	N			

CC_AP_WG_XREF (7030) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CC_AP_RPT_ID	(8488)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CC_AP_WG_XREF (7030) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CC_AP_WG_XREF_ID	(8530)	N				
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	

CC_ERROR_LOG (7002) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CC_AP_RPT_ID	(8488)	N				
CC_ERROR_LOG_ID	(8840)	N				
CC_ERROR_MSG	(8841)	N				

CC_NEEDS_ASSISTANCE (7015) Data Type (VARCHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CC_AP_RPT_ID	(8488)	Y				
CC_NEEDS_ASSISTANCE_ID	(8531)	N				
NEEDS_ASSISTANCE_CD	(8532)	N				

CC_NON_AP_REF (7095) Data Type (NUMBER [150])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
AP_NON_REF_COMMENTS	(8665)	N				
CALL_TRACKING_ID	(8524)	Y				
CC_AP_NON_REF_ID	(8663)	N				
NON_AP_REF_TYPE_CD	(8664)	Y				
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	
SUBMITTED_DT	(3104)	Y				02/15/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CC_PERSON (7065) Data Type (DATE [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BIRTH_DT	(92)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 500-2; 500-3; 500-4; 800-2; 870-1.	Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12	03/02/1999	
CC_PERSON_ID	(8527)	N				
ESTIMATED_BIRTH_DT	(2386)	Y			03/25/2002	
FIRST_NAME	(388)	N	See SSIS Transaction Edit Guide: 100-1; 500-1; 505-1; 800-2.		11/19/1998	
GENDER_CD	(402)	Y	See SSIS Codes Table.		11/09/1998	
LAST_NAME	(452)	N	See SSIS Transaction Edit Guide: 100-1; 500-1; 500-2; 505-1; 870-2.		12/06/1999	
MIDDLE_NAME	(485)	N			11/03/1998	
NAME_SUFFIX	(499)	N	Jr, Sr, I, II, III, IV,V. See SSIS Codes Table.		10/02/2000	
RACE_CD	(684)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 550-1;550-7.	Person Race. Afcars AD 7, 25, 27. Afcars FC 8, 52, 54. CWCDR - C 10, F 9, F 10, F 18, F 19	08/27/2001	
SSN	(760)	N	nnnnnnnn. No special characters.	Social Security Number.	02/10/1999	
TITLE_OF_COURTESY	(1050)	N	Dr., Miss, Mr., Mrs., Ms., Rev. See SSIS Codes Table.	Courtesy Title	03/21/2000	

CC_PERSON_ADDR_XREF (7045) Data Type (NUMBER [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ADDR_TYPE_CD	(12)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 510-2; 510-3; 815-2.	The type of address..	04/15/1999	
ADDRESS_ID	(2398)	N			02/28/2003	
CC_PERSON_ADDR_XR EF_ID	(8533)	N				
CC_PERSON_ID	(8527)	N				

CC_PERSON_EMAIL_XREF (7055) Data Type (VARCHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CC_PERSON_EMAIL_XR EF_ID	(8534)	Y				

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CC_PERSON_EMAIL_XREF (7055) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CC_PERSON_ID	(8527)	N			
EMAIL_ID	(2576)	N			05/18/2004
EMAIL_TYPE_CD	(2573)	Y			05/18/2004

CC_PERSON_PHONE_XREF (7035) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CC_PERSON_ID	(8527)	N			
CC_PERSON_PHONE_XREF_ID	(8535)	N			
PHONE_ID	(2412)	N			02/28/2003
PHONE_TYPE_CD	(1165)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 590-1.		04/15/1999

CC_RPT_DISABILITY (7025) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CC_AP_RPT_ID	(8488)	N			
CC_RPT_DISABILITY_ID	(8536)	N			
CC_VA_DISABILITY_CD	(8568)	N			

CC_RPT_LOCK (7090) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CC_AP_RPT_ID	(8488)	N			
CC_RPT_LOCK_ID	(8641)	N			
LOCKED_DT	(8642)	Y			
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
UNLOCKED_DT	(8643)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CC_RPT_ROLE (7070) Data Type (VARCHAR [2])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AP_ROLE_CD	(3434)	Y			10/05/2007
CC_AP_RPT_ID	(8488)	Y			
CC_PERSON_ID	(8527)	N			
CC_PERSON_ID2	(8539)	N			
CC_RPT_ROLE_ID	(8537)	N			
OTHER_ROLE_INFO	(8538)	N			

CC_SERVICES_REC (7020) Data Type (NUMBER [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CC_AP_RPT_ID	(8488)	N			
CC_SERVICES_REC_ID	(8540)	N			
SERVICES_REC_CD	(8541)	N			

CC_SOURCE_REFERRAL (7010) Data Type (VARCHAR [300])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTION_TAKEN_DESC	(8544)	Y			
ACTION_TAKEN_IND	(8543)	Y			
ACTION_TAKEN_RESPS IBLE	(8545)	Y			
AT_RISK_ASSAULT_IND	(8557)	N			
AT_RISK_CARE_IND	(8559)	N			
AT_RISK_DEPEDENT_O N_IND	(8560)	Y			
AT_RISK_EXPOSURE_I ND	(8561)	Y			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AT_RISK_FOOD_IND	(8558)	N			
AT_RISK_ILL_IND	(8556)	Y			
AT_RISK_OTHER_IND	(8562)	Y			
AT_RISK_OTHER_TEXT	(8563)	Y			
BELIEVED_AT_RISK_DUE_IND	(8566)	N			
CC_AP_RPT_ID	(8488)	Y			
CC_SOURCE_REFERRAL_ID	(8542)	Y			
CRIMINAL_ACT_IND	(3455)	N			10/05/2007
DANGEROUS_ANIMALS_IND	(8546)	N			
ENVIRONMENTAL_IND	(8547)	Y			
IMMEDIATE_RISK_IND	(8555)	N			
NOT_AWARE_OF_RISK_IND	(8564)	Y			
NOTIF_911_IND	(8550)	Y			
NOTIF_LAW_IND	(8551)	Y			
NOTIF_MED_EXAM_IND	(8553)	Y			
NOTIF_OMBUD_IND	(8552)	Y			
RECENT_SEXUAL_ASSAULT_IND	(8861)	N			
SAFETY_OTHER_IND	(8549)	Y			
SAFETY_OTHER_TEXT	(8565)	Y			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CC_SOURCE_REFERRAL (7010) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
WEAPONS_IND	(8548)	N			

CFC_BASIC_PER_DIEM (1490) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGE_HIGH	(1879)	N	Integer. See Transaction Edit Guide: 1485-2; 1490-2.	The high end of the age range to which this foster care payment rate applies.	08/31/2001
AGE_LOW	(1880)	N	Integer. See Transaction Edit Guide: 1485-3;1490-3	The low end of the age range to which this foster care payment rate applies.	08/31/2001
CLOTHING_ALLOW_AM T	(130)	N	7 digits to the left of the decimal, an explicit decimal point, 2 digits to the right; for a total of 10. See Transaction Edit Guide: 1490-5.	The amount of the clothing allowance allotted for a child of this age.	08/31/2001
DAILY_BASIC_RATE	(1881)	N	7 digits to the left of the decimal, an explicit decimal point, 2 digits to the right; for a total of 10. See Transaction Edit Guide: 1490-4.	The basic daily rate for foster care for a child of this age; excludes Difficulty of Care (DOC).	08/31/2001
DOC_RATE_ID	(1883)	N	Integer	Unique, system-generated identifier for a DOC_RATE table row. May also be used as a data element. To initialize, must be set to spaces.	12/21/1999
YEAR	(1885)	N	YYYY. See Transaction Edit Guide: 1485-1;1490-1.	The year to which this applies.	08/31/2001

CHECKLIST (1205) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHECKLIST_ID	(1529)	Y	Integer	Unique, system-generated identifier for a CHECKLIST table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999
CHECKLIST_TEMPL_ID	(1531)	Y	Integer	Unique, system-generated identifier for a CHECKLIST_TEMPL table row. May also be used as a data element. To initialize, must be set to spaces.	01/26/1999
CLIST_CREATED_DT	(1615)	Y	YYYYMMDD		02/18/1999
CLIST_FINALIZE_DT	(1619)	Y	YYYYMMDD		02/18/1999
PLCMT_LOC_ID	(2596)	Y			06/04/2004
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

CHECKLIST_DETAIL (1210) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHECKED_IND	(1527)	Y	Y/N/G/null. See SSIS Transaction Edit Guide: 1210-1; 1210-2.	Has this item been checked by the worker?	12/06/1999
CHECKLIST_DET_ID	(1528)	N	Integer	Unique, system-generated identifier for a CHECKLIST_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	01/26/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CHECKLIST_DETAIL (1210) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHECKLIST_ID	(1529)	Y	Integer	Unique, system-generated identifier for a CHECKLIST table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999
CHECKLIST_ITEM_ID	(1530)	Y	Integer	Unique, system-generated identifier for a CHECKLIST_ITEM table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999
CLIST_DET_COMMENT S	(1616)	Y	Free form text.		02/18/1999
CLIST_DET_STAT_CD	(1617)	Y	See SSIS Codes Table.		02/18/1999
CLIST_DET_STAT_DT	(1618)	N	YYYYMMDD		02/18/1999
PARENT_ITEM_ID	(1537)	Y	Integer	The unique, system-generated identifier for a parent item to this specific checklist item.	02/15/1999

CHECKLIST_ITEM (1215) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHECKLIST_ITEM_ID	(1530)	Y	Integer	Unique, system-generated identifier for a CHECKLIST_ITEM table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999
ITEM_DEFINITION	(1535)	Y	Free form text.	Long description of this checklist item - shows for help text.	02/15/1999
ITEM_DESC	(1536)	Y	Free form text.	Short description of this checklist item (shows on checklist).	07/19/1999

CHECKLIST_TEMPL (1220) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHECKLIST_TEMPL_ID	(1531)	Y	Integer	Unique, system-generated identifier for a CHECKLIST_TEMPL table row. May also be used as a data element. To initialize, must be set to spaces.	01/26/1999
CLIST_TYPE_CD	(1655)	N	See SSIS Codes Table.		04/04/2000
SUBPROG_ID	(2556)	N			05/04/2004
TEMPLATE_NAME	(1539)	N	Free form text.	The name given to this template.	02/15/1999
TRACK_CD	(1942)	Y	See SSIS Codes Table		05/11/2001
WG_TYPE_CD	(1184)	Y	See SSIS Codes Table. See Transaction Edit Guide: 1800-3.	Assessment or Case Management.	08/31/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CHECKUP (2960) Data Type (VARCHAR [4000])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHECKUP_COMMENTS	(5341)	Y			
CHECKUP_ID	(2623)	N			06/04/2004
CHECKUP_PROV_DT	(1469)	N	YYYYMMDD	The date that a child or teen checkup was provided.	07/19/1999
CHECKUP_TYPE_CD	(2622)	Y			06/04/2004
HEALTH_CARE_PROV	(5340)	N			
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001

CLIENT_DEF (5400) Data Type (NUMBER [50])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
APPLICATION_NAME	(4442)	N			
CLASS_NAME	(1914)	Y	See Transaction Edit Guide: 1805-3		08/31/2001
CLIENT_DEF_ID	(4440)	N			07/17/2012
FORM_DESCRIPTION	(4441)	N			

CLIENT_DEF_DETAIL (5405) Data Type (VARCHAR [240])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CDD_DESCRIPTION	(4446)	Y			
CLIENT_DEF_DETAIL_ID	(4443)	Y			07/17/2012
CLIENT_DEF_ID	(4440)	Y			07/17/2012
CONTROL_NAME	(4445)	N			
FIELD_TYPE_CD	(4444)	Y			
GRID_LABEL	(4450)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CLIENT_DEF_DETAIL (5405) Data Type (DATE [200])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
LONG_LABEL	(4449)	N			
REPORT_LABEL	(4447)	N			
SHORT_LABEL	(4448)	N			
CLIST_TEMPL_DETAIL (1225) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHECKLIST_ITEM_ID	(1530)	Y	Integer	Unique, system-generated identifier for a CHECKLIST_ITEM table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999
CHECKLIST_TEMPL_ID	(1531)	N	Integer	Unique, system-generated identifier for a CHECKLIST_TEMPL table row. May also be used as a data element. To initialize, must be set to spaces.	01/26/1999
CLIST_SEQ_NUM	(1654)	Y	Integer		02/26/1999
CLIST_TEMPL_DET_ID	(1532)	Y	Integer	Unique, system-generated identifier for a CLIST_TEMPL_DETAIL table row. May be used as a data element. To initialize, must be set to spaces.	01/26/1999
PARENT_ITEM_ID	(1537)	N	Integer	The unique, system-generated identifier for a parent item to this specific checklist item.	02/15/1999
CLM_BATCH (4505) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLAIM_CAT_CD	(2840)	N			05/04/2005
CLM_BATCH_DESC	(3331)	Y			10/02/2006
CLM_BATCH_END_DT	(3320)	Y			10/02/2006
CLM_BATCH_GEN_DT	(3319)	Y			10/02/2006
CLM_BATCH_ID	(3333)	N			10/02/2006
CLM_BATCH_START_DT	(3321)	Y			10/02/2006
CLM_BATCH_STAT_CD	(3317)	Y			10/02/2006
CLM_BATCH_SUB_DT	(3318)	Y			10/02/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CLM_BATCH (4505) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_INCL_TYPE_CD	(3330)	Y			10/02/2006
CNTY_CD	(133)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998
DEX_837_ID	(3349)	Y			12/19/2006
DEX_997_ID	(3348)	N			12/19/2006
ISA_CTRL_NUM	(3329)	N			10/02/2006
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001

CLM_BATCH_XREF (4510) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_BATCH_ID	(3333)	N			10/02/2006
CLM_BATCH_XREF_ID	(3306)	N			10/02/2006
CLM_HEALTHCARE_ID	(3332)	N			10/02/2006

CLM_COMMENT_XREF (4811) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_COMMENT_XREF_ID	(3516)	N			04/07/2008
CLM_HEALTHCARE_ID	(3332)	N			10/02/2006
COMMENTS_LOG_ID	(2842)	N			05/04/2005

CLM_DD_SCRNG_XREF (3418) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_DD_SCRNG_XREF_ID	(3675)	N			05/07/2010
CLM_HEALTHCARE_ID	(3332)	N			10/02/2006
ELIG_DD_SCRNG_ID	(3673)	N			04/29/2010

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CLM_ELEMENT (4565) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLAIM_CAT_CD	(2840)	N			05/04/2005
CLM_ELEMENT_END_DT	(3529)	N			09/03/2008
CLM_ELEMENT_ID	(3534)	N			09/03/2008
CLM_ELEMENT_NAME	(3531)	N			09/03/2008
CLM_ELEMENT_START_DT	(3530)	N			09/03/2008
CLM_ELEMENT_TYPE	(3532)	Y			09/03/2008
CLM_ELEMENT_VALUE	(3528)	Y			09/03/2008

CLM_EXCEPTION (4530) Data Type (VARCHAR [4])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_EXCEPTION_CD	(3342)	Y			12/19/2006
CLM_EXCEPTION_ID	(3343)	N			12/19/2006
CLM_HEALTHCARE_ID	(3332)	N			10/02/2006

CLM_HEALTHCARE (4500) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLAIM_CAT_CD	(2840)	N			05/04/2005
CLAIM_CAT_DETAIL_CD	(2828)	Y			05/04/2005
CLM_AMT	(3328)	Y			10/02/2006
CLM_CLIENT_RESP_AMT	(3378)	Y			07/10/2007
CLM_DISPOSITION_CD	(3518)	N			04/07/2008
CLM_DISPOSITION_DT	(3517)	Y			04/07/2008

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_HEALTHCARE	(4500)		Data Type (VARCHAR [8])		
CLM_END_DT	(3322)	Y			10/02/2006
CLM_GEN_DT	(3345)	Y			12/19/2006
CLM_HEALTHCARE_ID	(3332)	Y			10/02/2006
CLM_PAID_AMT	(3355)	N			12/28/2006
CLM_PAID_UNITS	(3371)	N			04/25/2007
CLM_START_DT	(3323)	Y			10/02/2006
CLM_STAT_CD	(3310)	Y			10/02/2006
CLM_STAT_DT	(3344)	N			12/19/2006
CLM_UNITS	(3324)	Y			10/02/2006
CNTY_CD	(133)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998
DIAGNOSIS_ID	(2236)	Y	Integer. See Transaction Edit Guide: 537-2.	Unique, system-generated identifier for a DIAGNOSIS_CODE table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001
FACILITY_NAME	(1296)	Y	Free form text. See Transaction Edit Guide: 1600-10.	Name of the facility in which maltreatment allegedly occurred.	08/31/2001
HCPCS_MOD_ID	(2817)	Y			05/04/2005
MMIS_FREQ_CD	(3326)	N			10/02/2006
MMIS_PLACE_SVC_CD	(3327)	Y			10/02/2006
NPI	(2662)	Y			08/03/2004
ORIG_CLM_HEALTHCR_ID	(3325)	N			10/02/2006
OUT_HOME_PROV_NUM	(2965)	N			05/04/2005
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CLM_HEALTHCARE (4500) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PMI	(1176)	Y	Integer.	This person's unique person identifier from the MAXIS system.	02/10/1999
PRIOR_AUTH_NUM	(2940)	Y			05/04/2005
TCN	(3347)	Y			12/19/2006

CLM_LTC_SCRNG_XREF (4545) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_HEALTHCARE_ID	(3332)	N			10/02/2006
CLM_LTC_SCRNG_XRF_ID	(3387)	N			07/24/2007
ELIG_LTC_SCRNG_ID	(3398)	N			08/01/2007

CLM_ON_BEHALF_XREF (4515) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_HEALTHCARE_ID	(3332)	N			10/02/2006
CLM_ONBEHALF_XREF_ID	(3307)	N			10/02/2006
ON_BEHALF_OF_ID	(908)	N	Integer	Unique, system-generated identifier for an ON_BEHALF_OF table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999

CLM_PAYMENT_XREF (4520) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_HEALTHCARE_ID	(3332)	N			10/02/2006
CLM_PAYMENT_XREF_ID	(3308)	N			10/02/2006
PAYMENT_ID	(3068)	N			10/21/2005

CLM_RATE_ADJ (4535) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_HEALTHCARE_ID	(3332)	N			10/02/2006
CLM_RATE_ADJ_ID	(3353)	N			12/19/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CLM_RATE_ADJ (4535) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_RATE_ADJ_INDEX	(3352)	N			12/19/2006
CLM_RATE_ADJ_RATE	(3350)	N			12/19/2006
CLM_RATE_ADJ_RSN_CD	(3351)	N			12/19/2006
CLM_REMIT_ADV_ADJ (4540) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_HEALTHCARE_ID	(3332)	N			10/02/2006
CLM_RA_ADJ_AMT	(3380)	Y			07/10/2007
CLM_RA_ADJ_GRP_CD	(3382)	N			07/10/2007
CLM_RA_ADJ_REASON_CD	(3381)	Y			07/10/2007
CLM_RA_ADJ_UNITS	(3379)	Y			07/10/2007
CLM_REMIT_ADV_ADJ_ID	(3383)	N			07/10/2007
CLM_REV_ACCT (4550) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLAIM_CAT_CD	(2840)	Y			05/04/2005
CLM_REV_ACCT_ID	(3393)	Y			07/30/2007
REV_ACCT_CODE	(3392)	Y			07/30/2007
REV_ACCT_DESC	(3391)	Y			07/30/2007
REV_ACCT_END_DT	(3389)	Y			07/30/2007
REV_ACCT_START_DT	(3390)	Y			07/30/2007

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CMH_ASSESS (1896) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADMINISTERED_DT	(3079)	N			01/11/2006
CMH_ASSESS_ID	(3081)	N			01/11/2006
CMH_ASSESS_SCALE_CD	(3080)	N			01/11/2006
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
SCALE_TOTAL_SCORE	(3078)	N			01/11/2006
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001

CMH_ASSESS_DETAIL (1897) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CMH_ASSESS_DETAIL_ID	(3082)	N			01/11/2006
CMH_ASSESS_ID	(3081)	N			01/11/2006
QUESTION_ID	(2318)	N	Integer. See Transaction Edit Guide: 1817-2;1823-1;1824-2;1843-2;1867-2;1872-1.	Unique identifier for an SDM_QUESTION table row. May also be used as a data element.	08/31/2001
SCORE	(2135)	N	Integer	Numeric code used to score tools	04/26/2001

CMH_SCREEN (1895) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CMH_DT	(2687)	Y			09/20/2004
CMH_SCREEN_ID	(2688)	N			09/20/2004
CMH_STATUS_CD	(2686)	Y			09/20/2004
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ASIAN_IND	(3503)	N			02/26/2008
BIRTH_DT	(92)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 500-2; 500-3; 500-4; 800-2; 870-1.	Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12	03/02/1999
BLACK_IND	(3501)	N			02/26/2008
CAUCASIAN_IND	(3504)	N			02/26/2008
CMHRS_CLIENT_ID	(3505)	N			02/26/2008
CMHRS_SUB_POP_CD	(3499)	N			02/26/2008
CNTY_FIN_RESP_CD	(136)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 400-10.	County of Financial Responsibility	03/15/2000
CNTY_OF_SVC_CD	(139)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 400-10; 100-6.	County of service	03/15/2000
ESTIMATED_BIRTH_DT	(2386)	Y			03/25/2002
GENDER_CD	(402)	N	See SSIS Codes Table.		11/09/1998
HIGHLVL_DISABIL_CD	(411)	Y			05/11/2001
HISPANIC_IND	(412)	Y	Y/N. See Transaction Edit Guide: 500-9.	Is this person Hispanic?	12/06/1999
NORTH_AMER_IND	(3500)	N			02/26/2008
NPI	(2662)	N			08/03/2004
PACIFIC_IND	(3502)	N			02/26/2008
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PMI	(1176)	Y	Integer.	This person's unique person identifier from the MAXIS system.	02/10/1999
SSN	(760)	N	nnnnnnnn. No special characters.	Social Security Number.	02/10/1999
STATE_RPT_ID	(3190)	N			08/09/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CMHRS_SVC (4805) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_SVC_ID	(2548)	Y			05/04/2004
CMHRS_CLIENT_ID	(3505)	Y			02/26/2008
CMHRS_SVC_ID	(3507)	N			02/26/2008
TOT_REPORTED_MIN	(3497)	N			02/26/2008

CMHRS_SVC_OBO_XREF (4810) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CMHRS_SVC_ID	(3507)	N			02/26/2008
CMHRS_SVC_OBO_XRF_ID	(3496)	N			02/26/2008
GRP_TIME_IND	(3506)	N			02/26/2008
ON_BEHALF_OF_ID	(908)	N	Integer	Unique, system-generated identifier for an ON_BEHALF_OF table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999
REPORTED_MIN	(3498)	N			02/26/2008

CNTY_CLM_CONTROL (4525) Data Type (CHAR [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CNTY_CD	(133)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998
CNTY_CLM_CONTROL_ID	(3309)	N			10/02/2006
FED_TID	(381)	N		Federal Tax ID	01/01/1998
ISA_CTRL_NUM	(3329)	Y			10/02/2006
MMIS_CLM_PASSWORD	(6123)	N			
MMIS_PROV_NUM	(490)	N		MMIS Provider Number	01/01/1998
MNITS_MAIL_USERNAME	(6122)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CNTY_CLM_CONTROL (4525) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
NPI	(2662)	N			08/03/2004	
CNTY_HCPCS_MOD_RATE (2860) Data Type (DATE [14])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CHM_RATE	(2829)	N			05/04/2005	
CHM_RATE_END_DT	(2826)	N			05/04/2005	
CHM_RATE_START_DT	(2827)	N			05/04/2005	
CLAIM_CAT_DETAIL_CD	(2828)	N			05/04/2005	
CNTY_HCPCS_RATE_ID	(2830)	N			05/04/2005	
HCPCS_MOD_ID	(2817)	N			05/04/2005	
CNTY_SUBSVC (2825) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BRASS_SVC_ID	(2548)	N			05/04/2004	
CNTY_SUBSVC_DESC	(2549)	N			05/04/2004	
CNTY_SUBSVC_ID	(2551)	Y			05/04/2004	
CNTY_SUBSVC_NUM	(2550)	N			05/04/2004	
EFF_END_DT	(225)	N	YYYYMMDD	Effective end date	01/01/1998	
EFF_START_DT	(226)	N	YYYYMMDD	Effective start date	01/01/1998	
COA_CODE (2700) Data Type (DATE [255])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
COA_CODE_COMMENT S	(2533)	N			07/13/2004	
COA_CODE_ID	(2542)	Y			07/13/2004	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

COA_CODE (2700) Data Type (NUMBER [65])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COA_DESC	(2535)	N			07/13/2004
COA_REQ_MAX_IND	(2531)	N			07/13/2004
END_DT	(233)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.		03/24/1999
START_DT	(770)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.		08/29/2001

COA_CODE_MAXIMUM (2725) Data Type (NUMBER [0])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CCM_COMMENTS	(2801)	Y			05/04/2005
CCM_END_DT	(2799)	N			05/04/2005
CCM_MAX_AMOUNT	(2798)	N			05/04/2005
CCM_START_DT	(2800)	Y			05/04/2005
COA_CODE_ID	(2542)	N			07/13/2004
COA_CODE_MAX_ID	(2802)	Y			05/04/2005
COA_GROUP_MAX_ID	(2741)	Y			05/04/2005

COA_ELEMENT (2710) Data Type (NUMBER [255])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COA_ELEM_COMMENT S	(2534)	N			07/13/2004
COA_ELEMENT_DESC	(2536)	N			07/13/2004
COA_ELEMENT_ID	(2541)	N			07/13/2004
COA_ELEMENT_TYPE_I D	(2540)	N			07/13/2004
COA_ELEMENT_VALUE	(2532)	N			07/13/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

COA_ELEMENT (2710) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
END_DT	(233)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.		03/24/1999
START_DT	(770)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.		08/29/2001
COA_ELEMENT_TYPE (2715) Data Type (DATE [65])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COA_ELEM_TYPE_DES C	(2539)	N			07/13/2004
COA_ELEMENT_TYPE_I D	(2540)	Y			07/13/2004
ELEMENT_INDEX	(2537)	N			07/13/2004
ELEMENT_LENGTH	(2538)	Y			07/13/2004
COA_ELEMENT_XREF (2705) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COA_CODE_ID	(2542)	N			07/13/2004
COA_ELEMENT_ID	(2541)	N			07/13/2004
COA_ELEMENT_XREF_I D	(2530)	N			07/13/2004
COA_GROUP_MAXIMUM (2720) Data Type (DATE [0])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CGM_COMMENTS	(2737)	N			05/04/2005
CGM_DESC	(2752)	Y			05/04/2005
CGM_END_DT	(2738)	Y			05/04/2005
CGM_MAX_AMOUNT	(2740)	N			05/04/2005
CGM_START_DT	(2739)	Y			05/04/2005
COA_GROUP_MAX_ID	(2741)	N			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CODE2 (1430) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTIVE_IND	(1273)	N	Y/N		07/19/1999
CODE	(146)	N	See Transaction Edit Guide: 1430-2	The code value itself, found in the codes table	08/31/2001
DESCRIPTION	(200)	N	Free form text. See SSIS Transaction Edit Guide: 120-1; 1400-1; 1405-1;1430-3.	Text description	08/31/2001
FIELDNAME	(384)	N	See Transaction Edit Guide: 1430-1	Name of the code field	08/31/2001
SORT_ORDER	(1694)	N		NOT USED IN VERSION 3	05/01/2001

COMMENTS_LOG (3250) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COMMENTS_LOG_ID	(2842)	N			05/04/2005
ENTERED_DT	(2835)	N			05/04/2005
SAC_COMMENTS	(2763)	N			05/04/2005
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001

COMMON_MESSAGE (3810) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COMMON_MESSAGE_ID	(3136)	N			03/17/2006
COMMON_MSG_NUM	(3134)	Y			03/17/2006
COMMON_MSG_TYPE_CD	(3135)	Y			03/17/2006
LONG_MSG	(3132)	Y			03/17/2006
SHORT_MSG	(3133)	N			03/17/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CONDITIONAL_AREAS (895) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AREAS_CD	(1610)	Y	See SSIS Codes Table. See Transactions Edit Guide: 890-1		08/29/2001
COND_AREAS_ID	(1621)	N	Integer	Unique, system-generated identifier for a CONDITIONAL_AREAS table row. May also be used as a data element. To initialize, must be set to spaces.	02/18/1999
PROV_LIC_DETAIL_ID	(1220)	N	Integer	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
CONN_AUDIT (4600) Data Type (VARCHAR [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AUDIT_DT	(3335)	Y			10/20/2006
CONN_AUDIT_ID	(3336)	N			10/20/2006
ON_OFF	(3334)	N			10/20/2006
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
CONTACT_WITH (1020) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONT_WITH_ID	(179)	N	Integer	Unique, system-generated identifier for a CONTACT_WITH table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999
CONT_WITH_NAME	(1039)	N	Free form text.	Name of the person with whom contact was made.	02/11/1999
CONTACT_ROLE_CD	(168)	N	Field is not currently used.		11/11/1998
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
TIME_RECORD_ID	(812)	N	Integer. See Transaction Edit Guide: 1005-1;1015-4.	Unique, system-generated identifier for a TIME_RECORD table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001
CONTPLCMT (2900) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AFCARS_PLCD_BY_CD	(3484)	Y			02/07/2008
AFCARS_PLCD_FROM_CD	(3485)	Y			02/07/2008
CONTPLCMT_END_DT	(2628)	Y			06/04/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CONTPLCMT (2900) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONTPLCMT_ID	(2614)	N			06/04/2004
CONTPLCMT_START_DT	(2629)	N			06/04/2004
END_DT_TRAN_DT	(234)	Y	YYYYMMDD	Afcars FC 57: computer-generated date of when the latest discharge was entered into the system.	01/01/1998
MIN_LENGTH_IND	(2625)	Y			06/04/2004
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
RCOND_FINALIZE_DT	(2626)	N			06/04/2004
REASON_DISCHRG_CD	(705)	Y	See SSIS Codes Table. Required when a placement ends and no new placement begins.	Reason this continuous placement ended; also Afcars FC 58 element; CWCDR - E 17, when CWCDR - E 7 not equal zero	04/13/1999
SOLE_RSN_DSABL_IND	(3405)	N			09/24/2007
SSI_SSA_FFS_IND	(2224)	N			12/06/2000
START_DT_TRAN_DT	(771)	Y	YYYYMMDD	Afcars FC 22 computer-generated date of when the latest removal date was entered	01/01/1998
STRUCT_CTKR_FAM_CD	(781)	Y	See SSIS Codes Table.	Afcars FC 44: Structure of the Caretaker family from which the child was removed.	04/13/1999
SUP_AGCY_CD	(2624)	Y			06/04/2004
SUP_AGCY_EFF_DT	(4262)	Y			
SUP_TRIBE_CD	(2647)	N			06/17/2004
TARGET_POP_CD	(2627)	N			06/04/2004

CONTPLCMT_AUTH (2905) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONTPLCMT_AUTH_ID	(2597)	N			06/04/2004
CONTPLCMT_ID	(2614)	N			06/04/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CONTPLCMT_AUTH (2905) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PLACE_AUTH_CD	(642)	N	See SSIS Codes Table.	Afcars FC 25: Placement authority: manner of removal for current episode. CWCDR - D 9	06/19/1998
PLACE_AUTH_EFF_DT	(643)	N	YYYYMMDD. See Transaction Edit Guide: 715-3.	Placement Authorization effective date for the specific type of authorization. CWCDR - D 10	08/28/2001

CONTPLCMT_CTKR (2915) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONTPLCMT_CTKR_ID	(2598)	N			06/04/2004
CONTPLCMT_ID	(2614)	N			06/04/2004
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001

CONTPLCMT_PPLAN (2925) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACHIEVE_DT	(2599)	N			06/04/2004
CONTPLCMT_ID	(2614)	Y			06/04/2004
CONTPLCMT_PPLAN_ID	(2601)	Y			06/04/2004
PRIMARY_PPLAN_IND	(2615)	N			06/04/2004
PRM_PLAN_CD	(2600)	N			06/04/2004

CONTPLCMT_RCOND (2910) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONTPLCMT_ID	(2614)	N			06/04/2004
CONTPLCMT_RCOND_ID	(2603)	N			06/04/2004
PRIMARY_RCOND_IND	(2616)	N			06/04/2004
RMV_COND_CD	(2602)	N			06/04/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CONTPLCMT_REVIEW (2920) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONTPLCMT_ID	(2614)	N			06/04/2004
CONTPLCMT_REVIEW_ID	(2604)	N			06/04/2004
REVIEW_DT	(724)	N	YYYYMMDD. See Transaction Edit Guide: 720-1.	Plan review date	08/28/2001
REVIEW_TYPE_CD	(725)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 720-2;1120-3.	Type of review: court, administrative, etc.	08/28/2001

COUNTY_CONTROL (1425) Data Type (CHAR [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CNTY_CD	(133)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998
CNTY_FIPS_NUM	(138)	Y	Field is not currently used.	Ncands 5: Afcars FC 3: County FIPS (Federal Information Processing) code.	11/11/1998
MILEAGE_RATE	(486)	N	5 digits to the left of the decimal, an explicit decimal point, 4 digits to the right; for a total of 10.	Rate at which employee or volunteer mileage will be reimbursed	12/21/1998

COURT_DETAIL (1500) Data Type (CHAR [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BEST_INTEREST_DT	(2367)	Y			10/29/2001
BEST_INTEREST_IND	(1188)	Y	Y/N	Has the court granted a statement that the placement is in the best interest of the child?	01/04/1999
CONTPLCMT_ID	(2614)	Y			06/04/2004
COURT_DETAIL_ID	(184)	Y	Integer	Unique, system-generated identifier for a COURT_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999
COURT_HEARING_DT	(1041)	Y	YYYYMMDD. See Transaction Edit Guide: 1500-1.	The date on which the court is tentatively scheduled to review this plan.	08/31/2001
COURT_TYPE_CD	(186)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1500-2.		07/19/1999
DISPOSITION_DT	(212)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 1600-1; 1600-4.	The date when the disposition of the intake occurred.	01/04/1999
HEARING_TYPE_CD	(1202)	Y	See SSIS Codes Table. Required when a hearing date is entered.		11/16/1998
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

COURT_DETAIL (1500) Data Type (DATE [2])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
PETITION_CD	(629)	Y	See SSIS Codes Table. Required when a petition date is entered.	Code values of a petition type. (i.e., What kind of petition is this?)	11/16/1998	
PETITION_DETAIL_CD	(2366)	Y	See SSIS Codes Table.		11/20/2001	
PETITION_DT	(631)	N	YYYYMMDD. See Transaction Edit Guide: 960-3.	Ncands 57: Petition date	08/29/2001	
PLCMT_REVIEW_IND	(2659)	Y			07/08/2004	
REAS_EFF_PERM_DT	(2467)	Y			12/26/2003	
REAS_EFF_PERM_IND	(2466)	N			12/26/2003	
REASONABLE_EFF_CD	(2368)	N	See SSIS Codes Table.		11/20/2001	
REASONABLE_EFF_DT	(2369)	N			10/29/2001	

COURT_DISPOSITION (1510) Data Type (CHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
COURT_DETAIL_ID	(184)	N	Integer	Unique, system-generated identifier for a COURT_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999	
COURT_DISP_ID	(2370)	N			10/29/2001	
DISPOSITION_CD	(211)	N	See SSIS Codes Table. Required when a disposition date is entered.	The court's disposition of this matter.	12/04/1998	

CP_ALLEG (4350) Data Type (VARCHAR [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ALLEG_DETERM_DT	(3289)	Y			09/27/2006	
ALLEG_DETERM_IND	(3290)	Y			09/27/2006	
ALLEG_SEVERITY_CD	(3288)	N			09/27/2006	
ALLEGATION_CD	(2411)	Y			02/28/2003	
APPEAL_DETERM_IND	(3272)	Y			09/27/2006	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CP_ALLEG (4350) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CP_ALLEG_ID	(3291)	N			09/27/2006	
CP_RPT_ID	(3280)	Y			09/27/2006	
EST_INCIDENT_DT	(3012)	N			06/16/2005	
NCANDS_REL_CD	(3263)	Y			09/25/2006	
OFFENDER_DESC	(2410)	N			02/28/2003	
OFFENDER_ID	(1523)	Y	Integer. See SSIS Transaction Edit Guide: 905-3.	Unique system-generated identifier for a PERSON table row, for a person alleged to be a maltreatment offender.	03/22/1999	
VICTIM_DESC	(2409)	Y			02/28/2003	
VICTIM_ID	(1525)	Y	Integer. See SSIS Transaction Edit Guide: 905-2.	Unique system-generated identifier for a PERSON table row, for a person alleged to be a victim of maltreatment.	03/22/1999	

CP_ALLEG_APPEAL (4360) Data Type (NUMBER [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ALLEG_DETERM_IND	(3290)	N			09/27/2006	
APPEAL_VENUE_CD	(2373)	N			11/06/2001	
CP_ALLEG_APPEAL_ID	(3267)	N			09/27/2006	
CP_ALLEG_ID	(3291)	N			09/27/2006	
DECISION_DT	(2374)	N			11/06/2001	

CP_ALLEG_DETAIL (4355) Data Type (NUMBER [2])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CP_ALLEG_DETAIL_CD	(3287)	N			09/27/2006	
CP_ALLEG_DETAIL_ID	(3292)	Y			09/27/2006	
CP_ALLEG_ID	(3291)	N			09/27/2006	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CP_FAMILY_CONDITIONS (4330) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CP_FAMILY_COND_ID	(3285)	N			09/27/2006
CP_RPT_ID	(3280)	N			09/27/2006
FAMILY_COND_CD	(1540)	N	See SSIS Codes Table. See Transactions Edit Guide 965-1.	The type of family conditions that exist.	08/29/2001

CP_INIT_NOTIFICATION (4325) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGENCY_NOTIFY_CD	(1600)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 970-1;970-4;970-5.	The type of agency notified that a report of child maltreatment was received.	08/30/2001
CP_INIT_NOTIFY_ID	(3284)	Y			09/27/2006
CP_RPT_ID	(3280)	N			09/27/2006
NOTIFY_DT	(1604)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 970-2;970-4;970-5.	The date of the notification.	08/30/2001
NOTIFY_METHOD_CD	(1605)	N	See SSIS Codes Table.	The method of notification.	02/11/1999
NOTIFY_PERSON	(1606)	Y	Free form text.	The name of the person notified.	02/11/1999

CP_RECOMMENDED_SVCS (4320) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CP_REC_SVCS_ID	(3283)	N			09/27/2006
CP_RPT_ID	(3280)	N			09/27/2006
REC_SVCS_CD	(1512)	N	See Codes Table. See SSIS Transaction Edit Guide: 955-1.	The type of services recommended.	07/19/1999

CP_RPT (4300) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
APPEAL_DETERM_IND	(3272)	Y			09/27/2006
CONCLUDE_COMMENT S	(1473)	Y	Free form text.	Concluding comments.	07/19/1999
CP_RPT_END_DT	(3276)	Y			09/27/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CP_RPT (4300) Data Type (VARCHAR [2])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CP_RPT_END_REASON_CD	(3275)	Y			09/27/2006	
CP_RPT_ID	(3280)	Y			09/27/2006	
CP_RPT_SOURCE_CD	(3277)	Y			09/27/2006	
CP_RPT_STATUS_CD	(3279)	N			09/27/2006	
CP_SVCS_AGREE_IND	(3273)	Y			09/27/2006	
CP_SVCS_NEED_IND	(187)	N	Y/N. See SSIS Transaction Edit Guide: 900-1;960-4;965-1.	Are Child Protection services needed?	08/29/2001	
FACILITY_RESP_IND	(1482)	Y	Y/N. See SSIS Transaction Edit Guide: 900-2.	Did the investigating worker determine that the facility was responsible?	03/22/1999	
IMMINENT_DANGER_IN D	(1133)	N	Y/N	Does this child maltreatment report involves imminent danger to the child(ren)?	01/04/1999	
INDV_RESP_IND	(1495)	N	Y/N. See SSIS Transaction Edit Guide: 900-3.	Did the investigating worker determine that an individual staff person was responsible?	03/22/1999	
MALT_DETERM_IND	(3274)	Y			09/27/2006	
MAND_REPORTER_IND	(3278)	Y			09/27/2006	
NUM_CHILDREN	(2399)	N			02/28/2003	
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
POLICE_REPORT_NUM	(2438)	Y			02/28/2003	
REC_LIC_ACTION_IND	(1683)	Y			04/12/1999	
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	
CP_RPT_FACILITY (4310) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BUS_ORG_ID	(2419)	N			02/28/2003	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CP_RPT_FACILITY (4310) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CP_RPT_FACILITY_ID	(3282)	N			09/27/2006	
CP_RPT_ID	(3280)	N			09/27/2006	
LICENSE_TYPE_CD	(457)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 820-3; 820-11; 820-13;820-14;820-15;820-16.	License type code. For example, Licensed for Family Day Care, Family Foster Home.	08/28/2001	
PROV_LIC_NUM	(675)	N		Provider license number	08/29/2001	

CP_RPT_TRACK (4305) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CP_RPT_ID	(3280)	N			09/27/2006	
CP_RPT_TRACK_ID	(3281)	Y			09/27/2006	
INV_TRACK_REASON_CD	(3269)	N			09/27/2006	
TRACK_CD	(1942)	Y	See SSIS Codes Table		05/11/2001	
TRACK_COMMENTS	(3296)	Y			09/28/2006	
TRACK_EFF_DT	(3270)	N			09/27/2006	
TRACK_SWITCH_RSN_CD	(3268)	Y			09/27/2006	

CP_RPT_VICTIM (4315) Data Type (VARCHAR [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CHILD_BEHAVIOR_IND	(110)	Y	Y/N	Ncands 36: Does the child have a behavior problem? (Other child disabilities recorded on disability tables)	01/01/1998	
CM_LIVING_SIT_CD	(2266)	N	See SSIS Codes Table.		05/15/2001	
CP_RPT_ID	(3280)	N			09/27/2006	
CP_RPT_VICTIM_ID	(3286)	N			09/27/2006	
CT_APPOINT_REP_IND	(2237)	N			01/05/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CP_RPT_VICTIM (4315) Data Type (DATE [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
JUV_PETITION_IND	(3337)	Y			10/25/2006	
NO_INTERVW_REASON_CD	(2670)	N			08/18/2004	
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
PETITION_DT	(631)	Y	YYYYMMDD. See Transaction Edit Guide: 960-3.	Ncands 57: Petition date	08/29/2001	

CPR_ASSESS_DETAIL (940) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CPR_ASSESS_ID	(864)	Y	Integer	Unique, system-generated identifier for a CPR_ASSESSMENT table row. May also be used as a data element.	01/22/1999	
CPR_DETAIL_ID	(1478)	N	Integer	Unique, system-generated identifier for a CPR_ASSESS_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999	
FAMILY_REC_IND	(1526)	Y	Y/N		01/20/1999	
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	

CPR_ASSESSMENT (930) Data Type (DATE [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ASSESS_DT	(73)	Y	YYYYMMDD	Date the assessment was performed	01/01/1998	
CPR_ASSESS_ID	(864)	Y	Integer	Unique, system-generated identifier for a CPR_ASSESSMENT table row. May also be used as a data element.	01/22/1999	
CPRISK_COMMENTS	(1476)	Y	Free form text.	Comments re: this specific risk assessment.	02/11/1999	
FINALIZE_DT	(1345)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 930-1; 930-2;945-1.	The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.	03/23/1999	
OVERALL_RISK_CD	(1507)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 930-1; 930-3.	Overall risk level.	08/29/2001	
REC_SVCS_COMMENT S	(1513)	Y	Free form text.	Comments re:recommended services.	02/11/1999	
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	
START_DT	(770)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.		08/29/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CPR_ASSESSMENT (930) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001
CPR_DETAIL_FACTOR (945) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CPR_DET_FACTOR_ID	(1479)	Y	Integer	Unique, system-generated identifier for a CPR_DETAIL_FACTOR table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999
CPR_DETAIL_ID	(1478)	Y	Integer	Unique, system-generated identifier for a CPR_ASSESS_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999
DOC_SUPPORTING	(1481)	Y	Free form text.	Documentation supporting the level of risk assigned.	02/11/1999
FACTOR_ID	(1484)	Y	Integer	Unique, system-generated identifier for a CPR_FACTOR table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999
RISK_CD	(1516)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 930-2;945-1.	The level of risk assigned.	08/29/2001
CPR_FACTOR (935) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHILD_REL_IND	(1470)	Y	Y/N	Indicates whether this is a child-related factor - which needs to be completed for each child.	02/11/1999
FACTOR_DESC	(1483)	Y	Free form text.	Description of this risk factor.	02/11/1999
FACTOR_ID	(1484)	N	Integer	Unique, system-generated identifier for a CPR_FACTOR table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999
HIGH_RISK	(1490)	N	Free form text.	Description of High Risk.	02/11/1999
LOW_RISK	(1502)	Y	Free form text.	Description of Low Risk.	02/11/1999
MOD_RISK	(1505)	Y	Free form text.	Description of Moderate Risk.	02/11/1999
NO_RISK	(1506)	N	Free form text.	Description of No Risk.	02/11/1999
CPT_MODIFIER (1472) Data Type (VARCHAR [65])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CPT_MOD_DESC	(2448)	Y			03/13/2003
CPT_MODIFIER	(2449)	Y			03/13/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

CWTCM_ELIGIBILITY (670) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CWTCM_ELIG_ID	(902)	N	Integer	Unique, system-generated identifier for a CWTCM_ELIGIBILITY table row. Note: CWTCM means Child Welfare Targeted Case Management. May also be used as a data element. To initialize, must be set to spaces.	12/08/1999	
CWTCM_IND	(1552)	N	Y/N. See SSIS Transaction Edit Guide: 670-4.	Is this child eligible for Child Welfare - Targeted Case Management?	12/16/1999	
CWTCM_MA_IND	(1711)	N	Y/N. Default is N. See SSIS Transaction Edit Guide: 670-5.	Is this child eligible for MA (for CW-TCM purposes, this would include eligibility for Minnesota Care as well)?	12/16/1999	
CWTCM_MALT_IND	(1553)	N	Y/N. See SSIS Transaction Edit Guide: 670-2.	Is this child a victim of or at risk of being abused or neglected?	12/16/1999	
CWTCM_PLCMT_IND	(1554)	N	Y/N. See SSIS Transaction Edit Guide: 670-1.	Is this child in or at risk of placement in out-of-home care?	12/16/1999	
CWTCM_PROTECT_IND	(1555)	N	Y/N. See SSIS Transaction Edit Guide: 670-3.	Is this child in need of protection or services?	12/16/1999	
CWTCM_SVC_PLAN_IN D	(1712)	N	Y/N. See SSIS Transaction Edit Guide: 670-6.	Is there a service plan that specifies the services to be provided for this CW-TCM child?	12/16/1999	
CWTCM_TYPE_CD	(1713)	N	See SSIS Codes Table.		05/15/2001	
CWTCM_VFCN_DT	(1556)	N	YYYYMMDD	Date of verification of this child's CW/TCM eligibility.	02/10/1999	
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	

DATADICT (2200) Data Type (NUMBER [30])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CODE_FLD_NAME	(1344)	Y				
CODE_LOOKUP_FLD	(1916)	Y				
CODE_TBL	(1917)	Y				
DESCRIPTION	(200)	Y	Free form text. See SSIS Transaction Edit Guide: 120-1; 1400-1; 1405-1;1430-3.	Text description	08/31/2001	
FLD_DEC	(1301)	Y			10/23/1998	
FLD_ID	(1302)	Y			10/23/1998	
FLD_LENGTH	(1303)	Y			10/23/1998	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DATADICT (2200) Data Type (VARCHAR [30])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
FLD_NAME	(1304)	Y			
FLD_TYPE	(1305)	Y			10/23/1998
LOG_LENGTH	(3076)	Y			12/15/2005
NOTE	(1306)	Y	Free form text.		11/13/1998
DEPARTMENT (110) Data Type (NUMBER [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CNTY_CD	(133)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998
DEPARTMENT_NAME	(198)	N	Free form text. See SSIS Transaction Edit Guide: 110-1.	County-assigned security group name	11/19/1998
DEPT_ID	(199)	N	Integer. See SSIS Transaction Edit Guide: 115-2.	Unique, system-generated identifier for a DEPARTMENT table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999
DEPT_STAFF_XREF (135) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DEPT_ID	(199)	N	Integer. See SSIS Transaction Edit Guide: 115-2.	Unique, system-generated identifier for a DEPARTMENT table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
DEX_DATASTORE (3500) Data Type (CLOB [0])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DEX_CONTENTS	(2997)	Y			05/05/2005
DEX_FILE_DT	(3932)	Y			09/16/2011
DEX_FILE_KIND_CD	(2995)	Y			05/05/2005
DEX_FILE_STATUS_CD	(3354)	Y			12/21/2006
DEX_ID	(2994)	N			05/05/2005
DEX_NAME	(2996)	N			05/05/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DEX_PARAM (3520) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DEX_PARAM_CD_ID	(3127)	N			02/22/2006
DEX_PARAM_ID	(3128)	N			02/22/2006
DEX_PARAM_VAL	(3122)	N			02/22/2006

DEX_PARAM_CD (3530) Data Type (VARCHAR [65])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DEX_CONFIG_FILE	(3123)	N			02/22/2006
DEX_INTERFACE_CD	(3124)	Y			02/22/2006
DEX_PARAM_CD_ID	(3127)	N			02/22/2006
DEX_PARAM_DESC	(3121)	Y			02/22/2006
DEX_PARAM_NAME	(3126)	N			02/22/2006
DEX_PARAM_PSWD	(3120)	N			02/22/2006
DEX_PARAM_TIME	(3137)	N			04/19/2006
DEX_PARAM_TYPE	(3125)	N			02/22/2006
DEX_SYS_PARAM_IND	(3129)	Y			03/02/2006
SORT_ORDER	(1694)	Y		NOT USED IN VERSION 3	05/01/2001

DI_AD_SBM (2515) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADOPT_SUBMIT_CD	(2692)	N			10/06/2004
ADOPTION_ID	(1744)	N	Integer. See Transaction Edit Guide: 460-2; 480-2; 485-1;490-1.	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001
DI_AD_SBM_ID	(2693)	Y			10/06/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_AD_SBM (2515) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
REPORT_ID	(1888)	N	Integer. See Transaction Edit Guide: 1705-1;1710-1.	Unique, system-generated identifier for a REPORT table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	
SUBMIT_DT	(2505)	Y			12/26/2003	

DI_CHILD_ELIG (2500) Data Type (DATE [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
AFDC_BASIS_IND	(2492)	Y			12/26/2003	
AFDC_CHILD_IND	(2493)	Y			12/26/2003	
AFDC_VERIFY_IND	(2491)	Y			12/26/2003	
APPL_WTHDRN_IND	(3036)	Y			06/22/2005	
ASSET_LIMIT_IND	(2490)	Y			12/26/2003	
ASSET_TRANSF_IND	(3024)	Y			06/17/2005	
BENEFIT_YR_MONTH	(3476)	Y			11/28/2007	
BEST_INTEREST_DT	(2367)	Y			10/29/2001	
BEST_INTEREST_IND	(1188)	Y	Y/N	Has the court granted a statement that the placement is in the best interest of the child?	01/04/1999	
BIRTH_DT	(92)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 500-2; 500-3; 500-4; 800-2; 870-1.	Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12	03/02/1999	
CITIZENSHIP_IND	(125)	Y	Y/N	Is this person a citizen?	01/01/1998	
CNTY_OF_SVC_CD	(139)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 400-10; 100-6.	County of service	03/15/2000	
CONTPLCMT_ID	(2614)	Y			06/04/2004	
CONTPLCMT_START_DT	(2629)	Y			06/04/2004	
COOPR_IND	(3023)	N			06/17/2005	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_CHILD_ELIG	(2500)		Data Type (VARCHAR [8])		
COURT_HEARING_DT	(1041)	Y	YYYYMMDD. See Transaction Edit Guide: 1500-1.	The date on which the court is tentatively scheduled to review this plan.	08/31/2001
DATA_TYPE	(2506)	Y			12/26/2003
DECEASED_IND	(3019)	Y			06/17/2005
DEPR_FACTOR_CD	(2501)	Y			12/26/2003
DI_CHILD_ELIG_ID	(2507)	Y			12/26/2003
ELIG_BEGIN_DT	(2481)	Y			12/26/2003
ELIG_END_DT	(227)	Y	YYYYMMDD		11/11/1998
FIRST_NAME	(388)	Y	See SSIS Transaction Edit Guide: 100-1; 500-1; 505-1; 800-2.		11/19/1998
GENDER_CD	(402)	Y	See SSIS Codes Table.		11/09/1998
GRAD_YR_MONTH	(2496)	Y			12/26/2003
GROSS_INCOME_IND	(2487)	Y			12/26/2003
IVE_ELIGIBLE_CD	(1572)	Y	See SSIS Codes Table.	Is this child eligible for IV-E funds for this placement?	03/22/2000
LAST_NAME	(452)	Y	See SSIS Transaction Edit Guide: 100-1; 500-1; 500-2; 505-1; 870-2.		12/06/1999
LEGAL_RESP_IND	(2488)	Y			12/26/2003
MAXIS_CASE_NUM	(3030)	N			06/17/2005
MAXIS_WKR_FIRST_NAME	(3377)	Y			06/21/2007
MAXIS_WKR_LAST_NAME	(3376)	Y			06/21/2007
MIDDLE_INIT	(2503)	Y			12/26/2003
NAME_SUFFIX	(499)	Y	Jr, Sr, I, II, III, IV,V. See SSIS Codes Table.		10/02/2000

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_CHILD_ELIG	(2500)		Data Type (VARCHAR [1])		
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
NET_INCOME_IND	(2486)	Y			12/26/2003
NEXT_MAXIS_RVW_DT	(3018)	Y			06/17/2005
OLD_CNTY_OF_SVC_CD	(2478)	Y			12/26/2003
OLD_MAXIS_CASE_NUM	(3029)	Y			06/17/2005
OLD_PMI	(2504)	Y			12/26/2003
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PETITION_DT	(631)	Y	YYYYMMDD. See Transaction Edit Guide: 960-3.	Ncands 57: Petition date	08/29/2001
PMI	(1176)	Y	Integer.	This person's unique person identifier from the MAXIS system.	02/10/1999
REASONABLE_EFF_CD	(2368)	Y	See SSIS Codes Table.		11/20/2001
REASONABLE_EFF_DT	(2369)	Y			10/29/2001
REASONABLE_EFF_IND	(1451)	Y	See SSIS Codes Table. Note: This field functions as a code, not as an indicator with Y/N value.	Has the court issued a statement that reasonable efforts (or active efforts) were performed by agency?	03/15/2000
REL_GUARD_IND	(3034)	Y			06/17/2005
SMI_ID	(3033)	Y			06/17/2005
SSN	(760)	Y	nnnnnnnn. No special characters.	Social Security Number.	02/10/1999
STRIKE_IND	(3037)	Y			06/22/2005
STUDENT_STAT_CD	(2495)	Y			12/26/2003
TIMESTAMP_DT	(2469)	Y			12/26/2003
TRANSFER_LEGAL_DT	(3536)	Y			10/14/2008
VOL_PLCMT_AGRMT_DT	(2477)	N			12/26/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_CHLD_ELIG_SBM	(2510)			Data Type (DATE [8])	
BEST_INTEREST_DT	(2367)	N			10/29/2001
CHIPS_DT	(3031)	N			06/17/2005
CHIPS_IND	(3032)	N			06/17/2005
CONTPLCMT_END_DT	(2628)	N			06/04/2004
CONTPLCMT_ID	(2614)	Y			06/04/2004
CONTPLCMT_START_DT	(2629)	N			06/04/2004
COURT_HEARING_DT	(1041)	N	YYYYMMDD. See Transaction Edit Guide: 1500-1.	The date on which the court is tentatively scheduled to review this plan.	08/31/2001
DATA_TYPE	(2506)	Y			12/26/2003
DI_CHLD_ELIG_SBM_ID	(2472)	N			12/26/2003
ELIG_SUBMIT_CD	(2524)	Y			01/19/2004
ENTERED_FC_DT	(2502)	Y			12/26/2003
FC_EXTENSION_DT	(3685)	Y			07/16/2010
FC_EXTENSION_IND	(3684)	Y			07/16/2010
IVE_MNT_AGR_EFF_DT	(3028)	Y			06/17/2005
IVE_MNT_AGR_END_DT	(3027)	N			06/17/2005
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PETITION_DT	(631)	Y	YYYYMMDD. See Transaction Edit Guide: 960-3.	Ncands 57: Petition date	08/29/2001
PMI	(1176)	N	Integer.	This person's unique person identifier from the MAXIS system.	02/10/1999
REAS_EFF_PERM_DT	(2467)	Y			12/26/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_CHLD_ELIG_SBM (2510) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
REASONABLE_EFF_CD	(2368)	N	See SSIS Codes Table.		11/20/2001
REASONABLE_EFF_DT	(2369)	Y			10/29/2001
SMI_ID	(3033)	N			06/17/2005
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
SUBMIT_DT	(2505)	Y			12/26/2003
SUP_AGCY_CD	(2624)	N			06/04/2004
SUP_TRIBE_CD	(2647)	Y			06/17/2004
UMBRELLA_CO_IND	(3026)	Y			06/17/2005
VOL_PLCMT_AGRMT_DT	(2477)	Y			12/26/2003

DI_CHLD_MNTH_RMB (2505) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AFDC_BASIS_IND	(2492)	Y			12/26/2003
AFDC_VERIFY_IND	(2491)	Y			12/26/2003
ASSET_LIMIT_IND	(2490)	Y			12/26/2003
BIRTH_DT	(92)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 500-2; 500-3; 500-4; 800-2; 870-1.	Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12	03/02/1999
CNTY_OF_SVC_CD	(139)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 400-10; 100-6.	County of service	03/15/2000
CONTPLCMT_ID	(2614)	Y			06/04/2004
CONTPLCMT_START_DT	(2629)	Y			06/04/2004
COOPR_IND	(3023)	Y			06/17/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_CHLD_MNTH_RMB	(2505)		Data Type (CHAR [8])		
COURT_HEARING_DT	(1041)	Y	YYYYMMDD. See Transaction Edit Guide: 1500-1.	The date on which the court is tentatively scheduled to review this plan.	08/31/2001
DEPR_FACTOR_CD	(2501)	N			12/26/2003
DI_CHLD_MNTH_RMB_I D	(2468)	Y			12/26/2003
DUP_ASSISTANCE_IND	(2499)	Y			12/26/2003
ENTERED_FC_DT	(2502)	Y			12/26/2003
FIRST_NAME	(388)	Y	See SSIS Transaction Edit Guide: 100-1; 500-1; 505-1; 800-2.		11/19/1998
GENDER_CD	(402)	Y	See SSIS Codes Table.		11/09/1998
GRAD_YR_MONTH	(2496)	Y			12/26/2003
GROSS_INCOME_IND	(2487)	Y			12/26/2003
IVE_MNT_AGR_EFF_DT	(3028)	Y			06/17/2005
IVE_MNT_AGR_END_DT	(3027)	Y			06/17/2005
IVE_MNT_AGR_IND	(3022)	Y			06/17/2005
IVE_REIMB_CD	(4439)	Y			
LAST_NAME	(452)	Y	See SSIS Transaction Edit Guide: 100-1; 500-1; 500-2; 505-1; 870-2.		12/06/1999
LUMP_SUM_IND	(3021)	Y			06/17/2005
MAXIS_CASE_NUM	(3030)	N			06/17/2005
MAXIS_WKR_FIRST_NA ME	(3377)	Y			06/21/2007
MAXIS_WKR_LAST_NA ME	(3376)	Y			06/21/2007
MIDDLE_INIT	(2503)	N			12/26/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_CHLD_MNTH_RMB	(2505)		Data Type (VARCHAR [5])		
NAME_SUFFIX	(499)	Y	Jr, Sr, I, II, III, IV,V. See SSIS Codes Table.		10/02/2000
NET_INCOME_IND	(2486)	Y			12/26/2003
NEXT_MAXIS_RVW_DT	(3018)	Y			06/17/2005
OLD_MAXIS_CASE_NUM	(3029)	N			06/17/2005
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PMI	(1176)	Y	Integer.	This person's unique person identifier from the MAXIS system.	02/10/1999
REAS_EFF_PERM_DT	(2467)	Y			12/26/2003
REAS_EFF_PERM_IND	(2466)	Y			12/26/2003
REIMB_YR_MONTH	(2494)	Y			12/26/2003
REVIEW_CERT_IND	(3020)	Y			06/17/2005
SMI_ID	(3033)	Y			06/17/2005
SSN	(760)	N	nnnnnnnn. No special characters.	Social Security Number.	02/10/1999
STUDENT_STAT_CD	(2495)	N			12/26/2003
SUP_AGCY_CD	(2624)	Y			06/04/2004
TIMESTAMP_DT	(2469)	Y			12/26/2003
TRANSFER_LEGAL_DT	(3536)	Y			10/14/2008
UMBRELLA_CO_IND	(3026)	Y			06/17/2005
VOL_PLCMT_AGRMT_DT	(2477)	Y			12/26/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_ELIG_CARRIER (3463) Data Type (NUMBER [25])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CARRIER_NAME	(4390)	N			
CARRIER_NUM	(4391)	N			
DI_ELIG_CARRIER_ID	(4389)	N			

DI_ELIG_CASE (3443) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CASE_END_DT	(4392)	Y			
CASE_START_DT	(4393)	N			
CASE_STATUS_CD	(2052)	N	See SSIS Codes description		05/11/2001
CASE_TYPE_CD	(4394)	N			
DI_ELIG_CASE_ID	(4380)	Y			
DI_ELIG_FIN_WRKR_ID	(4396)	Y			
MMIS_CASE_NUM	(4395)	N			

DI_ELIG_DD_DIAG (3445) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_DD_DIAG_ID	(2983)	N			05/04/2005
DI_ELIG_DD_SCRNG_ID	(2982)	N			05/04/2005
DIAG_INDEX	(2933)	N			05/04/2005
DIAGNOSIS_CD	(203)	N	See SSIS Transaction Edit Guide: 1445-1	Diagnosis at the detail level of the ICD-9-CM and DSM-IV codes.	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_ELIG_DD_SCRNG (3450) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTION_DT	(2951)	N			05/04/2005
ACTION_TYPE_CD	(2950)	N			05/04/2005
CASE_MGR_NAME	(4381)	Y			
DI_ELIG_DD_SCRNG_ID	(2982)	Y			05/04/2005
DI_ELIG_MMIS_ID	(2981)	N			05/04/2005
MMIS_DIAG_TYPE_CD	(4382)	N			
PA_SCRNG_STATUS_CD	(2941)	Y			05/04/2005
PRIOR_AUTH_NUM	(2940)	Y			05/04/2005

DI_ELIG_DTH_DATA (3455) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_DTH_DATA_ID	(2894)	N			05/04/2005
DI_ELIG_MMIS_ID	(2981)	N			05/04/2005
DTH_END_DT	(2963)	N			05/04/2005
DTH_SERVICE_CD	(2962)	N			05/04/2005
DTH_START_DT	(2964)	N			05/04/2005

DI_ELIG_FIN_WRKR (3433) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_FIN_WRKR_ID	(4396)	Y			
FIN_WRKR_FIRST_NAME	(4397)	N			
FIN_WRKR_LAST_NAME	(4398)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_ELIG_FIN_WRKR (3433) Data Type (VARCHAR [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
FIN_WRKR_NUM	(4399)	Y			
FIN_WRKR_PHONE	(4400)	N			
FIN_WRKR_PHONE_EX T	(4401)	Y			

DI_ELIG_LIVE_ARR (3460) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_LIVE_ARR_ID	(2895)	N			05/04/2005
DI_ELIG_MMIS_ID	(2981)	N			05/04/2005
DI_ELIG_PROVIDER_ID	(4379)	Y			
LIVE_ARR_CD	(458)	Y	Field is not currently used.	Living arrangement code	03/15/2000
LIVE_ARR_END_DT	(459)	Y	Field is not currently used.	Living arrangement end date	01/01/1998
LIVE_ARR_START_DT	(460)	N	Field is not currently used.	Living arrangement start date	01/01/1998

DI_ELIG_LTC_DIAG (3430) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_LTC_DIAG_ID	(2897)	N			05/04/2005
DI_ELIG_LTC_SCRNG_I D	(2896)	N			05/04/2005
DIAG_INDEX	(2933)	N			05/04/2005
DIAGNOSIS_CD	(203)	N	See SSIS Transaction Edit Guide: 1445-1	Diagnosis at the detail level of the ICD-9-CM and DSM-IV codes.	

DI_ELIG_LTC_SCRNG (3440) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ASSESSMENT_DT	(2968)	Y			05/04/2005
CASE_MGR_NAME	(4381)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_ELIG_LTC_SCRNG (3440) Data Type (NUMBER [5])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CDCS_AMT	(2967)	N			05/04/2005
CDCS_IND	(2966)	N			05/04/2005
DI_ELIG_LTC_SCRNG_I D	(2896)	Y			05/04/2005
DI_ELIG_MMIS_ID	(2981)	N			05/04/2005
LTC_ASSES_EXIT1_CD	(2944)	Y			05/04/2005
LTC_ASSES_EXIT2_CD	(2943)	N			05/04/2005
LTC_WAIVER_TYPE_CD	(2942)	Y			05/04/2005
MMIS_DIAG_TYPE_CD	(4382)	Y			
PA_SCRNG_STATUS_C D	(2941)	N			05/04/2005
PRIOR_AUTH_NUM	(2940)	N			05/04/2005
SCRNG_ACT_TYPE_CD	(2935)	Y			05/04/2005
SCRNG_ACT_TYPE_DT	(2934)	Y			05/04/2005

DI_ELIG_MEDICARE (3458) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_MEDICARE_ID	(4407)	N			
DI_ELIG_MMIS_ID	(2981)	N			05/04/2005
MEDICARE_END_DT	(4411)	N			
MEDICARE_SOURCE_C D	(4408)	N			
MEDICARE_START_DT	(4410)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_ELIG_MEDICARE (3458) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MEDICARE_TYPE_CD	(4409)	N			

DI_ELIG_MMIS (3425) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_MMIS_ID	(2981)	N			05/04/2005
PMI	(1176)	N	Integer.	This person's unique person identifier from the MAXIS system.	02/10/1999
RCP_BIRTH_DT	(2958)	N			05/04/2005
RCP_FIRST_NAME	(2957)	N			05/04/2005
RCP_GENDER_CD	(2956)	N			05/04/2005
RCP_LAST_NAME	(2955)	N			05/04/2005
RCP_MIDDLE_INITIAL	(2954)	N			05/04/2005
RCP_SSN	(2953)	N			05/04/2005

DI_ELIG_PERIOD (3448) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_MMIS_ID	(2981)	N			05/04/2005
DI_ELIG_PERIOD_ID	(4412)	N			
PERIOD_ELIG_MNTH	(4413)	N			
PERIOD_ELIG_YEAR	(4414)	N			
PERIOD_MCAREA_IND	(4415)	N			
PERIOD_MCAREB_IND	(4416)	N			
PERIOD_PPHP_IND	(4417)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_ELIG_PERIOD (3448) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERIOD_TPL_IND	(4418)	N			
PERIOD_WAIVER_IND	(4419)	N			

DI_ELIG_PPHP_DATA (3465) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_MMIS_ID	(2981)	Y			05/04/2005
DI_ELIG_PPHP_DATA_I D	(2899)	Y			05/04/2005
DI_ELIG_PPHP_PROD_I D	(4383)	N			
DI_ELIG_PROVIDER_ID	(4379)	Y			
PPHP_CHG_REASON_C D	(4384)	Y			
PPHP_DISENRL_RSN_C D	(4386)	Y			
PPHP_END_DT	(2971)	Y			05/04/2005
PPHP_LAST_CAP_DT	(4385)	N			
PPHP_OTHER_INSUR_I ND	(4388)	N			
PPHP_START_DT	(2972)	Y			05/04/2005
PPHP_TRACK_CD	(4387)	N			

DI_ELIG_PPHP_EXCL (3428) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_MMIS_ID	(2981)	Y			05/04/2005
DI_ELIG_PPHP_EXCL_I D	(4422)	N			
EXCL_END_DT	(4425)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_ELIG_PPHP_EXCL	(3428)	Data Type (DATE	[2])
-------------------	----------	-----------------	---------

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
EXCL_REASON_CD	(4423)	N			
EXCL_START_DT	(4424)	N			

DI_ELIG_PPHP_PROD	(3453)	Data Type (NUMBER	[10])
-------------------	----------	-------------------	----------

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_PPHP_PROD_ID	(4383)	N			
PPHP_PROD_CODE	(4403)	Y			
PPHP_PROD_DESCR	(4404)	N			
PPHP_PROD_END_DT	(4406)	N			
PPHP_PROD_START_DT	(4405)	N			

DI_ELIG_PROVIDER	(3435)	Data Type (VARCHAR	[10])
------------------	----------	--------------------	----------

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_PROVIDER_ID	(4379)	Y			
ELIG_PROV_NAME	(4402)	Y			
NPI	(2662)	N			08/03/2004
PROV_CNTY_CD	(2986)	N			05/04/2005
PROV_NUM	(2939)	Y			

DI_ELIG_REC_CASE	(3438)	Data Type (NUMBER	[2])
------------------	----------	-------------------	---------

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CASE_RELATION_CD	(4421)	N			
DI_ELIG_CASE_ID	(4380)	N			
DI_ELIG_MMIS_ID	(2981)	Y			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_ELIG_REC_CASE (3438) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_REC_CASE_ID	(4420)	N			

DI_ELIG_RECIPIENT (3470) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_CASE_ID	(4380)	Y			
DI_ELIG_MMIS_ID	(2981)	N			05/04/2005
DI_ELIG_RECIPIENT_ID	(2900)	N			05/04/2005
ELIG_END_DT	(227)	N	YYYYMMDD		11/11/1998
ELIG_START_DT	(228)	Y	YYYYMMDD		11/11/1998
ELIG_TYPE_CD	(2976)	N			05/04/2005
MAJOR_PROG_CD	(2974)	N			05/04/2005
RCP_ELIG_STATUS_CD	(2973)	N			05/04/2005

DI_ELIG_SA (3485) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_MMIS_ID	(2981)	Y			05/04/2005
DI_ELIG_SA_ID	(2908)	Y			05/04/2005
EXT_TOT_AMT_USED	(2948)	Y			05/04/2005
PA_STATUS_REASON1_CD	(2989)	N			05/04/2005
PA_STATUS_REASON2_CD	(2988)	Y			05/04/2005
PA_STATUS_REASON3_CD	(2987)	Y			05/04/2005
PA_TOTAL_AUTH_AMT	(4434)	Y			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_ELIG_SA (3485) Data Type (VARCHAR [12])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PA_TOTAL_CAP_AMT	(2945)	Y			05/04/2005
PRIOR_AUTH_NUM	(2940)	Y			05/04/2005
SA_END_DT	(2781)	Y			05/04/2005
SA_HDR_STATUS_CD	(3251)	Y			09/21/2006
SA_START_DT	(2782)	Y			05/04/2005
SA_TYPE_CD	(2936)	Y			05/04/2005

DI_ELIG_SA_LN_ITM (3480) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_PROVIDER_ID	(4379)	Y			
DI_ELIG_SA_ID	(2908)	Y			05/04/2005
DI_ELIG_SA_LN_ITM_ID	(2910)	Y			05/04/2005
HCPCS_CD	(409)	N	See SSIS Codes Table. See Transaction Edit Guide: 1460-1.	Health Care Common Procedural Coding System	08/31/2001
MOD_1	(2813)	Y			05/04/2005
MOD_2	(2812)	Y			05/04/2005
MOD_3	(2811)	N			05/04/2005
MOD_4	(2810)	Y			05/04/2005
PA_AMT_REQUEST	(2907)	Y			05/04/2005
PA_AMT_USED	(2906)	Y			05/04/2005
PA_LINE_END_DT	(2904)	Y			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_ELIG_SA_LN_ITM (3480) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PA_LINE_START_DT	(2905)	N			05/04/2005
PA_RATE_PER_UNIT	(2903)	Y			05/04/2005
PA_STATUS_REASON1_CD	(2989)	Y			05/04/2005
PA_STATUS_REASON2_CD	(2988)	N			05/04/2005
PA_STATUS_REASON3_CD	(2987)	Y			05/04/2005
PA_UNITS_REQUEST	(2902)	Y			05/04/2005
PA_UNITS_USED	(2901)	Y			05/04/2005
PRIOR_AUTH_LINE_NUM	(2992)	N			05/04/2005
SA_LINE_STATUS_CD	(2938)	N			05/04/2005
SERVICE_FREQ_CD	(2937)	N			

DI_ELIG_TPL (3473) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COST_EFF_END_DT	(4427)	Y			
COST_EFF_START_DT	(4428)	Y			
COST_EFF_STATUS_CD	(4429)	N			
DI_ELIG_CARRIER_ID	(4389)	N			
DI_ELIG_MMIS_ID	(2981)	N			05/04/2005
DI_ELIG_TPL_ID	(4426)	N			
RECIP_END_DT	(4641)	Y			10/01/2012

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_ELIG_TPL (3473) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
RECIP_START_DT	(4640)	Y			10/01/2012
TPL_POL_END_DT	(4431)	Y			
TPL_POL_NUM	(4432)	Y			
TPL_POL_SEQ_NUM	(4433)	N			
TPL_POL_START_DT	(4430)	Y			

DI_ELIG_WAIVER (3475) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DI_ELIG_MMIS_ID	(2981)	N			05/04/2005
DI_ELIG_WAIVER_ID	(2909)	N			05/04/2005
WAIVER_SCREEN_DT	(2979)	Y			05/04/2005
WAIVER_START_DT	(2980)	N			05/04/2005
WAIVER_THRU_DT	(2978)	N			05/04/2005
WAIVER_TYPE_CD	(2977)	N			05/04/2005

DI_IVE_ELIG_WKS (3710) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BEST_INTEREST_IND	(1188)	N	Y/N	Has the court granted a statement that the placement is in the best interest of the child?	01/04/1999
BI_COURT_DETAIL_ID	(3016)	N			06/17/2005
CONTPLCMT_ID	(2614)	Y			06/04/2004
CT_COURT_DETAIL_ID	(3017)	N			06/17/2005
DI_IVE_ELIG_WKS_ID	(3014)	N			06/17/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_IVE_ELIG_WKS (3710) Data Type (DATE [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
IVE_RMV_DT	(3047)	N			08/08/2005	
NOT_SEEKING_IVE_CD	(3013)	Y			06/17/2005	
PET_COURT_DETAIL_ID	(3038)	Y			06/22/2005	
REA_COURT_DETAIL_ID	(3015)	N			06/17/2005	
REASONABLE_EFF_IND	(1451)	N	See SSIS Codes Table. Note: This field functions as a code, not as an indicator with Y/N value.	Has the court issued a statement that reasonable efforts (or active efforts) were performed by agency?	03/15/2000	

DI_IVE_RATE (2610) Data Type (NUMBER [6])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
APPR_IVE_INTK_PCNT	(2513)	Y			02/23/2004	
APPR_IVE_MTN_PCNT	(2514)	Y			02/23/2004	
APPR_IVE_TRNG_PCNT	(2512)	N			02/23/2004	
APPR_MA_PCNT	(2511)	Y			02/23/2004	
APPR_PER_DIEM	(2515)	Y			02/23/2004	
BLTN_EFF_DT	(2666)	Y			08/17/2004	
BLTN_EXP_DT	(2665)	Y			08/17/2004	
CNTY_CITY	(2519)	Y			02/23/2004	
CUR_CONTRACT_LIC	(2509)	Y			02/23/2004	
DHS_LIC_NUM	(2517)	Y			02/23/2004	
DI_IVE_RATE_ID	(2669)	N			08/17/2004	
EFF_DT	(2561)	N			05/04/2004	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DI_IVE_RATE (2610) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
EXP_DT	(2668)	Y			08/17/2004
EXP_REASON	(2667)	Y			08/17/2004
FACILITY	(2520)	Y			02/23/2004
IVE_SUB_CD	(2516)	Y			02/23/2004
MA_PROVIDER_NUM	(2510)	N			02/23/2004
RATE_GROUP	(2521)	Y			02/23/2004
RULE_NUM	(2518)	Y			02/23/2004

DI_IVE_RMB_WKS (3700) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHIPS_DT	(3031)	N			06/17/2005
CHIPS_IND	(3032)	N			06/17/2005
CONTPLCMT_ID	(2614)	N			06/04/2004
DI_IVE_RMB_WKS_ID	(3025)	N			06/17/2005

DI_MMIS_PMI (3497) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PMI	(1176)	N	Integer.	This person's unique person identifier from the MAXIS system.	02/10/1999

DIAGNOSIS_CODE (1445) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DIAG_CD_END_DT	(1964)	N	Field is not currently used.		05/09/2001
DIAG_CD_START_DT	(1965)	N	Field is not currently used.		05/09/2001
DIAG_DESC	(2238)	N	Textual field. See SSIS Transaction Edit Guide: 1445-3.	Description associated with the ICD-9-CM or DSM-IV diagnosis code.	08/31/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DIAGNOSIS_CODE (1445) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DIAG_TYPE_CD	(2228)	N	See SSIS Codes List. See Transaction Edit Guide: 1445-2.		08/31/2001
DIAGNOSIS_CD	(203)	N	See SSIS Transaction Edit Guide: 1445-1	Diagnosis at the detail level of the ICD-9-CM and DSM-IV codes.	
DIAGNOSIS_ID	(2236)	Y	Integer. See Transaction Edit Guide: 537-2.	Unique, system-generated identifier for a DIAGNOSIS_CODE table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001
NONSPECIFIC_IND	(2984)	N			05/04/2005

DISABILITY (535) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CORRECTABLE_IND	(1769)	N	Y/N		01/24/2000
DISABILITY_ID	(1187)	N	Integer	Unique, system-generated identifier for a DISABILITY table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
END_DT	(233)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.		03/24/1999
HIGHLVL_DISABIL_CD	(411)	Y			05/11/2001
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
SEVERITY_CD	(1815)	Y	See SSIS Codes Table.		05/11/2001
START_DT	(770)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.		08/29/2001
THERAPY_REQ_IND	(1817)	N	Y/N		01/24/2000

DOC_ASSESS (2945) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOC_ASSESS_DT	(2608)	N			06/04/2004
DOC_ASSESS_ID	(2609)	N			06/04/2004
DOC_DESC	(2606)	N			06/04/2004
DOC_EFF_DT	(2607)	Y			06/04/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DOC_ASSESS (2945) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOC_LEVEL_CD	(2605)	N			06/04/2004
DOC_POINTS	(1968)	N		NOT USED IN VERSION 3	05/01/2001
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001

DOC_PT_RATE (1487) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOC_PT_RATE_ID	(2999)	Y			05/12/2005
POINT_RATE	(2998)	N			05/12/2005
YEAR	(1885)	N	YYYY. See Transaction Edit Guide: 1485-1;1490-1.	The year to which this applies.	08/31/2001

DOC_SCHEDULE (1485) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGE_HIGH	(1879)	N	Integer. See Transaction Edit Guide: 1485-2; 1490-2.	The high end of the age range to which this foster care payment rate applies.	08/31/2001
AGE_LOW	(1880)	N	Integer. See Transaction Edit Guide: 1485-3;1490-3	The low end of the age range to which this foster care payment rate applies.	08/31/2001
DOC_BASIC_PER_DIEM	(1882)	N	7 digits to the left of the decimal, an explicit decimal point, 2 digits to the right; for a total of 10. See Transaction Edit Guide: 1485-5.	The basic daily payment rate for a child of this age; excludes Difficulty of Care (DOC).	08/31/2001
DOC_SCHEDULE_ID	(1884)	N	Integer	Unique, system-generated identifier for a DOC_SCHEDULE table row. May also be used as a data element. To initialize, must be set to spaces.	12/21/1999
TOTAL_POINTS	(890)	N	Integer. See Transaction Edit Guide: 1485-4.	DOC Assessment: Total Points	08/31/2001
YEAR	(1885)	N	YYYY. See Transaction Edit Guide: 1485-1;1490-1.	The year to which this applies.	08/31/2001

DOCU_ANSWER (362) Data Type (DATE [120])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_ANSWER	(3660)	N			04/07/2010
DOCU_ANSWER_ID	(3659)	N			04/07/2010

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DOCU_ANSWER		(362)	Data Type (NUMBER [10])	
-------------	--	---------	----------------------------	--

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_ANSWER_SET_ID	(3661)	N			04/07/2010
SORT_ORDER	(1694)	N		NOT USED IN VERSION 3	05/01/2001

DOCU_ANSWER_SET		(352)	Data Type (DATE [85])	
-----------------	--	---------	--------------------------	--

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_ANSWER_SET_D ESC	(3662)	N			04/07/2010
DOCU_ANSWER_SET_ID	(3661)	Y			04/07/2010
STATE_DEFINED_IND	(3563)	N			07/30/2009

DOCU_COMMENT_XREF		(389)	Data Type (NUMBER [10])	
-------------------	--	---------	----------------------------	--

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COMMENTS_LOG_ID	(2842)	N			05/04/2005
DOCU_COMMENT_TYP E_CD	(6121)	N			
DOCU_COMMENT_XREF_ID	(6120)	N			
SSIS_DOCUMENT_ID	(3616)	N			10/15/2009

DOCU_CONDITION		(372)	Data Type (DATE [200])	
----------------	--	---------	---------------------------	--

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONDITION_VAL	(3657)	N			04/07/2010
DOCU_CONDITION_ID	(3653)	N			04/07/2010
DOCUMENT_TMPL_ID	(3569)	Y			07/30/2009
DT_DTF_XREF_ID_AFF CT	(3658)	Y			04/07/2010
DT_DTF_XREF_ID_DRV R	(3664)	Y			04/08/2010
ENTITY_NAME_AFFECTED	(3655)	N			04/07/2010

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DOCU_CONDITION (372) Data Type (NUMBER [200])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ENTITY_NAME_DRIVER	(3654)	N			04/07/2010	
GT_LT_EQUAL_CD	(3656)	N			04/07/2010	
DOCU_EX_LVL_SCORE (5760) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
DOCU_EX_LVL_SCORE_ID	(6093)	N				
EXTRA_LVL_SCORE_ID	(6000)	Y				
MAPCY_EXTRA_LVL_ID	(5980)	N				
SCORE	(2135)	N	Integer	Numeric code used to score tools	04/26/2001	
DOCU_EXT_FILE_XREF (383) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
DOCU_EXT_FILE_XRF_ID	(6180)	N			06/12/2014	
EXT_FILE_ID	(5040)	N			05/01/2013	
SSIS_DOCUMENT_ID	(3616)	N			10/15/2009	
DOCU_GROUP (377) Data Type (VARCHAR [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
COMPLETE_IND	(4103)	Y			02/16/2012	
DG_CAPTION	(4101)	Y			02/16/2012	
DOCU_GROUP_ID	(4099)	Y			02/16/2012	
DOCU_GROUP_PARENT_ID	(4106)	Y			02/16/2012	
DOCUMENT_TMPL_ID	(3569)	Y			07/30/2009	
GRP_CLASSNAME	(4104)	Y			02/16/2012	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DOCU_GROUP (377) Data Type (NUMBER [4000])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
GRP_CONF_DEF	(7780)	N			
GRP_ORDER	(4105)	Y			02/16/2012
ICON	(4100)	Y			02/16/2012
REQ_IND	(4102)	N			02/16/2012

DOCU_GRP_CHILD_ND (5730) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_GRP_CHILD_ND_ID	(5264)	N			
DOCU_GRP_FLD_XREF_ID	(4107)	N			02/16/2012
MAPCY_CHILD_NEED_ID	(5238)	N			
MAPCY_DOM_SUBGRP_ID	(5600)	N			12/31/2013

DOCU_GRP_DOC_XREF (379) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_GROUP_ID	(4099)	N			02/16/2012
DOCU_GRP_DOC_XREF_ID	(4125)	N			02/22/2012
GRP_COMPLETE_IND	(4126)	N			02/22/2012
SSIS_DOCUMENT_ID	(3616)	N			10/15/2009

DOCU_GRP_FLD_XREF (378) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CAPTION_TAG	(4112)	N			02/16/2012
CMP_TAG	(4110)	N			02/16/2012
DGFX_CAPTION	(4109)	N			02/16/2012

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DOCU_GRP_FLD_XREF (378) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_GROUP_ID	(4099)	N			02/16/2012
DOCU_GRP_FLD_XREF_ID	(4107)	N			02/16/2012
DT_DTF_XREF_ID	(3568)	N			07/30/2009
ELEM_ROW	(4139)	Y			02/24/2012
FIELD_CONF_DEF	(4700)	Y			
GRP_FLD_DATA_TYPE_CD	(4702)	N			
GRP_FLD_REC_TYPE_CD	(4701)	Y			
GRP_FLD_SIZE	(7781)	Y			
LOAD_ORDER	(4111)	N			02/16/2012
READ_ONLY_IND	(4108)	Y			02/16/2012
SECTION_TAG	(4160)	Y			02/29/2012

DOCU_GRP_SCORING (5725) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_GRP_FLD_XREF_ID	(4107)	Y			02/16/2012
DOCU_GRP_SCORING_ID	(5314)	Y			
MAPCY_DOM_SUBGRP_ID	(5600)	N			12/31/2013
SCORING_LVL_ID	(5313)	Y			

DOCU_HEADERS_FOOTERS (392) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_HEADERS_FTRS_ID	(3671)	N			04/16/2010

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DOCU_HEADERS_FOOTERS (392) Data Type (NUMBER [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SSIS_DOCUMENT_ID	(3616)	N			10/15/2009
TMPL_FOOTER_ID	(3608)	Y			09/01/2009
TMPL_HEADER_ID	(3607)	N			09/01/2009
TMPL_TITLE_FOOTER_ID	(3625)	N			11/03/2009
TMPL_TITLE_ID	(3609)	N			09/01/2009

DOCU_IMAGE (385) Data Type (DATE [0])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_BLOB	(3633)	N			
DOCU_IMAGE_ID	(3632)	Y			01/27/2010
DOCU_IMG_NAME	(3640)	Y			02/02/2010
DT_DTF_XREF_ID	(3568)	N			07/30/2009

DOCU_LINK_XREF (342) Data Type (NUMBER [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_LINK_XREF_ID	(4739)	N			05/15/2013
LINK_NAME	(4740)	N			05/15/2013
SSIS_DOCUMENT_ID	(3616)	N			10/15/2009
SSIS_DOCUMENT_ID_2	(4741)	N			05/15/2013

DOCU_PROMPT (382) Data Type (NUMBER [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_ANSWER_SET_ID	(3661)	N			04/07/2010
DOCU_PROMPT_ID	(3669)	N			04/16/2010

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DOCU_PROMPT (382) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_DTF_XREF_ID	(3568)	N			07/30/2009
PROMPT_TEXT	(3670)	N			04/16/2010

DOCU_REQUIREMENT (380) Data Type (VARCHAR [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COPY_TMPL_TYPE_CD	(4699)	Y			
DOCU_REQUIREMENT_CD	(3629)	Y			
DOCU_REQUIREMENT_ID	(3627)	N			11/03/2009
DOCUMENT_TMPL_ID	(3569)	N			07/30/2009
VERSION_CLASS	(8640)	Y			

DOCU_SCORE (5745) Data Type (NUMBER [32])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHILD_NEED_RATING	(5400)	Y			
DOCU_SCORE_ID	(5249)	N			
MAPCY_DOMAIN_ID	(5251)	N			
MAPCY_LEVEL_CD	(5317)	N			
MAPCY_SCORE_TYPE_CD	(5250)	Y			
SCORE	(2135)	N	Integer	Numeric code used to score tools	04/26/2001
SSIS_DOCUMENT_ID	(3616)	Y			10/15/2009

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DOCU_TMPL_DTF_XREF (355) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_TMPL_FIELD_ID	(3586)	Y			07/30/2009
DOCUMENT_TMPL_ID	(3569)	Y			07/30/2009
DT_DTF_XREF_ID	(3568)	Y			07/30/2009
DTDX_PARENT_ID	(8985)	N			
ENTITY_NAME	(3578)	N			07/30/2009
FILTER_FIELD_DEF	(3626)	Y			11/03/2009
INPUT_FIELD_DEF	(3584)	N			07/30/2009
REQUIRED_IND	(3579)	Y			07/30/2009
SVC_PLAN_IND	(3618)	Y			10/15/2009
TBL_IND	(3583)	Y			07/30/2009
TMPL_DATE_FORMAT_CD	(3581)	Y			07/30/2009
TMPL_STAFF_TYPE_CD	(3585)	N			07/30/2009
USER_SELECT_IND	(3580)	N			07/30/2009

DOCU_TMPL_FIELD (360) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CARD_INFO_ID	(3630)	Y			12/17/2009
CLIENT_CONTROL_WITH	(3601)	Y			07/30/2009
CLIENT_ONLY_IND	(3613)	N			09/23/2009
CONTROL_TYPE_CD	(3589)	Y			07/30/2009

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CREATE_ON_NEW_IND	(3602)	Y			07/30/2009
DATA_DOS_NAME	(3599)	Y			07/30/2009
DATA_VIEW_NAME	(3598)	Y			07/30/2009
DB_FIELD	(3591)	Y			07/30/2009
DEFAULT_IND	(3959)	Y			10/07/2011
DISPLAY_LABEL	(3587)	Y			07/30/2009
DOCU_TMPL_FIELD_ID	(3586)	Y			07/30/2009
DOCU_TYPE_CD	(3617)	Y			10/15/2009
DTF_ACTIVE_IND	(3621)	Y			10/15/2009
ENTITY_NM_ALLOW_IN D	(3594)	Y			07/30/2009
LIST_DOS_NAME	(3590)	Y			07/30/2009
LIST_VIEW_NAME	(3593)	Y			07/30/2009
STATE_ONLY_IND	(3620)	Y			10/15/2009
SVC_PLAN_ALLOW_IND	(3619)	N			10/15/2009
TMPL_FIELD_HINT	(3600)	Y			07/30/2009
TMPL_FLD_TYPE_CD	(3597)	Y			07/30/2009
TREE_PARENT_ID	(3595)	Y			07/30/2009
TREE_SEQUENCE	(3596)	N			07/30/2009
XPATH	(3588)	N			07/30/2009

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DOCU_TMPL_RTF_TST (386) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_TMPL_RTF_TST_ID	(8261)	N			
DOCUMENT_TMPL_RTF_ID	(5180)	N			
DT_DTF_XREF_ID	(3568)	N			07/30/2009
MATCH_VALUE	(8262)	Y			
TST_GROUP_INDEX	(8580)	Y			

DOCUMENT (300) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CREATED_DT	(188)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 300-2;1700-2.	Date this document was created	08/31/2001
DESCRIPTION	(200)	Y	Free form text. See SSIS Transaction Edit Guide: 120-1; 1400-1; 1405-1;1430-3.	Text description	08/31/2001
DOCUMENT	(213)	Y	Blob	Document Blob	01/01/1998
DOCUMENT_ID	(215)	N	Integer. See Transaction Edit Guide: 320-2.	Unique, system-generated identifier for a DOCUMENT table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
DOCUMENT_STATUS_CD	(217)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 300-3.	Documents in draft status are editable. Documents which have been finalized are not editable.	07/19/1999
DOCUMENT_TYPE_CD	(905)	Y	See SSIS Codes Table.	Used to distinguish case notes from other documents.	12/04/1998
FINALIZE_DT	(1345)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 930-1; 930-2;945-1.	The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.	03/23/1999
HEADER_PRINT_CD	(1656)	N	See SSIS Codes Table.		02/25/1999
LANG_BLOCK_ID	(2371)	Y			11/06/2001
LASTEDITED_DT	(1348)	N	YYYYMMDD	System-generated. The last date on which a user made a change to the document.	12/04/1998
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
TEMPL_ID	(803)	Y	Integer	Unique, system-generated identifier for a TEMPLATE table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DOCUMENT (300) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

DOCUMENT_CAT (365) Data Type (VARCHAR [65])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_CATEGORY_DES C	(3562)	N			07/30/2009
DOCUMENT_CAT_ID	(3561)	N			07/30/2009
STATE_DEFINED_IND	(3563)	N			07/30/2009

DOCUMENT_DATA (370) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCU_DATA_PARENT_I D	(3615)	Y			10/15/2009
DOCUMENT_DATA_ID	(3564)	N			07/30/2009
DT_DTF_XREF_ID	(3568)	N			07/30/2009
KEY_ID	(3565)	Y			07/30/2009
KEY_VALUE	(3676)	N			05/07/2010
LEGACY_VAL	(3631)	N			
RESULT_VAL	(3566)	Y			
SSIS_DOCUMENT_ID	(3616)	N			10/15/2009

DOCUMENT_PERSON (320) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOC_PERSON_ID	(1445)	N	Integer	Unique, system_generated identifier for a DOCUMENT_PERSON family row. My also be used as a data element. To initialize must be set to spaces.	07/19/1999
DOCUMENT_ID	(215)	N	Integer. See Transaction Edit Guide: 320-2.	Unique, system-generated identifier for a DOCUMENT table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;5 85-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCUMENT_TMPL	(350)			Data Type (VARCHAR [1])	
ALLOW_FOOTER_IND	(3668)	N			04/16/2010
ALLOW_HEADER_IND	(3666)	Y			04/16/2010
ALLOW_JAVASCRIPT_I ND	(3603)	N			08/07/2009
ALLOW_TITLE_FTR_IND	(3667)	Y			04/16/2010
ALLOW_TITLE_IND	(3665)	Y			04/16/2010
DOCU_TYPE_CD	(3617)	N			10/15/2009
DOCUMENT_CAT_ID	(3561)	N			07/30/2009
DOCUMENT_NUM	(3573)	N			07/30/2009
DOCUMENT_TMPL_ID	(3569)	Y			07/30/2009
HTML_SOURCE	(3576)	N			
TMPL_CREATED_DT	(3605)	Y			09/01/2009
TMPL_DEPLOY_STAT_C D	(3614)	Y			10/07/2009
TMPL_DESC	(3571)	Y			07/30/2009
TMPL_FOOTER_ID	(3608)	Y			09/01/2009
TMPL_FORMAT_CD	(3574)	Y			07/30/2009
TMPL_GRP_CD	(3572)	Y			07/30/2009
TMPL_HEADER_ID	(3607)	N			09/01/2009
TMPL_NAME	(3570)	Y			07/30/2009
TMPL_STATUS_CD	(3577)	N			07/30/2009

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DOCUMENT_TMPL (350) Data Type (VARCHAR [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
TMPL_STATUS_DT	(3606)	N			09/01/2009
TMPL_STYLE_SHEET_ID	(3610)	N			09/01/2009
TMPL_TITLE_FOOTER_ID	(3625)	Y			11/03/2009
TMPL_TITLE_ID	(3609)	N			09/01/2009

DOCUMENT_TMPL_RTF (387) Data Type (BLOB [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCUMENT_TMPL_ID	(3569)	Y			07/30/2009
DOCUMENT_TMPL_RTF_ID	(5180)	N			
RTF_SOURCE	(5181)	Y			
TMPL_RTF_NAME	(8260)	Y			

DOCUMENT_XREF (325) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCUMENT_ID	(215)	N	Integer. See Transaction Edit Guide: 320-2.	Unique, system-generated identifier for a DOCUMENT table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
DOCUMENT_ID_2	(1701)	N	Integer	Unique, system-generated identifier for a DOCUMENT table row. May also be used as a data element. To initialize, must be set to spaces.	12/01/1999

DOCUMENTATION (315) Data Type (VARCHAR [20])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CNTY_DOC_ID	(1192)	Y	County-defined	Unique document identifier assigned by the county.	11/13/1998
DOC_NAME	(1197)	N	Free form text.	User - entered document name.	12/04/1998
DOCUMENTATION_DESC	(1337)	N	Free form text.	User-entered description of the documentation, e.g. videotape of interview with child and law enforcement.	12/04/1998
DOCUMENTATION_ID	(1195)	N	Integer	Unique, system-generated identifier for a DOCUMENT table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
FORMAT	(1199)	N	Free form text.	User entered description of format of documentation, e.g. audiotape, videotape, image file.	12/04/1998

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DOCUMENTATION (315) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
INCOMING_IND	(1203)	Y	Y/N	Indicates whether a particular document was received by the agency (rather than something sent out by the worker).	01/14/1999
INTAKE_ID	(1138)	N	Integer. See Transaction Edit Guide: 1605-2;1615-3;1816-1;1838-1.	Unique, system-generated identifier for an INTAKE table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
ORIGINATOR	(1212)	N	Free form text.	User entered name of the person who authored or initiated the document.	12/04/1998
RECEIVED_SENT_DT	(1224)	N	YYYYMMDD	The date that a document was either received by or sent out from the agency.	12/04/1998
STORAGE_LOC	(1229)	N	Free form text.	User-entered description of where documentation is stored, e.g. file cabinet, vault, county attorney's office.	12/04/1998
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

DT_ANSWER (5235) Data Type (DATE [512])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ANSWER	(3863)	N			06/21/2011
ANSWER_HELP	(2363)	Y			10/16/2001
ANSWER_RANGE_HIGH	(3865)	N			06/21/2011
ANSWER_RANGE_LOW	(3864)	Y			06/21/2011
ANSWER_SCORE	(3862)	N			06/21/2011
APPROVAL_REQ_IND	(3921)	N			
CONDITION_SCORE	(3861)	N			06/21/2011
DT_ANSWER_ID	(3847)	N			06/21/2011
DT_ANSWER_SET_ID	(3860)	N			06/21/2011
EXCL_FROM_SCORE_I ND	(3851)	Y			06/21/2011
OVERRIDE_CD	(3855)	Y			06/21/2011

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DT_ANSWER (5235) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SORT_ORDER	(1694)	N		NOT USED IN VERSION 3	05/01/2001

DT_ANSWER_SET (5230) Data Type (NUMBER [64])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ANSWER_SET_DESC	(3866)	N			06/21/2011
DFT_ANSWER_SET_IND	(3867)	N			06/21/2011
DT_ANSWER_SET_ID	(3860)	N			06/21/2011
DT_QUESTION_ID	(3811)	Y			06/21/2011

DT_COND_QUESTION_XREF (5240) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_COND_QUESTION_XREF_ID	(3868)	N			06/21/2011
DT_CONDITION_ID	(3869)	N			06/21/2011
DT_QUESTION_ID	(3811)	N			06/21/2011

DT_CONDITION (5265) Data Type (VARCHAR [6])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COMPARISON_OP_CD	(3872)	N			06/21/2011
CONDITION_DESC	(3870)	N			06/21/2011
DT_CONDITION_ID	(3869)	Y			06/21/2011
DT_CONDITION_SET_ID	(3875)	N			06/21/2011
DT_DECISION_TREE_ID	(3826)	N			06/21/2011
EVALUATION_SEQUENCE	(3871)	Y			06/21/2011
PLSQL_IND	(3874)	N			06/21/2011

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DT_CONDITION (5265) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
RUN_ON_OPEN_IND	(3938)	N			
TEST_VALUE	(3873)	Y			06/21/2011

DT_CONDITION_EFFECT (5260) Data Type (VARCHAR [256])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONDITION_EFF_DESC	(3877)	Y			06/21/2011
DT_AFFECTED_TYPE_CD	(3878)	Y			06/21/2011
DT_ANSWER_ID	(3847)	Y			06/21/2011
DT_ANSWER_SET_ID	(3860)	Y			06/21/2011
DT_CONDITION_EFF_ID	(3876)	N			06/21/2011
DT_CONDITION_ID	(3869)	Y			06/21/2011
DT_DECISION_TREE_ID	(3826)	Y			06/21/2011
DT_Q_SET_ID	(3812)	Y			06/21/2011
DT_QUESTION_ID	(3811)	Y			06/21/2011
DT_TOOL_TAB_ID	(3823)	Y			06/21/2011
DT_TOOL_TEMPLATE_ID	(3833)	Y			06/21/2011
EFFECT_CD	(3880)	Y			06/21/2011
RUN_SEQUENCE	(3879)	N			06/21/2011
SSIS_MESSAGE_ID	(3911)	N			06/21/2011

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DT_CONDITION_SET (5270) Data Type (DATE [256])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONDITION_SET_DESC	(3881)	N			06/21/2011
DT_CONDITION_SET_ID	(3875)	N			06/21/2011
DT_DECISION_TREE_ID	(3826)	N			06/21/2011
DT_DRIVER_TYPE_CD	(3882)	N			06/21/2011
DT_Q_SET_ID	(3812)	Y			06/21/2011
DT_QUESTION_ID	(3811)	Y			06/21/2011
DT_TOOL_TAB_ID	(3823)	N			06/21/2011
DT_TOOL_TEMPLATE_ID	(3833)	Y			06/21/2011
EVENT_TYPE_CD	(3883)	N			06/21/2011

DT_D_TREE QUEST_XREF (5245) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_DECISION_TREE_ID	(3826)	N			06/21/2011
DT_DTREE_Q_XREF_ID	(3884)	N			06/21/2011
DT_QUESTION_ID	(3811)	N			06/21/2011

DT_DECISION_TREE (5200) Data Type (DATE [128])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRANCH_DESC	(3885)	N			06/21/2011
DECISION_CD	(3854)	Y			06/21/2011
DT_DECISION_TREE_ID	(3826)	N			06/21/2011
DT_DECISION_TYPE_CD	(3980)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DT_DECISION_TREE (5200) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_SQL_ID	(3819)	Y			06/21/2011
DT_TOOL_TEMPLATE_I D	(3833)	Y			06/21/2011
NO_TREE_BRANCH_ID	(3887)	N			06/21/2011
ROOT_NODE_IND	(3920)	Y			
TEST_VALUE	(3873)	Y			06/21/2011
YES_TREE_BRANCH_ID	(3886)	N			06/21/2011

DT_Q_SET (5250) Data Type (VARCHAR [256])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_Q_SET_DESC	(3888)	Y			06/21/2011
DT_Q_SET_ID	(3812)	Y			06/21/2011
PANEL_BORDER_IND	(3890)	N			06/21/2011
PANEL_TEXT	(3889)	Y			06/21/2011

DT_Q_SET_ROLE (5225) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_Q_SET_ID	(3812)	N			06/21/2011
DT_Q_SET_ROLE_ID	(3892)	N			06/21/2011
PERSON_DT_ROLE_CD	(3837)	N			06/21/2011

DT_QUESTION (5255) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DFT_NOT_VISIBLE_IND	(3818)	N			06/21/2011
DFT_TO_DISABLED_IND	(3817)	Y			06/21/2011

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DT_QUESTION (5255) Data Type (NUMBER [6])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_CONTROL_TYPE_CD	(3815)	N			06/21/2011
DT_Q_SET_ID	(3812)	N			06/21/2011
DT_QUESTION_ID	(3811)	N			06/21/2011
QUESTION	(3814)	N			06/21/2011
QUESTION_HELP	(2362)	Y			10/16/2001
QUESTION_PREFIX	(3813)	N			06/21/2011
SHOW_ANS_TEXT_IND	(3816)	Y			06/21/2011
SHOW_SCORE_IND	(2352)	N			05/29/2001
SORT_ORDER	(1694)	N		NOT USED IN VERSION 3	05/01/2001

DT_RPT_QUESTION_XREF (5335) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_ANSWER_ID	(3847)	Y			06/21/2011
DT_QUESTION_ID	(3811)	N			06/21/2011
DT_RPT_QUESTION_XREF_ID	(6145)	N			
DT_RPT_QUESTION_ID	(6140)	N			
DT_TOOL_TEMPLATE_ID	(3833)	N			06/21/2011
RESPONSE_ANS_SCORE	(6146)	Y			
RESPONSE_ANS_TEXT	(6147)	Y			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DT_RPT_QUESTION (5340) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_RPT_Q_ACTIVE_IND	(6144)	N			
DT_RPT_Q_PREFIX	(6141)	Y			
DT_RPT_Q_SEQ	(6143)	N			
DT_RPT_Q_TEXT	(6142)	Y			
DT_RPT_QUESTION_ID	(6140)	Y			
DT_SQL_ID	(3819)	N			06/21/2011

DT_SQL (5290) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_SQL_ID	(3819)	N			06/21/2011
INACTIVE_IND	(5121)	N			06/10/2013
SQL_DESCRIPTION	(3820)	N			06/21/2011
SQL_TO_RUN	(3821)	N			06/21/2011

DT_TAB_Q_SET_XREF (5220) Data Type (DATE [6])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DISPLAY_ARRANGE_CD	(3891)	N			06/21/2011
DT_Q_SET_ID	(3812)	N			06/21/2011
DT_TAB_Q_SET_XREF_ID	(3822)	Y			06/21/2011
DT_TOOL_TAB_ID	(3823)	N			06/21/2011
SORT_ORDER	(1694)	N		NOT USED IN VERSION 3	05/01/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DT_TOOL_DECISION (5205) Data Type (NUMBER [6])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DECISION_COLUMN_CD	(3827)	Y			06/21/2011
DECISION_DESC	(3825)	N			06/21/2011
DISPLAY_SEQ	(3828)	N			06/21/2011
DT_DECISION_TREE_ID	(3826)	Y			06/21/2011
DT_TOOL_DECISION_ID	(3824)	Y			06/21/2011
GRID_COLUMN_NBR	(3829)	Y			06/21/2011
PERSON_IND	(3936)	N			
SORT_ORDER	(1694)	N		NOT USED IN VERSION 3	05/01/2001

DT_TOOL_HEADER (5285) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DISPLAY_SEQ	(3828)	N			06/21/2011
DT_TOOL_HEADER_ID	(3830)	N			06/21/2011
DT_TOOL_TEMPLATE_ID	(3833)	N			06/21/2011
GRID_COLUMN_NBR	(3829)	N			06/21/2011
HEADER_COLUMN_CD	(3831)	N			06/21/2011
HEADER_DESCRIPTION	(3832)	N			06/21/2011

DT_TOOL_TAB (5210) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DFT_TO_DISABLED_IND	(3817)	N			06/21/2011
DT_Q_SET_SELECT_IN	(3835)	N			06/21/2011

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DT_TOOL_TAB (5210) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_TOOL_TAB_ID	(3823)	N			06/21/2011
DT_TOOL_TEMPLATE_ID	(3833)	N			06/21/2011
SORT_ORDER	(1694)	N		NOT USED IN VERSION 3	05/01/2001
TAB_DESC	(3834)	N			06/21/2011

DT_TOOL_TAB_ROLE (5215) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_TOOL_TAB_ID	(3823)	N			06/21/2011
DT_TOOL_TAB_ROLE_ID	(3836)	N			06/21/2011
PERSON_DT_ROLE_CD	(3837)	N			06/21/2011

DT_TOOL_TEMPLATE (5280) Data Type (NUMBER [6])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_TEMPL_STATUS_CD	(3841)	N			06/21/2011
DT_TEMPLATE_DESC	(3839)	N			06/21/2011
DT_TOOL_TEMPLATE_ID	(3833)	N			06/21/2011
DT_TOOL_TYPE_CD	(3979)	N			
DTT_VERSION	(3840)	N			06/21/2011
WG_BASED_TOOL_IND	(3838)	N			06/21/2011

DT_TOOL_TMPL_ROLE (5275) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_TOOL_TEMPLATE_ID	(3833)	N			06/21/2011
DT_TOOL_TMPL_ROLE_ID	(3842)	N			06/21/2011

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DT_TOOL_TMPL_ROLE (5275) Data Type (NUMBER [1])

Field Name (FLD_ID)	Nullable	Notes	Description	Last Changed
LIMIT_TO_ONE_IND (3844)	N			06/21/2011
PERSON_DT_ROLE_CD (3837)	Y			06/21/2011
ROLE_REQUIRED_IND (3843)	N			06/21/2011

DT_TOOL_WG_RULES (5295) Data Type (NUMBER [10])

Field Name (FLD_ID)	Nullable	Notes	Description	Last Changed
DT_TOOL_TEMPLATE_ID (3833)	N			06/21/2011
DT_TOOL_WG_RULES_ID (3845)	N			06/21/2011
SUBPROG_ID (2556)	N			05/04/2004
TRACK_CD (1942)	N	See SSIS Codes Table		05/11/2001
WG_TYPE_CD (1184)	Y	See SSIS Codes Table. See Transaction Edit Guide: 1800-3.	Assessment or Case Management.	08/31/2001

DT_XML_DATA (5330) Data Type (CLOB [10])

Field Name (FLD_ID)	Nullable	Notes	Description	Last Changed
DT_XML_DATA_ID (4059)	Y			01/31/2012
TBL_1 (4061)	Y			01/31/2012
TBL_2 (4063)	Y			01/31/2012
TBL_3 (4065)	Y			01/31/2012
TBL_4 (4067)	Y			01/31/2012
XML_1 (4060)	Y			01/31/2012
XML_2 (4062)	Y			01/31/2012
XML_3 (4064)	Y			01/31/2012

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

DT_XML_DATA (5330) Data Type (VARCHAR [0])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
XML_4	(4066)	Y			01/31/2012

DWELLING_AREAS (890) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AREAS_CD	(1610)	N	See SSIS Codes Table. See Transactions Edit Guide: 890-1		08/29/2001
DWELLING_AREAS_ID	(1624)	N	Integer	Unique, system-generated identifier for a DWELLING_AREAS table row. May also be used as a data element. To initialize, must be set to spaces.	02/18/1999
PROV_LIC_DETAIL_ID	(1220)	N	Integer	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999

ELIG_CWTCM (3400) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CWTCM_MALT_DT	(2919)	Y			05/04/2005
CWTCM_PLAN_COMME NT	(3002)	N			05/17/2005
CWTCM_PLCMT_DT	(2918)	N			05/04/2005
CWTCM_PROTECT_DT	(2917)	N			05/04/2005
CWTCM_SVC_PLAN_DT	(2916)	Y			05/04/2005
DET_FACT_END_DT	(2914)	Y			05/04/2005
DET_FACT_START_DT	(2915)	N			05/04/2005
ELIG_CWTCM_ID	(2923)	Y			05/04/2005
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PLAN_TYPE_CD	(1417)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1120-2.	The specific plan type for this plan, e.g., Out-of Home Placement, Child Protective Service, Social Services Plan, AR Service Plan.	05/01/2001
TEFRA_OVER_END_DT	(2911)	N			05/04/2005
TEFRA_OVER_START_ DT	(2912)	N			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ELIG_CWTCM (3400) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

ELIG_CWTCM_REVIEW (3405) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CWTCM_REVIEW_DT	(2924)	N			05/04/2005
ELIG_CWTCM_ID	(2923)	Y			05/04/2005
ELIG_CWTCM_REVIEW_ID	(2925)	N			05/04/2005
PLAN_TYPE_CD	(1417)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1120-2.	The specific plan type for this plan, e.g., Out-of Home Placement, Child Protective Service, Social Services Plan, AR Service Plan.	05/01/2001
SVC_PLAN_DT	(2913)	N			05/04/2005

ELIG_DD_SCRNG (3417) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DD_SCREENING_DT	(3674)	Y			04/29/2010
ELIG_DD_SCRNG_ID	(3673)	N			04/29/2010
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;5 85-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
READY_TO_CLAIM_IND	(2898)	N			05/04/2005
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

ELIG_DO_NOT_CLAIM (3495) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLAIM_CAT_CD	(2840)	N			05/04/2005
DNC_COMMENTS	(3264)	N			09/26/2006
ELIG_DNC_REASON_CD	(3404)	N			09/11/2007
ELIG_DO_NOT_CLAIM_ID	(3265)	N			09/26/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ELIG_DO_NOT_CLAIM (3495) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ELIG_END_DT	(227)	N	YYYYMMDD		11/11/1998
ELIG_START_DT	(228)	Y	YYYYMMDD		11/11/1998
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

ELIG_LTC_SCRNG (4560) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ELIG_LTC_SCRNG_ID	(3398)	Y			08/01/2007
LTC_SCREENING_DT	(3399)	Y			08/03/2007
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
READY_TO_CLAIM_IND	(2898)	N			05/04/2005
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

ELIG_MHTCM (3410) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ELIG_MHTCM_ID	(2922)	N			05/04/2005
MHTCM_END_DT	(2920)	N			05/04/2005
MHTCM_START_DT	(2921)	N			05/04/2005
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ELIG_REV_ACCT (4555) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLM_REV_ACCT_ID	(3393)	Y			07/30/2007
ELIG_REV_ACCT_ID	(3394)	N			07/30/2007
ELIG_REV_END_DT	(3395)	Y			07/31/2007
ELIG_REV_START_DT	(3396)	N			07/31/2007
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

ELIG_RULE5 (3420) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ELIG_RULE5_ID	(2929)	N			05/04/2005
MH_RULE5_CARE_IND	(2928)	N			05/04/2005
MH_RULE5_END_DT	(2927)	N			05/04/2005
MH_RULE5_SCRNG_DT	(2926)	N			05/04/2005
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

ELIG_VADDTCM (3415) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ELIG_VADDTCM_ID	(2932)	N			05/04/2005
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
VADD_END_DT	(2930)	N			05/04/2005
VADD_START_DT	(2931)	N			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ELIG_VADDTCM (3415) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

EMAIL (2370) Data Type (DATE [100])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
EMAIL_ADDRESS	(2575)	N			05/18/2004
EMAIL_COMMENT	(2646)	Y			06/15/2004
EMAIL_ID	(2576)	N			05/18/2004

EMAIL_ACT_LOG (4150) Data Type (VARCHAR [0])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ATTACHMENT_COPY	(9008)	Y			
BCC_EMAIL_ADDR	(9003)	Y			
CC_EMAIL_ADDR	(9002)	Y			
EMAIL_ACT_DT	(9004)	N			
EMAIL_ACT_LOG_ID	(9000)	N			
EMAIL_MSG_TEXT	(9006)	Y			
RECIP_EMAIL_ADDR	(9001)	Y			
REPORT_TITLE	(9005)	N			
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
SUBJECT_LINE	(9007)	Y			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

EXCL_OBO_XREF (5620) Data Type (NUMBER [2])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
EXCL_MODULE_CD	(5071)	N			05/03/2013	
EXCL_OBO_XREF_ID	(5342)	N				
EXCLUSION_REASON_ID	(5068)	N			05/03/2013	
ON_BEHALF_OF_ID	(908)	N	Integer	Unique, system-generated identifier for an ON_BEHALF_OF table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999	

EXCLUSION_REASON (5600) Data Type (DATE [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CREATED_DT	(188)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 300-2;1700-2.	Date this document was created	08/31/2001	
EXCL_COMMENTS	(5069)	N			05/03/2013	
EXCL_REASON_CD	(4423)	N				
EXCLUSION_REASON_ID	(5068)	N			05/03/2013	

EXT_FILE (5500) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
AD_DOCUMENTATION_ID	(8983)	Y				
AD_EVENT_ID	(8982)	N				
ADOPT_DOC_NAME	(8981)	N				
ATTACHED_DT	(5142)	N			06/12/2013	
COMP_ENC_IND	(9062)	Y				
REQ_MET_CD	(8980)	Y				
SENT_PERSON_ID	(9020)	Y				
SENT_TO_DHS_DT	(8984)	Y				

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

EXT_TMPL_XREF (398) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOCUMENT_TMPL_ID	(3569)	N			07/30/2009
EXT_DOC_TYPE_CD	(4704)	N			
EXT_TMPL_XREF_ID	(4703)	N			
EXTERN_DOC_LINKS_ID	(3686)	N			08/06/2010

EXTERN_DOC_LINKS (390) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DHS_AGENCY_IND	(3637)	N			01/27/2010
EXT_DESC	(3690)	N			08/06/2010
EXT_NUM	(3687)	N			08/06/2010
EXT_TITLE	(3688)	N			08/06/2010
EXT_URL	(3689)	N			08/06/2010
EXTERN_DOC_LINKS_ID	(3686)	N			08/06/2010

FAM_ELIG_DETAIL (450) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONSIDER_IND	(1710)	Y	Y/N. See SSIS Transaction Edit Guide: 450-1.	Should this income be considered for eligibility purposes for this workgroup?	12/28/1999
FAM_ELIG_DETAIL_ID	(1715)	N	Integer	Unique, system-generated identifier for a FAM_ELIG_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	12/27/1999
FAMILY_ELIG_ID	(1558)	N	Integer	Unique, system-generated identifier for a FAMILY_ELIGIBILITY table row. May also be used as data element. To initialize, must be set to spaces.	02/03/1999
PERSON_INCOME_ID	(1731)	N	Integer	Unique, system-generated identifier for a PERSON_INCOME table row. May also be used as a data element. To initialize, must be set to spaces.	12/08/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

FAMILY_CONDITIONS (965) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
FAMILY_COND_CD	(1540)	Y	See SSIS Codes Table. See Transactions Edit Guide 965-1.	The type of family conditions that exist.	08/29/2001
FAMILY_COND_ID	(1541)	Y	Integer	Unique, system_generated identifier for a FAMILY_CONDITIONS table row. May also be used as a data element. To initialize, must be set to spaces.	02/01/1999
MALT_INCIDENT_ID	(475)	Y	Integer. See SSIS Transaction Edit Guide: 905-11;955-2;960;2;965-2;970-3.	Unique, system-generated identifier for a MALT_RPT_INCIDENT table row. May also be used as a data element. To initialize, must be set to spaces.	08/29/2001

FAMILY_ELIGIBILITY (445) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTUAL_COST_IND	(1702)	Y	Y/N. See SSIS Transaction Edit Guide: 445-1.		12/27/1999
ASSESS_MONTHLY_FEE	(1546)	N	Dollar amount	The assessed monthly fee, typically what is agreed to by the family. May be different from calculated fee.	02/10/1999
CALC_COMMENTS	(1707)	N	Free form text.		12/27/1999
CALC_MONTHLY_FEE	(1547)	Y	Dollar amount.	The calculated monthly fee, based on the fee schedule used.	02/10/1999
FAM_MNTHLY_GRS_IN C	(1716)	Y	Dollar amount.		12/21/1999
FAMILY_ELIG_ID	(1558)	N	Integer	Unique, system-generated identifier for a FAMILY_ELIGIBILITY table row. May also be used as data element. To initialize, must be set to spaces.	02/03/1999
FAMILY_SIZE	(1559)	N	Integer	The family size for this workgroup.	02/10/1999
FEE_END_DT	(1562)	N	YYYYMMDD	The end date for this fee.	02/10/1999
FEE_SCHEDULE_ID	(1717)	N	Integer. See Transaction Edit Guide: 1480-1.	Unique, system-generated identifier for a FEE_SCHEDULE table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
FEE_START_DT	(1564)	N	YYYYMMDD	The start date for this fee.	02/10/1999
FOODSTAMP_IND	(1565)	N	Y/N. See Transaction Edit Guide: 445-3.	Is this person receiving Food Stamps?	12/27/1999
FOODSTAMP_VFCN_DT	(1566)	N	YYYYMMDD	Date of verification of this person's Food Stamp status.	02/10/1999
INCOME_COMMENTS	(1720)	Y	Free form text.		12/27/1999
MFIP_IND	(1578)	Y	Y/N. See Transaction Edit Guide: 445-2.	Is this person receiving MFIP?	12/21/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

FAMILY_ELIGIBILITY (445) Data Type (NUMBER [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
MFIP_VFCN_DT	(1579)	Y	YYYYMMDD	Date of verification of this person's MFIP status.	02/10/1999	
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	
FC_EXT_REVIEW (2980) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CONTPLCMT_ID	(2614)	N			06/04/2004	
FC_EXT_REVIEW_DT	(3682)	Y			07/16/2010	
FC_EXT_REVIEW_ID	(3681)	N			07/16/2010	
REVIEW_STAFF_ID	(3683)	N			07/16/2010	
FC_EXTENSION (2975) Data Type (VARCHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CONTPLCMT_ID	(2614)	Y			06/04/2004	
FC_EXT_EFF_DT	(3679)	Y			07/16/2010	
FC_EXT_END_DT	(3680)	N			07/16/2010	
FC_EXTENSION_CD	(3678)	Y			07/16/2010	
FC_EXTENSION_ID	(3677)	Y			07/16/2010	
FED_POVERTY_GUIDE (5805) Data Type (DATE [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
EFF_START_DT	(226)	N	YYYYMMDD	Effective start date	01/01/1998	
FED_POVERTY_GUIDE_ID	(5660)	N			12/16/2013	
FPG_ADDL_PERSON_A MT	(5662)	Y			12/16/2013	
FPG_BASE_AMT	(5661)	N			12/16/2013	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

FIELD_OF_PRACTICE (2330) Data Type (DATE [80])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
FIELD_PRACTICE	(2437)	N			02/28/2003
FIELD_PRACTICE_ID	(2432)	N			02/28/2003
USER_GEN_IND	(2436)	Y			02/28/2003
FISCAL_CONT_LANG (3240) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
FCL_CNTY_DEF_IND	(2831)	Y			05/04/2005
FCL_DEFAULT_IND	(2742)	Y			05/04/2005
FCL_DESC	(2818)	N			05/04/2005
FCL_TEXT	(2743)	Y			05/04/2005
FCL_TEXT2	(2832)	N			05/04/2005
FISCAL_CONT_LANG_ID	(2751)	N			05/04/2005
FISCAL_YR_CNTY_PREF (3230) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
FY_CNTY_PREF_ID	(2759)	Y			05/04/2005
FYCP_CLOSING_GL_DT	(2753)	Y			05/04/2005
FYCP_ENCUMBER_IND	(2758)	Y			05/04/2005
FYCP_SIG_BDAY_CD	(2756)	Y			05/04/2005
FYCP_TOLERANCE_PC T	(2755)	Y			05/04/2005
FYCP_YEAR	(2754)	N			05/04/2005
MAX_EXC_WARN_IND	(2757)	N			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

FISCAL_YR_CNTY_PREF (3230) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
REQ_COA_MAX_IND	(2819)	N			05/04/2005

GUARDIANSHIP (2955) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
GUARDIANSHIP_EFF_DT	(2630)	N			06/04/2004
GUARDIANSHIP_ID	(2632)	N			06/04/2004
GUARDIANSHIP_TYPE_CD	(2631)	N			06/04/2004
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001

HC_PROV (630) Data Type (CHAR [100])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLINIC_ADDRESS	(1471)	Y	Free form text.		
CLINIC_NAME	(1472)	Y	Free form text.		
FIELD_PRACTICE_CD	(1486)	Y	See SSIS Codes Table.	The health care provider's field of practice.	04/13/1999
HC_PROV_ID	(1489)	N	Integer	Unique, system_generated identifier for a HC_PROV table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
HCPROV_COMMENTS	(1487)	N	Free form text.	Comments regarding the health care provider.	
HCPROV_PHONE	(1488)	N	3 digit area code + 7 digit phone number + 4-digit extension (optional). No special characters.	Health care provider's phone number.	02/10/1999
PROV_NAME	(1048)	Y	Free form text. See SSIS Transaction Edit Guide: 800-5.	Provider Name	

HCPCS (1470) Data Type (VARCHAR [5])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
HCPCS_CD	(409)	Y	See SSIS Codes Table. See Transaction Edit Guide: 1460-1.	Health Care Common Procedural Coding System	08/31/2001
HCPCS_DESC	(1689)	Y			06/22/1999
HCPCS_END_DT	(1690)	N	YYYYMMDD		07/19/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

HCPCS (1470) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
HCPCS_START_DT	(1691)	N	YYYYMMDD		07/02/1999
STAFF_LIST_IND	(1695)	Y	Y/N		07/02/1999
VENDOR_LIST_IND	(1697)	N	Y/N		07/02/1999
HCPCS_MOD (2850) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLAIM_CAT_CD	(2840)	N			05/04/2005
CLAIM_CAT_DETAIL_CD	(2828)	N			05/04/2005
DIAG_REQ_CD	(3141)	N			07/17/2006
HCPCS_CD	(409)	Y	See SSIS Codes Table. See Transaction Edit Guide: 1460-1.	Health Care Common Procedural Coding System	08/31/2001
HCPCS_MOD_BILLING	(3314)	N			10/02/2006
HCPCS_MOD_DESC	(2856)	N			05/04/2005
HCPCS_MOD_END_DT	(2808)	N			05/04/2005
HCPCS_MOD_ID	(2817)	Y			05/04/2005
HCPCS_MOD_START_DT	(2809)	N			05/04/2005
INCL_PYMT_IND	(3315)	Y			10/02/2006
INCL_TIME_IND	(3316)	N			10/02/2006
MOD_1	(2813)	N			05/04/2005
MOD_2	(2812)	Y			05/04/2005
MOD_3	(2811)	N			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

HCPCS_MOD (2850) Data Type (DATE [2])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
MOD_4	(2810)	N			05/04/2005	
UNIT_TYPE_CD	(834)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1105-3.	Unit type code: hour, week, day	04/13/1999	
HCPCS_MOD_SVC (2855) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BRASS_SVC_ID	(2548)	N			05/04/2004	
HCPCS_MOD_ID	(2817)	Y			05/04/2005	
HCPCS_MOD_SVC_END_DT	(2815)	Y			05/04/2005	
HCPCS_MOD_SVC_ID	(2805)	Y			05/04/2005	
HCPCS_MOD_SVC_ST_DT	(2816)	Y			05/04/2005	
HCPCS_MOD_SVC_ACT (2865) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
HCPCS_MOD_SVC_ACT_ID	(3313)	Y			10/02/2006	
HCPCS_MOD_SVC_ID	(2805)	N			05/04/2005	
HMSA_END_DT	(3311)	Y			10/02/2006	
HMSA_START_DT	(3312)	N			10/02/2006	
TR_ACTIVITY_ID	(968)	N	Integer. See SSIS Codes Table. See Transaction Edit Guide: 1410-2; 1455-1.	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.	11/19/2001	
IMP_EXP_LOG (3110) Data Type (VARCHAR [4000])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
IMP_EXP_LOG_DATA	(2729)	Y			11/03/2004	
IMP_EXP_LOG_DT	(2733)	Y			11/03/2004	
IMP_EXP_LOG_ID	(2734)	Y			11/03/2004	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

IMP_EXP_LOG (3110) Data Type (NUMBER [400])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
IMP_EXP_LOG_MSG	(2730)	N			11/03/2004	
IMP_EXP_LOG_STAT_C D	(2731)	N			11/03/2004	
IMP_EXP_LOG_TYPE_C D	(2732)	Y			11/03/2004	
IMP_TMPL_HOLD (397) Data Type (CLOB [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
IMP_TMPL_HOLD_ID	(3691)	Y			09/22/2010	
IMP_TMPL_XML	(3692)	Y				
IND_PROVIDER (870) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
IND_PROV_ID	(1047)	N	Integer	Unique, system-generated identifier for an IND_PROVIDER table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999	
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
PROV_ID	(673)	N	Integer. See SSIS Transaction Edit Guide: 405-5,730-3; 800-7; 870-5; 1100-1; 1135-1.	Unique, system-generated identifier for a PROVIDER table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	
INIT_NOTIFICATION (970) Data Type (CHAR [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
AGENCY_NOTIFY_CD	(1600)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 970-1;970-4;970-5.	The type of agency notified that a report of child maltreatment was received.	08/30/2001	
INIT_NOTIFY_ID	(1603)	N	Integer	Unique, system-generated identifier for a INIT_NOTIFICATION table row. May also be used as a data element. To initialize, must be set to spaces.	02/04/1999	
MALT_INCIDENT_ID	(475)	N	Integer. See SSIS Transaction Edit Guide: 905-11;955-2;960;2;965-2; 970-3.	Unique, system-generated identifier for a MALT_RPT_INCIDENT table row. May also be used as a data element. To initialize, must be set to spaces.	08/29/2001	
NOTIFY_DT	(1604)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 970-2;970-4;970-5.	The date of the notification.	08/30/2001	
NOTIFY_METHOD_CD	(1605)	N	See SSIS Codes Table.	The method of notification.	02/11/1999	
NOTIFY_PERSON	(1606)	N	Free form text.	The name of the person notified.	02/11/1999	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

INTAKE (1600) Data Type (CHAR [0])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
DESCR_OF_NEED	(1156)	Y		The need described by the intake caller.	01/04/1999	
IN_PRES_PROB_CD	(1298)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1600-8.	Intake presenting problem.	03/30/1999	
IN_SOURCE_CD	(2405)	Y			02/28/2003	
INTAKE_COMMENTS	(3295)	Y			09/28/2006	
INTAKE_ID	(1138)	Y	Integer. See Transaction Edit Guide: 1605-2;1615-3;1816-1;1838-1.	Unique, system-generated identifier for an INTAKE table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	
INTAKE_METHOD_CD	(1140)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1600-1.		11/20/1998	
INTAKE_TYPE_CD	(1143)	Y	See Codes Table. See SSIS Transaction Edit Guide: 1600-2; 1600-3; 1600-5; 1600-7;1600-9;1600-10.		08/31/2001	
SOURCE_PERSON_ID	(2427)	Y			02/28/2003	
STAFF_WARNING	(1154)	N	Free form text.	Used to specify any warning to staff, usually regarding violence of a client.	12/04/1998	
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	

INTAKE_PARTICIPANT (1605) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
INTAKE_ID	(1138)	N	Integer. See Transaction Edit Guide: 1605-2;1615-3;1816-1;1838-1.	Unique, system-generated identifier for an INTAKE table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	
INTAKE_PART_ID	(1141)	N	Integer	Unique, system-generated identifier for a INTAKE_PARTICIPANT table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999	
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;5 85-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-7; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	

INTAKE_SNAPSHOT (1630) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
INTAKE_ID	(1138)	N	Integer. See Transaction Edit Guide: 1605-2;1615-3;1816-1;1838-1.	Unique, system-generated identifier for an INTAKE table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	
INTAKE_SNAPSHOT_ID	(2422)	N			02/28/2003	
REPORT_ID	(1888)	N	Integer. See Transaction Edit Guide: 1705-1;1710-1.	Unique, system-generated identifier for a REPORT table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

IVE_ABSTRACT_CLM	(5100)	Data Type (DATE	[5])		
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGE	(1091)	Y	See SSIS Transaction Edit Guide: 500-2; 500-4; 800-2; 870-1.	Frequently calculated age as of the current date, based on person's date of birth. May also be entered by user (when a report of child maltreatment is received)	03/02/1999
APPR_IVE_INTK_PCNT	(2513)	Y			02/23/2004
APPR_IVE_MTN_PCNT	(2514)	N			02/23/2004
APPR_IVE_TRNG_PCNT	(2512)	N			02/23/2004
BEST_INTEREST_DT	(2367)	Y			10/29/2001
CLM_SVC_END_DT	(3799)	Y			06/21/2011
CLM_SVC_START_DT	(3798)	Y			06/21/2011
CONTPLCMT_ID	(2614)	Y			06/04/2004
CONTPLCMT_START_DT	(2629)	Y			06/04/2004
ELIG_DOC_PTS	(8084)	Y			
ELIG_IVE_INTK_AMT	(8089)	Y			
ELIG_IVE_MTN_AMT	(8088)	Y			
ELIG_IVE_TRNG_AMT	(8090)	N			
ELIG_MAPCY_LEVEL_CD	(7961)	Y			
ELIGIBLE_AMT	(8086)	Y			
EXCEED_MAPCY_GRACE_IND	(8200)	Y			
FFP_IVE_INTK_AMT	(8093)	Y			
FFP_IVE_MTN_AMT	(8092)	N			
FFP_IVE_TRNG_AMT	(8094)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
IVE_ABSTRACT_CLM	(5100)		Data Type (VARCHAR [10])		
FFP_TOTAL_AMT	(8121)	N			
FFP_TYPE_CD	(8091)	N			
FLIPPED_IND	(8141)	N			
IVE_ABSTRACT_CLM_ID	(3795)	Y			06/21/2011
IVE_CLAIM_IND	(8083)	Y			
IVE_SUB_CD	(2516)	Y			02/23/2004
IVE_SVC_TYPE_CD	(3165)	Y			08/09/2006
LEGACY_IND	(3924)	Y			
MAINT_CLM_ID	(8140)	N			
MAX_ALLOWED	(8085)	Y			
NON_ELIGIBLE_AMT	(8087)	Y			
NON_FED_AMT	(8122)	Y			
NSTAR_CLAIM_IND	(8082)	Y			
ORIG_IVE_CLM_ID	(3806)	Y			06/21/2011
PAYMENT_ID	(3068)	N			10/21/2005
PER_DIEM_TYPE_CD	(6204)	N			
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PLACE_AUTH_CD	(642)	Y	See SSIS Codes Table.	Afcars FC 25: Placement authority: manner of removal for current episode. CWCDR - D 9	06/19/1998
PROV_LIC_NUM	(675)	N		Provider license number	08/29/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

IVE_ABSTRACT_CLM (5100) Data Type (VARCHAR [3])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PYMT_DOC_POINTS	(8120)	Y			
PYMT_DT	(3065)	N			10/21/2005
RULE_CD	(3796)	N			06/21/2011
STATE_RPT_ID	(3190)	N			08/09/2006
SVC_BUS_ORG_ID	(2834)	N			05/04/2005
VENDOR_PYMT_AMT	(8081)	N			
VOL_PLCMT_AGRMT_D T	(2477)	Y			12/26/2003
IVE_ABSTRACT_CNT (5105) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
IVE_ABSTRACT_CNT_ID	(3999)	N			
IVE_RPT_CNT_LINE_CD	(3169)	N			08/09/2006
IVE_RPT_CNT_TYPE_C D	(4000)	N			
LINE_ADJUSTMENT	(4026)	N			
LINE_CNT	(4001)	N			
LINE_COUNT_DT	(4002)	N			
STATE_RPT_ID	(3190)	N			08/09/2006
IVE_ABSTRACT_RCOV (5110) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
IVE_ABSTRACT_RCOV_ ID	(3808)	N			06/21/2011
RECOVERY_AMT	(3809)	N			06/21/2011

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

IVE_ABSTRACT_RCOV (5110) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
STATE_RPT_ID	(3190)	N			08/09/2006	
IVE_CNT_PERS_XREF (5135) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
IVE_ABSTRACT_CNT_ID	(3999)	N				
IVE_CNT_PERS_XREF_ID	(4003)	N				
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
IVE_ELIGIBILITY (665) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CHILD_SUPP_FUNDS	(1549)	N	Dollar amount.	The amount of child support funds received by the agency for this child's placement.	02/10/1999	
COURT_DETAIL_ID	(184)	N	Integer	Unique, system-generated identifier for a COURT_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999	
GRADUATE_19_IND	(1568)	N	Y/N. See SSIS Transaction Edit Guide: 665-1.	For children age 18 in school, will the child graduate from high school by age 19?	12/16/1999	
IVE_DEPRIVATN_CD	(1571)	N	See SSIS Codes Table.	The type of deprivation of parental care for this child (e.g. absence, disability).	03/22/2000	
IVE_EFFECTIVE_DT	(2361)	Y			10/12/2001	
IVE_ELIGIBILITY_ID	(1721)	Y	Integer	Unique, system-generated identifier for an IVE_ELIGIBILITY table row. May also be used as a data element. To initialize, must be set to spaces.	12/08/1999	
IVE_ELIGIBLE_CD	(1572)	N	See SSIS Codes Table.	Is this child eligible for IV-E funds for this placement?	03/22/2000	
IVE_TYPE_CD	(1722)	N	See SSIS Codes Table.		05/11/2001	
IVE_VFCN_DT	(1573)	N	YYYYMMDD	Date of verification of this child's IV-E eligibility status.	02/10/1999	
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
PLCMT_LOC_ID	(2596)	N			06/04/2004	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

IVE_MNT_AGR (3610) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
IVE_MNT_AGR_ID	(3011)	N			06/09/2005
MNT_AGR_EFF_DT	(3010)	Y			06/09/2005
MNT_AGR_END_DT	(3009)	N			06/09/2005
MNT_AGR_ST_LVL_IND	(3007)	N			06/09/2005
MNT_AGR_WITH_CD	(3008)	Y			06/09/2005
SUP_TRIBE_CD	(2647)	Y			06/17/2004

IVE_PUBLISHED_RATES (2605) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
IVE_PUB_RATES_ID	(2527)	Y			02/23/2004
PUB_FROM_DT	(2529)	N			03/01/2004
PUB_SOURCE	(2526)	N			02/23/2004
PUB_TO_DT	(2528)	N			03/01/2004

IVE_RATES (2600) Data Type (NUMBER [6])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
APPR_IVE_INTK_PCNT	(2513)	Y			02/23/2004
APPR_IVE_MTN_PCNT	(2514)	N			02/23/2004
APPR_IVE_TRNG_PCNT	(2512)	Y			02/23/2004
APPR_MA_PCNT	(2511)	N			02/23/2004
APPR_PER_DIEM	(2515)	Y			02/23/2004
CNTY_CITY	(2519)	Y			02/23/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

IVE_RATES (2600) Data Type (DATE [23])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CUR_CONTRACT_LIC	(2509)	N			02/23/2004
DHS_LIC_NUM	(2517)	N			02/23/2004
EFF_FROM_DT	(1923)	Y		Module effective "from" date.	04/26/2001
EFF_TO_DT	(1924)	N		Module effective "to" date.	04/26/2001
FACILITY	(2520)	N			02/23/2004
IVE_PUB_RATES_ID	(2527)	Y			02/23/2004
IVE_RATES_ID	(2523)	Y			02/23/2004
IVE_SUB_CD	(2516)	N			02/23/2004
MA_PROVIDER_NUM	(2510)	N			02/23/2004
RATE_GROUP	(2521)	Y			02/23/2004
RULE_NUM	(2518)	N			02/23/2004

IVE_UMB_CNTY (3600) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CORR_UMB_CNTY_EFF_DT	(3005)	Y			06/09/2005
CORR_UMB_CNTY_END_DT	(3004)	N			06/09/2005
IVE_UMB_CNTY_ID	(3006)	N			06/09/2005

KINSHIP_CUST_VERIFY (5915) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADDRESS_ID	(2398)	Y			02/28/2003
BUS_ORG_ID	(2419)	Y			02/28/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

KINSHIP_CUST_VERIFY (5915) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DISRUPT_MOVE_IND	(6347)	Y			
INTENT_CHGD_IND	(6348)	Y			
KEEP_CUST_IND	(6346)	Y			
KINSHIP_CUST_VER_ID	(6340)	Y			
KINSHIP_VERIFY_ID	(6263)	Y			
KP_AGREE_DT	(6341)	Y			
KS_CLOSE_RSN_CD	(6345)	N			
KS_DISRUPT_RSN_CD	(6344)	Y			
KS_UPDATE_RSN_CD	(6342)	Y			
PLCMT_LOC_ID	(2596)	Y			06/04/2004
UPDATE_AGREE_DT	(6343)	Y			

KINSHIP_ELIG_DOC (5920) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AT_RISK_IND	(7941)	N			
INIT_SUBMIT_DT	(6543)	N			
KINSHIP_ELIG_DOC_ID	(6420)	N			
KS_DET_REASON_CD	(6541)	N			
KS_DETERMINATION_CD	(6540)	N			
KS_ELIG_STATUS_CD	(6421)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

KINSHIP_ELIG_DOC (5920) Data Type (DATE [0])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
LAST_STATUS_CHGD_DT	(6721)	Y				
MAPCY_DOC_ID	(5304)	Y				
PAID_LEVEL_CHILD	(7341)	Y				09/25/2014
PAID_LEVEL_INF	(7340)	N				09/25/2014
PAID_LEVEL_TEEN	(7342)	N				09/25/2014
PERSON_KINSHIP_ID	(6260)	N				
PERSON_WARD_ID	(3403)	N				08/24/2007
PRESCHOOL_IND	(6542)	N				
SSIS_DOCUMENT_ID	(3616)	N				10/15/2009
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.		08/31/2001

KINSHIP_RELATE (5910) Data Type (DATE [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
FOSTER_PARENT_IND	(6720)	N				
KINSHIP_RELATE_ID	(6266)	N				
KINSHIP_VERIFY_ID	(6263)	N				
RELATION_ID	(2396)	N				02/28/2003
RELATIONSHIP_ID	(1183)	N	Integer	Unique, system-generated identifier for a RELATIONSHIP table row. May also be used as a data element. To initialize, must be set to spaces.		02/08/1999
SW_INDEX_ID	(1457)	N	Integer.	Statewide SSIS Index ID. Unique system-generated identifier for a person on the statewide client index for SSIS.		02/10/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

KINSHIP_VERIFY (5905) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
KINSHIP_VERIFY_ID	(6263)	N			
PERSON_KINSHIP_ID	(6260)	N			
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
VERIFY_DT	(6265)	N			
VERIFY_TYPE_CD	(6264)	N			

LIC_RPT_XREF (1710) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PROV_LIC_DETAIL_ID	(1220)	N	Integer	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
REPORT_ID	(1888)	N	Integer. See Transaction Edit Guide: 1705-1;1710-1.	Unique, system-generated identifier for a REPORT table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001

LICENSE_ACTIONS (885) Data Type (NUMBER [200])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
LIC_ACT_COMMENT	(1634)	Y	Free form text.		02/18/1999
LIC_ACTION_CD	(1630)	N	See SSIS Codes Table.		04/04/2000
LIC_ACTION_DT	(1631)	N	YYYYMMDD		02/18/1999
LIC_ACTION_ID	(1632)	N	Integer	Unique, system-generated identifier for a LICENSE_ACTIONS table row. May also be used as a data element. To initialize, must be set to spaces.	02/18/1999
PROV_LIC_DETAIL_ID	(1220)	N	Integer	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999

LICENSE_CLASS (822) Data Type (DATE [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
LICENSE_CLASS_CD	(1574)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 820-11; 820-13;820-14.	License class, used by DHS Licensing Division. Appears on the application form.	08/28/2001
LICENSE_CLASS_ID	(2848)	N			05/04/2005
PROV_LIC_DETAIL_ID	(1220)	N	Integer	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

LICENSEE_TRAINING (660) Data Type (DATE [65])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COURSE_NAME	(1669)	N	Free form text.		
COURSE_REQ_IND	(1623)	Y	Y/N; System default is N.		05/08/2000
EXPIRATION_DT	(8900)	Y			
HOURS	(1628)	N			
LICENSEE_TRAIN_ID	(1629)	Y	Integer	Unique, system-generated identifier for a LICENSEE_TRAINING table row. May also be used as a data element. To initialize, must be set to spaces.	02/18/1999
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PRESENTED_BY	(1643)	N	Free form text.		02/18/1999
SPONSORED_BY	(1649)	Y	Free form text.		02/18/1999
TRAIN_DT	(1651)	N	YYYYMMDD		02/18/1999

LIVING_ARRANGEMENT (530) Data Type (CHAR [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
LIVE_ARR_CD	(458)	N	Field is not currently used.	Living arrangement code	03/15/2000
LIVE_ARR_END_DT	(459)	N	Field is not currently used.	Living arrangement end date	01/01/1998
LIVE_ARR_START_DT	(460)	N	Field is not currently used.	Living arrangement start date	01/01/1998
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001

LOCATION (120) Data Type (CHAR [100])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADDR_1	(1676)	N			03/23/1999
ADDR_2	(1677)	N			03/23/1999
ADDR_3	(1678)	N			03/23/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

LOCATION (120) Data Type (VARCHAR [25])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CITY	(126)	Y	See SSIS Transaction Edit Guide: 515-1; 810-1.	City	11/19/1998
CNTY_CD	(133)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998
DESC_LINE_2	(903)	Y	Free form text.	Line 2 of a Location Description	11/13/1998
DESC_LINE_3	(904)	N	Free form text.	Line 3 of a Location Description	11/13/1998
DESCRIPTION	(200)	Y	Free form text. See SSIS Transaction Edit Guide: 120-1; 1400-1; 1405-1;1430-3.	Text description	08/31/2001
LOCATION_ID	(870)	N	Integer	Unique, system-generated identifier for a LOCATION table row. A location is the physical place a staff member works. To initialize, must be set to spaces.	02/08/1999
STATE_CD	(773)	N	See SSIS Codes Table. May be left blank for non-US addresses. See SSIS Transaction Edit Guide: 120-4.	U.S. Postal Code abbreviation.	05/10/1999
ZIP_CODE	(851)	Y	nnnnn	First 5 digits of the zip code	01/01/1998
ZIP_CODE_EXT	(852)	Y	nnnn	6th through 9th digits of the zip code	01/01/1998

MALT_APPEAL (975) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
APPEAL_VENUE_CD	(2373)	N			11/06/2001
DECISION_DT	(2374)	N			11/06/2001
DETERMINED_IND	(2375)	N			11/06/2001
MALT_APPEAL_ID	(2372)	N			11/06/2001
MALT_EVENT_ID	(473)	N	Integer	Unique, system-generated identifier for a MALTREATMENT_EVENT table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999

MALT_DETAIL (925) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MALT_DETAIL_ID	(1503)	N	Integer	Unique, system-generated identifier for a MALT_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999
MALT_EVENT_ID	(473)	Y	Integer	Unique, system-generated identifier for a MALTREATMENT_EVENT table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MALT_DETAIL (925) Data Type (NUMBER [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MALT_TYPE_CD	(477)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 905-4;905-7;905-8;905-9;905-10;925-1.	The type of determined maltreatment, at a more detailed level than that of the allegation.	08/29/2001

MALT_FACILITY (990) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_ID	(2419)	Y			02/28/2003
LICENSE_TYPE_CD	(457)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 820-3; 820-11; 820-13;820-14;820-15;820-16.	License type code. For example, Licensed for Family Day Care, Family Foster Home.	08/28/2001
MALT_FACILITY_ID	(2408)	N			02/28/2003
MALT_INCIDENT_ID	(475)	N	Integer. See SSIS Transaction Edit Guide: 905-11;955-2;960;2;965-2; 970-3.	Unique, system-generated identifier for a MALT_RPT_INCIDENT table row. May also be used as a data element. To initialize, must be set to spaces.	08/29/2001
PROV_LIC_NUM	(675)	N		Provider license number	08/29/2001

MALT_RPT_INCIDENT (900) Data Type (CHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
APPEAL_DISP_IND	(2376)	N			11/06/2001
CONCLUDE_COMMENT S	(1473)	Y	Free form text.	Concluding comments.	07/19/1999
CP_SVCS_NEED_IND	(187)	N	Y/N. See SSIS Transaction Edit Guide: 900-1;960-4;965-1.	Are Child Protection services needed?	08/29/2001
EST_INCIDENT_DT	(3012)	N			06/16/2005
FACILITY_RESP_IND	(1482)	N	Y/N. See SSIS Transaction Edit Guide: 900-2.	Did the investigating worker determine that the facility was responsible?	03/22/1999
FINALIZE_DT	(1345)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 930-1; 930-2;945-1.	The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.	03/23/1999
IMMINENT_DANGER_IN D	(1133)	Y	Y/N	Does this child maltreatment report involves imminent danger to the child(ren)?	01/04/1999
INDV_RESP_IND	(1495)	N	Y/N. See SSIS Transaction Edit Guide: 900-3.	Did the investigating worker determine that an individual staff person was responsible?	03/22/1999
INTAKE_ID	(1138)	N	Integer. See Transaction Edit Guide: 1605-2;1615-3;1816-1;1838-1.	Unique, system-generated identifier for an INTAKE table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
MALT_ASSESS_CD	(1148)	N	See SSIS Codes Table. See Transaction Edit Guide: 900-7;1600-9;1600-10.	The type of maltreatment.	08/31/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MALT_RPT_INCIDENT (900) Data Type (CHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
MALT_INCIDENT_ID	(475)	Y	Integer. See SSIS Transaction Edit Guide: 905-11;955-2;960;2;965-2;970-3.	Unique, system-generated identifier for a MALT_RPT_INCIDENT table row. May also be used as a data element. To initialize, must be set to spaces.	08/29/2001	
MR_END_CD	(2402)	N			02/28/2003	
MR_END_DT	(2401)	Y			02/28/2003	
MR_END_REASON_CD	(2400)	Y			02/28/2003	
MR_SCREEN_IND	(2431)	N			02/28/2003	
MR_SCRN_REASON_CD	(2457)	Y			05/07/2003	
MR_STATUS_CD	(2429)	N			02/28/2003	
NUM_CHILDREN	(2399)	N			02/28/2003	
POLICE_REPORT_NUM	(2438)	Y			02/28/2003	
REC_LIC_ACTION_IND	(1683)	Y			04/12/1999	
RPT_DISP_IND	(729)	Y	Y/N. See Transaction Edit Guide: 900-6;965-1.	Ncands 8: Was maltreatment incident substantiated? (Maltreatment determined.)	08/29/2001	
TRAD_DISCR_CD	(2424)	Y			02/28/2003	
TRAD_MANDATED_CD	(2425)	Y			02/28/2003	

MALT_VICTIM (985) Data Type (CHAR [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CHILD_BEHAVIOR_IND	(110)	N	Y/N	Ncands 36: Does the child have a behavior problem? (Other chld disabilities recorded on disability tables)	01/01/1998	
CM_LIVING_SIT_CD	(2266)	Y	See SSIS Codes Table.		05/15/2001	
CT_APPOINT_REP_IND	(2237)	N			01/05/2001	
MALT_INCIDENT_ID	(475)	N	Integer. See SSIS Transaction Edit Guide: 905-11;955-2;960;2;965-2;970-3.	Unique, system-generated identifier for a MALT_RPT_INCIDENT table row. May also be used as a data element. To initialize, must be set to spaces.	08/29/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MALT_VICTIM (985) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MALT_VICTIM_ID	(2407)	N			02/28/2003
NO_INTERVW_REASON_CD	(2670)	N			08/18/2004
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PETITION_DT	(631)	Y	YYYYMMDD. See Transaction Edit Guide: 960-3.	Ncands 57: Petition date	08/29/2001

MALTREATMENT_EVENT (905) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ALLEGATION_CD	(2411)	Y			02/28/2003
DUPLICATE_IND	(2397)	Y			02/28/2003
FINALIZE_DT	(1345)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 930-1; 930-2;945-1.	The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.	03/23/1999
MALT_DISP_DT	(1051)	Y	YYYYMMDD	Disposition date of a maltreatment event. (May be more than one of these to an incident.)	01/01/1998
MALT_DISP_IND	(472)	Y	Y/N. See SSIS Transaction Edit Guide: 905-4; 905-5; 905-6;925-1.	Was this maltreatment type substantiated?	03/24/1999
MALT_EVENT_ID	(473)	Y	Integer	Unique, system-generated identifier for a MALTREATMENT_EVENT table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999
MALT_SEVERITY_CD	(476)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 905-5.	The severity for a determined allegation of maltreatment.	04/13/1999
ME_STATUS_CD	(2428)	Y			02/28/2003
NCANDS_REL_CD	(3263)	Y			09/25/2006
OFFENDER_DESC	(2410)	N			02/28/2003
OFFENDER_ID	(1523)	Y	Integer. See SSIS Transaction Edit Guide: 905-3.	Unique system-generated identifier for a PERSON table row, for a person alleged to be a maltreatment offender.	03/22/1999
RECORDED_DT	(1524)	Y	YYYYMMDD		01/21/1999
VICTIM_DESC	(2409)	Y			02/28/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MALTREATMENT_EVENT (905) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
VICTIM_ID	(1525)	N	Integer. See SSIS Transaction Edit Guide: 905-2.	Unique system-generated identifier for a PERSON table row, for a person alleged to be a victim of maltreatment.	03/22/1999
MAPCY_CHILD_NEED (5715) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MAPCY_CHILD_NEED_ID	(5238)	N			
MAPCY_DOM_SUBGRP_ID	(5600)	N			12/31/2013
NEED_CD	(5259)	N			
MAPCY_CHILD_NEED_GRP (5710) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHILD_NEED_GRP_ID	(5237)	N			
CHILD_NEED_GRP_NAME	(5263)	Y			
MAPCY_CHILD_NEED_XREF (5720) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHILD_NEED_GRP_ID	(5237)	N			
CHILD_NEED_XREF_ID	(5236)	N			
MAPCY_CHILD_NEED_ID	(5238)	N			
MAPCY_DOC (393) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGCY_APPROVE_DT	(5306)	N			
AGCY_APPROVER_ID	(5309)	Y			
ASSESSOR_ID	(5310)	Y			
BUS_ORG_ID	(2419)	N			02/28/2003
CURR_PLACED_WITH	(7802)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MAPCY_DOC (393) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
FOSTER_PRNT_1_ID	(5311)	Y			
FOSTER_PRNT_2_ID	(5312)	Y			
INCLUDE_PLCMT_DATA	(7800)	N			
MAPCY_COMPLETE_DT	(5308)	N			
MAPCY_DOC_ID	(5304)	Y			
MAPCY_EFFECTIVE_DT	(5307)	N			
MAPCY_PURPOSE	(7801)	N			
MAPCY_STATUS_CD	(5305)	Y			
PLCMT_LOC_ID	(2596)	Y			06/04/2004
REVISION_NUM	(5720)	Y			01/06/2014
SSIS_DOCUMENT_ID	(3616)	Y			10/15/2009

MAPCY_DOM_SUBGRP (5780) Data Type (VARCHAR [100])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOM_SUBGRP_NAME	(5601)	Y			12/31/2013
MAPCY_DOM_SUBGRP_ID	(5600)	N			12/31/2013
MAPCY_DOMAIN_ID	(5251)	N			
SCORING_REQ_CD	(5602)	N			12/31/2013

MAPCY_DOMAIN (5735) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MAPCY_DOMAIN_ID	(5251)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MAPCY_DOMAIN (5735) Data Type (NUMBER [256])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
MAPCY_DOMAIN_NAME	(5258)	N				
MAPCY_MATRIX_ID	(5256)	N				
MAPCY_ENTITY (5775) Data Type (NUMBER [200])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ENTITY_NAME	(3578)	Y			07/30/2009	
MAPCY_CHILD_NEED_ID	(5238)	Y				
MAPCY_ENTITY_ID	(5267)	N				
SCORING_LVL_ID	(5313)	N				
MAPCY_EX_LVL_RANGE (5795) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
EL_RANGE_HIGH	(6005)	N				
EL_RANGE_LOW	(6004)	N				
EXTRA_LEVELS	(6006)	N				
EXTRA_LVL_RANGE_ID	(6003)	N				
MAPCY_EX_LVL_SCORE (5790) Data Type (DATE [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ACTIVE_IND	(1273)	N	Y/N		07/19/1999	
EL_SCORE	(6002)	N				
EL_SCORE_NAME	(6001)	N				
EXTRA_LVL_SCORE_ID	(6000)	N				
SORT_ORDER	(1694)	N		NOT USED IN VERSION 3	05/01/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MAPCY_EXTRA_LVL T	(5785)	Y		Data Type (VARCHAR [0])	
AGCY_ACTION_REQ_D	(6100)	Y			
AGENCY_RESIDENTL_I ND	(5983)	Y			
AGENCY_SCREEN_DT	(5984)	Y			
DESC_EFF_TO_REQ_S UP	(5992)	N			
DESC_OF_CARE	(5985)	Y			
EL_AGCY_APPROVE_D T	(6088)	Y			
EL_AGCY_APPROVER_I D	(6092)	Y			
EL_COMPLETE_DT	(6090)	Y			
EL_ST_APPROVE_DT	(6089)	Y			
EL_ST_APPROVER_ID	(6091)	N			
EL_STATUS_CD	(6087)	Y			
MAPCY_EXTRA_LVL_ID	(5980)	N			
MED_DEP_II_IND	(6564)	Y			
MED_DEP_NONE_IND	(6565)	Y			
NIGHT_SUP_I_IND	(5989)	Y			
NIGHT_SUP_II_IND	(5990)	Y			
NIGHT_SUP_NONE_IND	(5991)	Y			
RESIDE_IN_HOME_IND	(5981)	Y			
RESIDENTL_PLCMT_IN D	(5982)	Y			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MAPCY_EXTRA_LVL (5785) Data Type (DATE [3])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
REVISION_NUM	(5720)	Y			01/06/2014	
RSTR_PLCMT_I_IND	(6561)	N				
RSTR_PLCMT_II_IND	(6562)	Y				
RSTR_PLCMT_NONE_IN D	(6563)	Y				
SIBL_SUP_I_IND	(6223)	Y			07/03/2014	
SIBL_SUP_II_IND	(6224)	Y			07/03/2014	
SIBL_SUP_NONE_IND	(6225)	Y			07/03/2014	
SSIS_DOCUMENT_ID	(3616)	Y			10/15/2009	
SVC_ACCESS_III_IND	(5986)	Y				
SVC_ACCESS_IV_IND	(5987)	Y				
SVC_ACCESS_NONE_IN D	(5988)	Y				
TOTAL_SCORE	(6086)	Y				

MAPCY_GAUGE_BONUS (5750) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BONUS	(5240)	N				
GAUGE_TEST	(5316)	N				
MAPCY_GAUGE_BONU S_ID	(5315)	N				
MAPCY_SCORE_ID	(5241)	N				

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MAPCY_MATRIX (5740) Data Type (DATE [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MAPCY_MATRIX_ID	(5256)	N			
MAPCY_MATRIX_NAME	(5257)	N			

MAPCY_SCORE (5700) Data Type (NUMBER [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHILD_NEED_GRP_ID	(5237)	N			
GAUGE	(5266)	N			
MAPCY_SCORE	(5265)	N			
MAPCY_SCORE_ID	(5241)	N			
SCORING_LVL_ID	(5313)	N			

MAPCY_SCORING_LVL (5705) Data Type (NUMBER [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MAPCY_DOM_SUBGRP_ID	(5600)	Y			12/31/2013
SCORING_CD	(5322)	N			
SCORING_FACTOR	(5320)	N			
SCORING_LVL_CD	(5321)	N			
SCORING_LVL_ID	(5313)	N			
SCORING_LVL_ORDER	(5319)	N			

MAPCY_START_LEVEL (5770) Data Type (DATE [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGE_RANGE_HIGH	(5246)	N			
AGE_RANGE_LOW	(5245)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MAPCY_START_LEVEL (5770) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHILDCARE_LEVEL_HI GH	(5248)	N			
CHILDCARE_LEVEL_LO W	(5247)	N			
MAPCY_LEVEL_CD	(5317)	N			
MAPCY_START_LEVEL_ ID	(5243)	N			

MAPCY_TALLY_BONUS (5755) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BONUS	(5240)	N			
BONUS_TYPE_CD	(5254)	N			
MAPCY_TALLY_BONUS _ID	(5318)	N			
TALLY_HIGH	(5255)	N			
TALLY_LOW	(5253)	N			

MEDICAL_INSURANCE (435) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
END_DT	(233)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.		03/24/1999
FOLDER_ID	(390)	N	Integer	Unique, system-generated identifier for a WG_FOLDER table row. May also be used as a data element. Is a collection of work groups (a case); county defined. To initialize, must be set to spaces.	02/09/1999
GROUP_NUM	(1066)	N		Group number on a medical insurance policy	05/29/1998
HEALTH_PLAN_TYPE_C D	(1171)	N	See SSIS Codes Table.	The type of health plan.	04/13/1999
INS_COMPANY_NAME	(433)	N	Free form text. See SSIS Transaction Edit Guide: 435-2.	Name of insurance company.	11/19/1998
MEDICAL_INS_ID	(1173)	Y	Integer	Unique, system_generated identifier for a MEDICAL_INSURANCE table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
PHONE_1	(632)	Y	Field is not currently used.		11/11/1998

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MEDICAL_INSURANCE (435) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
POLICY HOLDER_ID	(1177)	N	Integer.	The SSIS Person_ID for the person in the workgroup who is the policyholder for this medical insurance policy.	12/04/1998
POLICY_NUM	(653)	N	See SSIS Transaction Edit Guide: 435-1.	The medical insurance policy number.	02/10/1999
PRIOR_AUTH_PHONE	(1179)	N	3 digit area code + 7 digit phone number + 4 digit extension (optional). No special characters.	The phone number used to access insurance personnel who are capable of making prior authorizations for medical expenses.	12/04/1998
START_DT	(770)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.		08/29/2001
MESSAGE_GROUP (5125) Data Type (NUMBER [3])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DISPLAY_COL_NUM	(3899)	N			06/21/2011
DISPLAY_ROW_NUM	(3898)	N			06/21/2011
GROUP_DEFAULT_IND	(3897)	N			06/21/2011
GROUP_LABEL	(3896)	N			06/21/2011
GROUP_VISIBLE_IND	(3900)	Y			06/21/2011
MESSAGE_GROUP_ID	(3895)	Y			06/21/2011
MODULE_MESSAGE_ID	(3901)	Y			06/21/2011
MMIS_CODE (3490) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTIVE_IND	(1273)	N	Y/N		07/19/1999
CODE	(146)	N	See Transaction Edit Guide: 1430-2	The code value itself, found in the codes table	08/31/2001
DESCRIPTION	(200)	N	Free form text. See SSIS Transaction Edit Guide: 120-1; 1400-1; 1405-1;1430-3.	Text description	08/31/2001
FIELDNAME	(384)	N	See Transaction Edit Guide: 1430-1	Name of the code field	08/31/2001
MMIS_CODE_COMMENTS	(3035)	N			06/20/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MMIS_CODE (3490) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SORT_ORDER	(1694)	N		NOT USED IN VERSION 3	05/01/2001

MOBILE_METADATA (10015) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DATA_LENGTH	(5787)	N			
DATA_SOURCE_CD	(5790)	Y			
DATA_TYPE_CD	(5786)	Y			
DS_PARAM1	(5791)	Y			
DS_PARAM2	(5792)	Y			
FK_DESC_FLD	(5797)	Y			
FK_DESC_HEADING	(5798)	N			
FK_DESC_LENGTH	(5799)	N			
FK_FILTER	(5800)	Y			
FK_KEY_FLD	(5796)	Y			
FK_SOURCE	(5795)	N			
INPUT_CONTROL	(5794)	Y			
INPUT_DISPLAY_CD	(5793)	N			
INTERNAL_VERSION	(5923)	Y			
MAPPING_ID	(5783)	N			
MM_FIELD_NAME	(5785)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MOBILE_METADATA (10015) Data Type (NUMBER [500])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MM_HEADING	(5789)	Y			
MM_TABLE_NAME	(5784)	Y			
MOBILE_METADATA_ID	(5780)	Y			
TAG_CD	(5782)	N			
UPDATEABLE_IND	(5788)	N			
XML_TAG	(5781)	Y			

MODULE (1805) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADMIN_CONFIG_IND	(2216)	N	Y/N	Indicates if WG type appears in County Preferences as countyt configurable.	04/26/2001
CLASS_NAME	(1914)	N	See Transaction Edit Guide: 1805-3		08/31/2001
EFF_FROM_DT	(1923)	N		Module effective "from" date.	04/26/2001
EFF_TO_DT	(1924)	N		Module effective "to" date.	04/26/2001
GROUP_NAME	(1926)	N		Group name for multiple tools that can stisify the same requirement. Example, Risk Assessment Group: (Risk Assessment, Risk Reassessment, Reunification Assessment).	04/26/2001
INTERNAL_IND	(1928)	Y	Y/N	Indicates whether module appears in the "tree-view." If "yes," it is not available in the "tree-view."	04/26/2001
MODULE_ABBR_NAME	(1933)	N	See Transaction Edit Guide: 1805-2.		08/31/2001
MODULE_ID	(1934)	N	Integer. See Transaction Edit Guide: 1810-1.	Unique, system-generated identifier for a MODULE table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
MODULE_NAME	(1935)	N	See Transaction Edit Guide: 1805-1.	Module description. For example, "Child protection service plan."	08/31/2001
PARAMS	(1937)	N		Reserved for future use.	04/26/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MODULE_MESSAGE (5120) Data Type (DATE [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MODULE_CD	(3902)	N			06/21/2011
MODULE_DETAIL_CD	(3904)	Y			06/21/2011
MODULE_MESSAGE_ID	(3901)	Y			06/21/2011
RECORD_TYPE_CD	(3905)	N			06/21/2011
SUB_MODULE_CD	(3903)	N			06/21/2011

MODULE_MESSAGE_XREF (5130) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTIVE_IND	(1273)	Y	Y/N		07/19/1999
IMAGE_NUM	(3907)	N			06/21/2011
MESSAGE_GROUP_ID	(3895)	N			06/21/2011
MODULE_MESSAGE_ID	(3901)	Y			06/21/2011
MODULE_MSG_XREF_ID	(3906)	N			06/21/2011
MSG_ACTION_CD	(3917)	Y			
MSG_NAV_HINT_CD	(3916)	N			
MSG_PREFIX_CD	(3929)	N			
MSG_SEVERITY_CD	(3915)	N			
MSG_XPATH	(3910)	N			06/21/2011
SPEC_REF	(3918)	N			
SSIS_MESSAGE_ID	(3911)	N			06/21/2011

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

MR_EVENT_XREF (980) Data Type (DATE [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ALLEGATION_SRCE_CD	(2403)	N			02/28/2003	
MALT_EVENT_ID	(473)	N	Integer	Unique, system-generated identifier for a MALTREATMENT_EVENT table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999	
MALT_INCIDENT_ID	(475)	N	Integer. See SSIS Transaction Edit Guide: 905-11;955-2;960;2;965-2;970-3.	Unique, system-generated identifier for a MALT_RPT_INCIDENT table row. May also be used as a data element. To initialize, must be set to spaces.	08/29/2001	
MR_EVENT_XREF_ID	(2404)	Y			02/28/2003	

MULTI_CNTY (4605) Data Type (NUMBER [2])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
MULTI_CNTY_CD	(4040)	N			01/05/2012	
MULTI_CNTY_ID	(4039)	N			01/05/2012	

MULTI_CNTY_DETAIL (4610) Data Type (NUMBER [2])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CNTY_CD	(133)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998	
MULTI_CNTY_DETAIL_ID	(4041)	N			01/05/2012	
MULTI_CNTY_ID	(4039)	N			01/05/2012	

NAME (505) Data Type (VARCHAR [20])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
FIRST_NAME	(388)	N	See SSIS Transaction Edit Guide: 100-1; 500-1; 505-1; 800-2.		11/19/1998	
LAST_NAME	(452)	Y	See SSIS Transaction Edit Guide: 100-1; 500-1; 500-2; 505-1; 870-2.		12/06/1999	
MIDDLE_NAME	(485)	N			11/03/1998	
NAME_ID	(498)	Y	Integer. See SSIS Transaction Edit Guide: 500-5.	Unique, system-generated identifier for a NAME table row. May also be used as a data element. To initialize, must be set to spaces.	03/02/1999	
NAME_SUFFIX	(499)	N	Jr, Sr, I, II, III, IV,V. See SSIS Codes Table.		10/02/2000	
NAME_TYPE_CD	(500)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 505-2.		03/23/1999	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

NAME (505) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
SOUNDEX_FIRST	(750)	N	See SSIS Transaction Edit Guide: 505-3.	Phonetic first name	07/19/1999
SOUNDEX_LAST	(751)	N	See SSIS Transaction Edit Guide: 505-4.	Phonetic last name	03/23/1999
TITLE_OF_COURTESY	(1050)	N	Dr., Miss, Mr., Mrs., Ms., Rev. See SSIS Codes Table.	Courtesy Title	03/21/2000
UPPER_FIRST	(1339)	N		First name in upper case.	12/04/1998
UPPER_LAST	(1340)	N		Last name in upper case	12/04/1998

NSTAR_SUPP_RATE (1492) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ALTERNATE_LEVEL_RATE	(6664)	N			
DAILY_LEVEL_RATE	(6206)	N			
EFF_END_DT	(225)	N	YYYYMMDD	Effective end date	01/01/1998
EFF_START_DT	(226)	N	YYYYMMDD	Effective start date	01/01/1998
MAPCY_LEVEL_CD	(5317)	N			
MONTH_LEVEL_RATE	(6663)	N			
NSTAR_SUPP_RATE_ID	(6205)	N			

ON_BEHALF_OF (1005) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DURATION	(223)	Y	Small integer. See Transaction Edit Guide: 1000-1.	Duration of the activity	08/30/2001
LEGACY_CLAIM_DT	(3003)	N			06/01/2005
ON_BEHALF_OF_ID	(908)	N	Integer	Unique, system-generated identifier for an ON_BEHALF_OF table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ON_BEHALF_OF (1005) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PROV_ID	(673)	N	Integer. See SSIS Transaction Edit Guide: 405-5,730-3; 800-7; 870-5; 1100-1; 1135-1.	Unique, system-generated identifier for a PROVIDER table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001
TIME_RECORD_ID	(812)	N	Integer. See Transaction Edit Guide: 1005-1;1015-4.	Unique, system-generated identifier for a TIME_RECORD table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

OTHER_IDS (540) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
EFF_START_DT	(226)	N	YYYYMMDD	Effective start date	01/01/1998
OTHER_ID	(564)	N	Free form text.	A person's or work group's other unique identifiers, such as MAXIS ID, PRISM ID, MAXIS Case ID.	11/13/1998
OTHER_ID_TYPE_CD	(565)	N	See SSIS Codes Table.	Code value for the type of other ID	06/19/1998
OTHER_IDS_ID	(2455)	N			03/18/2003
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001

OUTCOME_IND_RESULTS (2400) Data Type (CHAR [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ALLEG_DETERM_DT	(3289)	Y			09/27/2006
BUCKET	(2460)	Y			12/26/2003
CONTPLCMT_END_DT	(2628)	Y			06/04/2004
CONTPLCMT_ID	(2614)	Y			06/04/2004
CONTPLCMT_START_DT	(2629)	Y			06/04/2004
CP_RPT_END_DT	(3276)	Y			09/27/2006
CP_RPT_ID	(3280)	Y			09/27/2006
CP_SVCS_NEED_IND	(187)	Y	Y/N. See SSIS Transaction Edit Guide: 900-1;960-4;965-1.	Are Child Protection services needed?	08/29/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

OUTCOME_IND_RESULTS (2400) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
FLAG	(2464)	Y			12/26/2003
INFO	(2660)	Y			07/12/2004
LOC_SETTING_CD	(2593)	Y			06/04/2004
LOC_START_DT	(2638)	Y			06/04/2004
MALT_TYPES	(2633)	Y			06/04/2004
MONTHS_IN_CARE	(2461)	Y			12/26/2003
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PLCMT_LOC_ID	(2596)	Y			06/04/2004
QUERY_ID	(2465)	Y			12/26/2003
TERM_DT	(2611)	Y			06/04/2004
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

PAYMENT (3300) Data Type (NUMBER [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADJ_FROM_MAPCY_CD	(6440)	Y			
APPROVAL_DT	(65)	Y	YYYYMMDD	Claim Eligibility approval date	01/01/1998
APPROVAL_STAFF_ID	(3069)	Y			10/25/2005
BRASS_SVC_ID	(2548)	Y			05/04/2004
CNTY_DEFINED_DT	(3001)	Y			05/16/2005
CNTY_DEFINED_FLD	(3089)	Y			02/09/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PAYMENT (3300) Data Type (VARCHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CNTY_SUBSVC_ID	(2551)	Y			05/04/2004	
COA_CODE_ID	(2542)	Y			07/13/2004	
CONFIRMATION_AMT	(3063)	Y			10/21/2005	
CONFIRMATION_NUM	(3062)	Y			10/21/2005	
CONTACT_LOC_CD	(162)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1015-3.	Contact location code.	03/22/1999	
CONTRACT_NUM	(1962)	N		Contract number of arrangement, if any. NOT USED.	05/01/2001	
CREATOR_STAFF_ID	(3064)	Y			10/21/2005	
HCPCS_MOD_ID	(2817)	Y			05/04/2005	
IVE_REIMB_IND	(2993)	Y			05/04/2005	
IVE_SUB_CD	(2516)	Y			02/23/2004	
MAPCY_LEVEL_CD	(5317)	Y				
ORIG_PAYMENT_ID	(3067)	Y			10/21/2005	
PAYEE_BUS_NAME	(2873)	Y			05/04/2005	
PAYEE_BUS_ORG_ID	(2833)	Y			05/04/2005	
PAYEE_CNTY_VEN_NUM	(2869)	Y			05/04/2005	
PAYING_CNTY_CD	(2871)	Y			05/04/2005	
PAYMENT_ID	(3068)	Y			10/21/2005	
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
PROV_LIC_NUM	(675)	Y		Provider license number	08/29/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PAYMENT (3300) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PYMT_ACCRUAL_CODE_ID	(2888)	Y			05/04/2005
PYMT_CREATED_DT	(3090)	Y			02/09/2006
PYMT_DESC	(3066)	Y			10/21/2005
PYMT_DOC_PTS	(2865)	N			05/04/2005
PYMT_DT	(3065)	Y			10/21/2005
PYMT_INV_DT	(3000)	Y			05/16/2005
PYMT_INV_NUM	(2870)	Y			05/04/2005
PYMT_PAID_AMT	(3061)	Y			10/21/2005
PYMT_PER_DIEM	(2985)	Y			05/04/2005
PYMT_RATE	(3060)	Y			10/21/2005
PYMT_REQ_AMT	(3059)	Y			10/21/2005
PYMT_SEAGR_UNITS	(3058)	Y			10/21/2005
PYMT_STATUS_CD	(3057)	Y			10/21/2005
PYMT_SUBMITTED_DT	(3056)	N			10/21/2005
PYMT_SUPP_RATE	(6202)	Y			
PYMT_SVC_END_DT	(2863)	Y			05/04/2005
PYMT_SVC_START_DT	(2864)	Y			05/04/2005
PYMT_TAX_1099_CD	(2867)	Y			05/04/2005
PYMT_TYPE_CD	(3055)	Y			10/21/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PAYMENT (3300) Data Type (NUMBER [12])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
PYMT_UNITS	(3054)	Y			10/21/2005	
SA_GROUP_ID	(2777)	Y			05/04/2005	
SPECIAL_COST_ID	(2796)	Y			05/04/2005	
SUBPROG_ID	(2556)	Y			05/04/2004	
SVC_ARRANGEMENT_ID	(2779)	Y			05/04/2005	
SVC_BUS_NAME	(2872)	N			05/04/2005	
SVC_BUS_ORG_ID	(2834)	Y			05/04/2005	
SVC_CNTY_VEN_NUM	(2868)	Y			05/04/2005	
UNIT_TYPE_CD	(834)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1105-3.	Unit type code: hour, week, day	04/13/1999	
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	

PAYMENT_IMP (3375) Data Type (CHAR [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
APPROVAL_DT	(65)	Y	YYYYMMDD	Claim Eligibility approval date	01/01/1998	
APPROVAL_STAFF_ID	(3069)	Y			10/25/2005	
BRASS_SVC_ID	(2548)	N			05/04/2004	
CNTY_DEFINED_DT	(3001)	Y			05/16/2005	
CNTY_DEFINED_FLD	(3089)	Y			02/09/2006	
CNTY_SUBSVC_ID	(2551)	Y			05/04/2004	
COA_CODE_ID	(2542)	N			07/13/2004	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PAYMENT_IMP (3375)		Data Type (DATE [12])				
Field Name	(FLD_ID)	Nullable	Notes	Description		Last Changed
CONFIRMATION_AMT	(3063)	Y				10/21/2005
CONFIRMATION_NUM	(3062)	Y				10/21/2005
CONTACT_LOC_CD	(162)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1015-3.	Contact location code.		03/22/1999
CONTRACT_NUM	(1962)	Y		Contract number of arrangement, if any. NOT USED.		05/01/2001
CREATOR_STAFF_ID	(3064)	Y				10/21/2005
HCPCS_MOD_ID	(2817)	Y				05/04/2005
IVE_REIMB_IND	(2993)	Y				05/04/2005
IVE_SUB_CD	(2516)	Y				02/23/2004
ORIG_PAYMENT_ID	(3067)	Y				10/21/2005
PAYEE_BUS_NAME	(2873)	Y				05/04/2005
PAYEE_BUS_ORG_ID	(2833)	Y				05/04/2005
PAYEE_CNTY_VEN_NUM	(2869)	Y				05/04/2005
PAYING_CNTY_CD	(2871)	Y				05/04/2005
PAYMENT_ID	(3068)	Y				10/21/2005
PAYMENT_IMP_ID	(3364)	Y				01/17/2007
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.		08/28/2001
PROV_LIC_NUM	(675)	Y		Provider license number		08/29/2001
PYMT_ACCRUAL_CODE_ID	(2888)	Y				05/04/2005
PYMT_CREATED_DT	(3090)	Y				02/09/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PAYMENT_IMP (3375)		Data Type (DATE	[255])		
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PYMT_DESC	(3066)	N			10/21/2005
PYMT_DOC_PTS	(2865)	Y			05/04/2005
PYMT_DT	(3065)	Y			10/21/2005
PYMT_IMP_CNTY_ID	(3363)	Y			01/17/2007
PYMT_IMP_STATUS_CD	(3362)	Y			01/17/2007
PYMT_IMP_STATUS_CM T	(3360)	Y			01/17/2007
PYMT_IMP_STATUS_DT	(3361)	Y			01/17/2007
PYMT_IMP_VNDR_CMT	(3359)	Y			01/17/2007
PYMT_INV_DT	(3000)	Y			05/16/2005
PYMT_INV_NUM	(2870)	Y			05/04/2005
PYMT_PAID_AMT	(3061)	Y			10/21/2005
PYMT_PER_DIEM	(2985)	Y			05/04/2005
PYMT_RATE	(3060)	Y			10/21/2005
PYMT_REQ_AMT	(3059)	Y			10/21/2005
PYMT_SEAGR_UNITS	(3058)	Y			10/21/2005
PYMT_STATUS_CD	(3057)	Y			10/21/2005
PYMT_SUBMITTED_DT	(3056)	Y			10/21/2005
PYMT_SVC_END_DT	(2863)	Y			05/04/2005
PYMT_SVC_START_DT	(2864)	Y			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PAYMENT_IMP (3375) Data Type (NUMBER [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
PYMT_TAX_1099_CD	(2867)	Y			05/04/2005	
PYMT_TYPE_CD	(3055)	Y			10/21/2005	
PYMT_UNITS	(3054)	Y			10/21/2005	
SA_GROUP_ID	(2777)	Y			05/04/2005	
SPECIAL_COST_ID	(2796)	Y			05/04/2005	
SUBPROG_ID	(2556)	Y			05/04/2004	
SVC_ARRANGEMENT_ID	(2779)	N			05/04/2005	
SVC_BUS_NAME	(2872)	Y			05/04/2005	
SVC_BUS_ORG_ID	(2834)	Y			05/04/2005	
SVC_CNTY_VEN_NUM	(2868)	Y			05/04/2005	
UNIT_TYPE_CD	(834)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1105-3.	Unit type code: hour, week, day	04/13/1999	
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	

PERSON (500) Data Type (DATE [2])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BIRTH_CNTY_CD	(3406)	Y			10/03/2007	
BIRTH_COUNTRY	(1759)	Y	Free form text.	The country in which the child was born. For non-foreign adoptions, enter "USA".	11/18/1999	
BIRTH_DT	(92)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 500-2; 500-3; 500-4; 800-2; 870-1.	Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12	03/02/1999	
BIRTH_ST_CD	(3407)	N			10/03/2007	
CLEARING_STATUS_CD	(1161)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 500-2; 500-6;500-9.		04/16/1999	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PERSON	(500)	Data Type	(NUMBER	[10])		
Field Name	(FLD_ID)	Nullable	Notes		Description	Last Changed
CNTY_PERSON_NUM	(140)	N			Client number	11/09/1998
CTZNSHP_EFF_DT	(3408)	Y				10/03/2007
CTZNSHP_STATUS_CD	(3411)	Y				10/03/2007
CTZNSHP_VFCN_CD	(3410)	Y				10/03/2007
CTZNSHP_VFCN_DT	(3409)	Y				10/03/2007
DECEASED_DT	(196)	Y	YYYYMMDD		Date of death, if applicable	01/01/1998
ESTIMATED_BIRTH_DT	(2386)	Y				03/25/2002
FIRST_NAME	(388)	Y	See SSIS Transaction Edit Guide: 100-1; 500-1; 505-1; 800-2.			11/19/1998
GENDER_CD	(402)	Y	See SSIS Codes Table.			11/09/1998
HISPANIC_CD	(3341)	Y				11/22/2006
ICWA_IND	(418)	Y	See SSIS Transaction Edit Guide: 570-2. Y = Yes, N = No, P = Pending - ICWA status cannot yet be determined.		Is the child covered under the Indian Child Welfare Act? CWCDR - D 8	08/11/1999
INTERPRETER_IND	(2456)	Y				03/25/2003
LAST_NAME	(452)	N	See SSIS Transaction Edit Guide: 100-1; 500-1; 500-2; 505-1; 870-2.			12/06/1999
LEGAL_STATUS_CD	(1251)	Y	See SSIS Codes Table. Required for all children in placement.			11/16/1998
MARITAL_STATUS_CD	(1172)	Y	See SSIS Codes Table.			11/09/1998
MIDDLE_NAME	(485)	N				11/03/1998
NAME_SUFFIX	(499)	Y	Jr, Sr, I, II, III, IV,V. See SSIS Codes Table.			10/02/2000
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.		Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PHONE_1	(632)	Y	Field is not currently used.			11/11/1998

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PERSON (500) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PMI	(1176)	Y	Integer.	This person's unique person identifier from the MAXIS system.	02/10/1999
PRIM_LANGUAGE_CD	(2230)	N	See SSIS Codes Table		05/11/2001
SSN	(760)	Y	nnnnnnnn. No special characters.	Social Security Number.	02/10/1999
SW_INDEX_ID	(1457)	Y	Integer.	Statewide SSIS Index ID. Unique system-generated identifier for a person on the statewide client index for SSIS.	02/10/1999
TITLE_OF_COURTESY	(1050)	N	Dr., Miss, Mr., Mrs., Ms., Rev. See SSIS Codes Table.	Courtesy Title	03/21/2000
VETERAN_IND	(837)	Y	Y/N	Is this person a veteran?	01/01/1998

PERSON_ADDRESS_XREF (510) Data Type (CHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADDR_TYPE_CD	(12)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 510-2; 510-3; 815-2.	The type of address..	04/15/1999
ADDRESS_ID	(2398)	Y			02/28/2003
CARE_OF_LINE	(102)	N	Free form text.	Care/of line is the 2nd line of an addressee (when needed)	11/13/1998
END_DT	(233)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.		03/24/1999
EXCEPTION_ADDR_CD	(239)	N	See SSIS Codes Table.	The type of exception address.	02/10/1999
NO_MAIL_IND	(515)	N	Y/N	No mail to this address? ('Y' if no mail is to be sent to this address.)	05/29/1998
PERSON_ADD_XREF_ID	(1162)	N	Integer	Unique, system-generated identifier for PERSON_ADDRESS_XREF table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
START_DT	(770)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.		08/29/2001

PERSON_DIAGNOSIS (537) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DIAG_END_DT	(2231)	N			12/28/2000

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PERSON_DIAGNOSIS (537) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DIAG_START_DT	(2232)	N			12/28/2000
DIAGNOSIS_ID	(2236)	N	Integer. See Transaction Edit Guide: 537-2.	Unique, system-generated identifier for a DIAGNOSIS_CODE table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001
PERSON_DIAG_ID	(2234)	Y			12/28/2000
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PRIMARY_DIAG_IND	(3077)	N			01/03/2006

PERSON_EMAIL_XREF (597) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
EMAIL_ID	(2576)	N			05/18/2004
EMAIL_TYPE_CD	(2573)	N			05/18/2004
PERSON_EMAIL_ID	(2587)	N			05/18/2004
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001

PERSON_HC_PROV (635) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
HC_PROV_ID	(1489)	Y	Integer	Unique, system_generated identifier for a HC_PROV table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
PERSON_HC_PROV_ID	(1508)	N	Integer	Unique, system-generated identifier for a PERSON_HC_PROV table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PRIMARY_PHYS_IND	(1511)	N	Y/N	Indicates whether this health care provider is the primary physician for the person.	02/10/1999

PERSON_HEALTH (625) Data Type (VARCHAR [950])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ALLERGIES_MED_PROB	(1353)	Y	Free form text.	Allergies or medical problems.	02/10/1999
CHECKUP_OFFERED_DT	(1468)	Y	YYYYMMDD	The date that a child or teen checkup was offered.	02/10/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PERSON_HEALTH (625) Data Type (VARCHAR [950])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
OTHER_HEALTH	(1354)	Y	Free form text.	Other health issues.	02/10/1999
PERSON_HEALTH_ID	(1355)	Y	Integer.	Unique, system-generated identifier for a PERSON_HEALTH table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
SPEC_DENTAL_NEEDS	(1453)	N	Free form text.	Special dental needs.	02/10/1999
SPECIAL_MED	(1356)	Y	Free form text.	Special medical needs.	02/10/1999

PERSON_ILS (595) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COURT_PLCMT_IND	(1894)	N			01/20/2000
MARRIED_IND	(1723)	N	Y/N. See Transaction Edit Guide: 595-4		08/27/2001
NO_SELF_FUNDED_IND	(1865)	Y			12/13/1999
NUM_OF_CHILDREN	(1727)	N			11/03/1999
OTHER	(1024)	N	Free form text.	SELF report Service type = Other	11/13/1998
PARENT_IND	(1728)	N	Y/N. See Transaction Edit Guide: 595-3.		08/27/2001
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_ILS_ID	(1729)	N	Integer. See Transaction Edit Guide: 680-1.	Unique, system-generated identifier for a PERSON_ILS table row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PLCMT_IND	(1898)	Y			01/27/2000
REPORTING_YEAR	(1733)	N	See Transaction Edit Guide: 595-2.		08/27/2001
SELF_AGENCY_CD	(1028)	N	See SSIS Codes Table.	SELF Agency Code	03/17/2000
SELF_EDUC_CD	(1736)	Y	See SSIS Codes Table.		05/11/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PERSON_ILS (595) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SELF_HIGHEST_GRADE	(1737)	N			11/03/1999
SELF_LIV_ARRGMT_CD	(1738)	N	See SSIS Codes Table.		05/11/2001
STATE_WARD_IND	(1896)	N			01/20/2000
TIME_CARE_CD	(1742)	N	See SSIS Codes Table.		05/11/2001
PERSON_ILS_SVC (680) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_ILS_ID	(1729)	N	Integer. See Transaction Edit Guide: 680-1.	Unique, system-generated identifier for a PERSON_ILS table row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_ILS_SVC_ID	(1730)	N	Integer	Unique, system-generated identifier for a PERSON_ILS_SVC table row. May also be used as a data element. To initialize, must be set to spaces.	12/07/1999
SELF_SVC_CD	(1739)	N	See SSIS Codes Table.	The types of SELF services this client has received over the past year (multiple table rows may be entered). Note: these are not BRASS service codes.	05/11/2001
PERSON_INCOME (650) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ALIMONY_AMT	(1545)	N	Dollar amount	The person's income from alimony.	07/19/1999
CHILD_SUPPORT_AMT	(1548)	Y	Dollar amount.	The person's income from child support.	07/19/1999
DIV_INT_RENT_AMT	(1557)	N	Dollar amount.	The person's income from dividends, interest or rent.	02/10/1999
FARM_AMT	(1560)	N	Dollar amount.	The person's net farm income.	02/10/1999
GEN_ASSIST_AMT	(1567)	N	Dollar amount.	The person's General Assistance income amount.	02/10/1999
GROSS_WAGES_AMT	(1569)	N	Dollar amount.	The person's gross wage income.	02/10/1999
INCOME_VFCN_DT	(1570)	N			01/29/1999
OTHER_AMT	(1581)	Y	Dollar amount.		07/19/1999
OTHER_NAME	(1582)	N			01/29/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PERSON_INCOME (650) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PENSIONS_ANN_AMT	(1583)	N	Dollar amount.	The person's pension or annuity amount.	07/19/1999
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_INCOME_ID	(1731)	N	Integer	Unique, system-generated identifier for a PERSON_INCOME table row. May also be used as a data element. To initialize, must be set to spaces.	12/08/1999
SELF_EMPL_AMT	(1585)	Y	Dollar amount.	The person's net income from self-employment.	02/10/1999
SS_RSDI_AMT	(1587)	N	Dollar amount.	The person's total RSDI income.	02/10/1999
SSI_AMT	(1586)	N	Dollar amount.	The person's SSI income.	02/10/1999
UNEMPLOYMENT_AMT	(1597)	N	Dollar amount.	The person's income from unemployment compensation.	02/10/1999
VET_PENSION_AMT	(1598)	Y	Dollar amount.	The person's income from a Veteran's pension.	07/19/1999
WORKERS_COMP_AMT	(1599)	N	Dollar amount.	The person's income from Worker's Compensation.	07/19/1999

PERSON_KINSHIP (5900) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONTPLCMT_ID	(2614)	N			06/04/2004
COUNTY_ACTIVE_IND	(3401)	Y			08/24/2007
CREATE_DT	(2290)	Y	YYYYMMDD. See Transaction Edit Guide: 1816-3;1826-3;1838-3;1841-3;1851-3;1866-3;1871-4.		08/31/2001
LGL_RSP_CNTY_CD	(6262)	N			
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_KINSHIP_ID	(6260)	N			
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
STATE_ACTIVE_CD	(6261)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PERSON_KINSHIP (5900) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

PERSON_MEDS (582) Data Type (VARCHAR [50])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DOSAGE_AMOUNT	(4847)	Y			
DOSAGE_FORM_CD	(4848)	N			
MED_COMMENT	(4849)	Y			
MED_END_DT	(4842)	Y			
MED_NAME	(4840)	Y			
MED_START_DT	(4841)	N			
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;5 85-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_MEDS_ID	(4839)	Y			
PRESCRIBED_BY	(4844)	Y			
PRESCRIPTION_IND	(4846)	Y			
PSYCHOTROPIC_IND	(4845)	Y			
REASON_PRESCRIBED	(4843)	Y			

PERSON_PHONE_XREF (592) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;5 85-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_PHONE_ID	(1163)	N	Integer	Unique, system-generated identifier for a PERSON_PHONE table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
PHONE_ID	(2412)	N			02/28/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PERSON_PHONE_XREF (592) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PHONE_TYPE_CD	(1165)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 590-1.		04/15/1999

PERSON_RELIGION (690) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_RELIGION_ID	(1793)	N	Integer	Unique, system-generated identifier for a PERSON_RELIGION table row. May also be used as a data element. To initialize, must be set to spaces.	01/24/2000
RELIGION_CD	(1808)	Y	See SSIS Codes Table. See Transaction Edit Guide: 690-1.	The major religion, if any, for this person.	08/28/2001

PERSON_SCHOOL (615) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_ID	(2419)	Y			02/28/2003
EDUC_LEVEL_CD	(1243)	Y	See SSIS Codes Table.	Indicates education level of person.	11/11/1998
EFF_START_DT	(226)	Y	YYYYMMDD	Effective start date	01/01/1998
FULLTIME_IND	(1247)	N	Y = Full-time student.	Indicates whether or not a person is a full-time student.	07/19/1999
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_SCHOOL_ID	(1259)	N	Integer.	Unique, system-generated identifier for a PERSON_SCHOOL table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
SCHEDULE	(1262)	N	Free form text.		11/13/1998
SCHOOL_NAME	(1227)	N		Name of school person attends.	11/12/1998
SPECIALIZED_PLAN_IN D	(2684)	N			09/20/2004

PERSON_SP_STUDY (5005) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_SP_STUDY_ID	(3704)	N			06/21/2011

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PERSON_SP_STUDY (5005) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PRSN_SP_STDY_END_DT	(3706)	N			06/21/2011
PRSN_SP_STDY_ST_DT	(3705)	N			06/21/2011
SPECIAL_STUDY_ID	(3695)	N			06/21/2011

PERSON_SUBSTANCE (698) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
IDENTIFIED_DT	(3049)	N			10/06/2005
INVOLV_CD	(3051)	N			10/06/2005
NON_ISSUE_DT	(3070)	Y			10/28/2005
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_SUBSTANCE_ID	(3053)	N			10/06/2005
PS_NO_KNOWN_IND	(3527)	N			08/01/2008
PS_REVIEWED_DT	(3526)	N			08/01/2008
PSUBS_COMMENTS	(3071)	N			10/28/2005
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
SUBS_OF_CHOICE_IND	(3050)	N			10/06/2005
SUBSTANCE_CD	(3052)	Y			10/06/2005

PERSON_TPR (2965) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_ID_2	(626)	N	Integer. See SSIS Transaction Edit Guide: 600-4.	Unique, system-generated identifier of the second person in a relationship	11/19/1998

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PERSON_TPR (2965) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_TPR_ID	(2613)	Y			06/04/2004
RELATION_ID	(2396)	N			02/28/2003
TERM_DT	(2611)	N			06/04/2004
TERM_REASON_CD	(2610)	N			06/04/2004
TPR_TYPE_CD	(2612)	N			06/04/2004

PERSON_WARD (687) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AD_WARD_ID	(3402)	Y			08/24/2007
COUNTY_ACTIVE_IND	(3401)	N			08/24/2007
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_WARD_ID	(3403)	N			08/24/2007
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

PERSON_WARD_PLCMT (689) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AD_WARD_EVENT_ID	(3512)	N			03/11/2008
PERSON_WARD_ID	(3403)	N			08/24/2007
PERSON_WARD_PLCM T_ID	(3519)	N			04/07/2008
PLCMT_LOC_ID	(2596)	Y			06/04/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PERSON_WARD_REL (691) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AD_WARD_EVENT_ID	(3512)	N			03/11/2008
AD_WARD_RELATE_ID	(3524)	N			04/21/2008
PERSON_WARD_ID	(3403)	N			08/24/2007
PERSON_WARD_REL_ID	(3525)	N			04/21/2008
RELATIONSHIP_ID	(1183)	N	Integer	Unique, system-generated identifier for a RELATIONSHIP table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999

PERSON_WG_XREF (525) Data Type (CHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ASSOC_STATUS_CD	(1169)	Y	See SSIS Codes Table.	The status of this person's association with this workgroup.	02/10/1999
DISASSOC_REASON_CD	(1170)	Y	See SSIS Codes Table.	The reason why this person is no longer associated with this workgroup.	02/10/1999
END_DT	(233)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.		03/24/1999
FAMILY_MEMBER_NUM	(307)	Y	01 - 99	A county-assigned identifier for a person, within a single application/case number.	02/19/1999
LICENSING_ROLE_CD	(1657)	Y	Indicats	0 = workgroup was converted, but has not been verified; 1 = workgroup was converted and has been verified; 2 = workgroup was created using the application (i.e., it is not a converted workgroup).	04/04/2000
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_WG_ID	(1174)	N	Integer	Unique, system-generated identifier for a PERSON_WG_ID table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
TENN_DT	(1277)	Y	YYYYMMDD	The date this person received the Tennesen Notice.	02/10/1999
TENN_IND	(1278)	N	Y/N. See SSIS Transaction Edit Guide: 525-4.	Used to indicate whether a Tennesen Notice has been given to this person. Defaults to 'N'.	08/05/1999
TENN_TYPE_CD	(1279)	N	See SSIS Codes Table.	Which type of Tennesen Notice was given to the person (verbal or written)?	02/10/1999
VIOLENCE_IND	(838)	Y	Y/N	Is there a violence warning associated with this Person?	01/01/1998
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PERSON_WORK (610) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
BUS_ORG_ID	(2419)	Y			02/28/2003	
EMPL_STATUS_CD	(1244)	Y	See SSIS Codes Table.	Indicates person's primary work status.	11/10/1998	
EMPLOYER_NAME	(231)	Y	Free form text.	Employer's name, if employed	11/13/1998	
END_DT	(233)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.		03/24/1999	
FIELD_PRACTICE_ID	(2432)	Y			02/28/2003	
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
PERSON_WORK_ID	(1260)	Y	Integer	Unique, system-generated identifier for a PERSON_WORK table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999	
PROF_DETAIL_IND	(2433)	Y			02/28/2003	
SCHEDULE	(1262)	Y	Free form text.		11/13/1998	
START_DT	(770)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.		08/29/2001	
WORK_DESC	(2434)	Y			02/28/2003	

PHONE (2325) Data Type (NUMBER [50])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
PHONE	(1164)	N	3 digit area code + 7 digit phone number + 4 digit extension (optional). No special characters.		08/20/1999	
PHONE_COMMENT	(1175)	N	Free form text.	Memorandum	11/13/1998	
PHONE_EXT	(3045)	N			07/21/2005	
PHONE_ID	(2412)	Y			02/28/2003	

PLCMT_LOC (2930) Data Type (CHAR [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
COURTESY_SUPVN_IN D	(2636)	N			06/04/2004	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PLCMT_LOC (2930) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DISRUPT_DETAIL_CD	(3486)	N			02/07/2008
DISRUPT_RSN_CD	(3487)	Y			02/07/2008
ICPC_REC_ST_CD	(2635)	N			06/04/2004
LOC_END_DT	(2637)	N			06/04/2004
LOC_END_DT_TRAN_D T	(2649)	N			06/17/2004
LOC_END_REASON_CD	(2639)	Y			06/04/2004
LOC_REASON_CD	(2640)	N			06/04/2004
LOC_START_DT	(2638)	N			06/04/2004
LOC_START_DT_TRAN_ DT	(2648)	Y			06/17/2004
MONTHLY_FC_ASSIST	(493)	Y	7 digits to the left of the decimal, an explicit decimal point, 2 digits to the right; for a total of 10.	Afcars FC 66: Most recent pmt. for full month of foster care. Include: rm. & bd., DOC, & admin. fees. Do not include: initial clothing allow., mileage/trans., child care allow., adjustments, or pmnt. amt. for a partial	12/21/1998
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PLCMT_LOC_ID	(2596)	Y			06/04/2004
SCHOOL_DIST_NUM	(741)	Y	See: http://children.state.mn.us/cfdirectory/report_c4.cgi . Required for all children ages 5 - 17 in placement. See SSIS Transaction Edit Guide: 800-3;1435-1.	The district in which the child attends school.	05/07/2002

PLCMT_LOC_HIST (2935) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_ID	(2419)	Y			02/28/2003
LOC_DESC	(2595)	N			06/04/2004
LOC_EFF_DT	(2594)	N			06/04/2004
LOC_SETTING_CD	(2593)	N			06/04/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PLCMT_LOC_HIST (2935) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PLCMT_LOC_HIST_ID	(2618)	N			06/04/2004
PLCMT_LOC_ID	(2596)	Y			06/04/2004
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

PLCMT_LOC_PARENT (2940) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;5 85-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PLCMT_LOC_HIST_ID	(2618)	N			06/04/2004
PLCMT_LOC_PARENT_ID	(2617)	N			06/04/2004
RELATION_ID	(2396)	N			02/28/2003

PLCMT_PERM_PROG (5970) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;5 85-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PLCMT_LOC_ID	(2596)	N			06/04/2004
PLCMT_PERM_PROG_CD	(6367)	N			
PLCMT_PERM_PROG_ID	(6366)	N			
PP_START_REASON_CD	(6520)	N			

POLICY_MEMBER (440) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MEDICAL_INS_ID	(1173)	Y	Integer	Unique, system-generated identifier for a MEDICAL_INSURANCE table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;5 85-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
POLICY_MEMBER_ID	(1178)	N	Integer.	Unique, system-generated identifier for a POLICY_MEMBER table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

POLICY_MEMBER (440) Data Type (NUMBER [15])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
POLICY_NUM	(653)	N	See SSIS Transaction Edit Guide: 435-1.	The medical insurance policy number.	02/10/1999	
PRIMARY_IND	(1159)	N	Y/N. See SSIS Transaction Edit Guide: 125-2.	Indicates whether this staff is the primary worker for this workgroup.	08/20/1999	
PPINIT_AGENCY (495) Data Type (CHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ADOPTION_ID	(1744)	N	Integer. See Transaction Edit Guide: 460-2; 480-2; 485-1;490-1.	Unique, system-generated identifier for an ADOPTION table row. May also be used as a data element. To initialize, must be set to spaces.	08/27/2001	
PPINIT_AGENCY_CD	(1871)	N	See SSIS Codes Table.	The Public/Private Initiative (PPInit) Agency that will work with this child on adoption issues.	01/18/2000	
PPINIT_AGENCY_WPHN	(1800)	N	3 digit area code + 7 digit phone number + 4-digit extension (optional). No special characters.	The work phone number for the worker from the Public/Private Initiative (PPInit) Agency.	11/18/1999	
PPINIT_AGENCY_WRKR	(1801)	N	Free form text.	The name of the worker assigned to work with this child from the Private/Public Initiative (PPInit) Agency.	11/18/1999	
PPP_HIST (5975) Data Type (NUMBER [4000])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
NEW_PP_DATA	(7349)	N			09/25/2014	
NEW_PP_PROG_CD	(7346)	N			09/25/2014	
PLCMT_LOC_ID	(2596)	N			06/04/2004	
PPP_CHANGE_CD	(7347)	N			09/25/2014	
PPP_CHANGE_DT	(7344)	N			09/25/2014	
PPP_HIST_ID	(7343)	N			09/25/2014	
PREV_PP_DATA	(7348)	N			09/25/2014	
PREV_PP_PROG_CD	(7345)	N			09/25/2014	
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PREF_CLIENTS (823) Data Type (DATE [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
PREF_CLIENTS_CD	(1509)	N	See SSIS Codes Table. See Transaction Edit Guide: 820-15;820-16	Client disability this facility prefers to serve.	08/28/2001	
PREF_CLIENTS_ID	(2850)	N			05/04/2005	
PROV_LIC_DETAIL_ID	(1220)	N	Integer	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999	

PREV_RMV_ADOPT (2950) Data Type (DATE [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ADOPT_FROM_CD	(2619)	N			06/04/2004	
CURR_PLAN_DESC	(3520)	N			04/09/2008	
DIS_FRGN_ADOPT_IND	(3523)	N			04/09/2008	
DISRUPT_RSN_DESC	(3521)	Y			04/09/2008	
FIRST_REMOVED_DT	(389)	N	YYYYMMDD	Afcars FC 18: Date child first removed from home	01/01/1998	
MOST_RCNT_ADOPT_A GE	(2620)	Y			06/04/2004	
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
PLACE_AGENCY_DESC	(3522)	N			04/09/2008	
PREV_ADOPT_CD	(3048)	N			09/06/2005	
PREV_RMV_ADOPT_ID	(2621)	Y			06/04/2004	

PROOFING_OBO_TIME (4580) Data Type (DATE [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ACTIVITY_DT	(914)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 1000-2; 1000-5.	Activity date	08/30/2001	
BIRTH_DT	(92)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 500-2; 500-3; 500-4; 800-2; 870-1.	Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12	03/02/1999	
BRASS_SVC_DESC	(2545)	Y			05/04/2004	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PROOFING_OBO_TIME (4580)	Data Type (NUMBER [10])				
Field Name (FLD_ID)	Nullable	Notes	Description	Last Changed	
BRASS_SVC_ID (2548)	Y			05/04/2004	
BRASS_SVC_NUM (2544)	Y			05/04/2004	
CLAIM_CAT_DETAIL_CD (2828)	N			05/04/2005	
CLIENT_AGE (4508)	Y				
CNTY_OF_SVC_CD (139)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 400-10; 100-6.	County of service	03/15/2000	
CONTACT_LOC_CD (162)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1015-3.	Contact location code.	03/22/1999	
CONTACT_METHOD_CD (163)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1015-2;1455-2.	The method of contact.	08/31/2001	
CONTACT_STATUS_CD (169)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1015-1.	Attempted or completed.	02/11/1999	
COUNTY_EMPL_CD (1040)	Y	See SSIS Codes Table.	County employee type: county employee, volunteer, collaborative staff	11/03/1998	
DI_ELIG_MMIS_ID (2981)	Y			05/04/2005	
DURATION (223)	Y	Small integer. See Transaction Edit Guide: 1000-1.	Duration of the activity	08/30/2001	
ESTIMATED_BIRTH_DT (2386)	Y			03/25/2002	
GENERIC_DT1 (4503)	Y				
GENERIC_DT2 (4505)	Y				
GENERIC_ID1 (4506)	Y				
GENERIC_ID2 (4507)	Y				
GENERIC_STRING1 (4502)	Y				
GENERIC_STRING2 (4504)	Y				
HCPCS_MOD_ID (2817)	Y			05/04/2005	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PROOFING_OBO_TIME (4580) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ON_BEHALF_OF_ID	(908)	Y	Integer	Unique, system-generated identifier for an ON_BEHALF_OF table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PMI	(1176)	Y	Integer.	This person's unique person identifier from the MAXIS system.	02/10/1999
RTC_HOST_CNTY_CD	(2843)	Y			05/04/2005
RTC_IND	(2844)	Y			05/04/2005
SESSION_ID	(4499)	Y			
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
TIME_RECORD_ID	(812)	Y	Integer. See Transaction Edit Guide: 1005-1;1015-4.	Unique, system-generated identifier for a TIME_RECORD table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001
TR_ACTIVITY_ID	(968)	Y	Integer. See SSIS Codes Table. See Transaction Edit Guide: 1410-2; 1455-1.	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.	11/19/2001
UNIT_TYPE_CD	(834)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1105-3.	Unit type code: hour, week, day	04/13/1999

PROOFING_PAYMENT (4575) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BIRTH_DT	(92)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 500-2; 500-3; 500-4; 800-2; 870-1.	Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12	03/02/1999
BRASS_SVC_DESC	(2545)	Y			05/04/2004
BRASS_SVC_ID	(2548)	Y			05/04/2004
BRASS_SVC_NUM	(2544)	Y			05/04/2004
CLAIM_CAT_DETAIL_CD	(2828)	Y			05/04/2005
CONTACT_LOC_CD	(162)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1015-3.	Contact location code.	03/22/1999
CONTPLCMT_ID	(2614)	Y			06/04/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PROOFING_PAYMENT (4575)		Data Type (NUMBER [8])			
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONTPLCMT_START_DT	(2629)	Y			06/04/2004
DI_ELIG_MMIS_ID	(2981)	Y			05/04/2005
ESTIMATED_BIRTH_DT	(2386)	Y			03/25/2002
GENERIC_DT1	(4503)	Y			
GENERIC_DT2	(4505)	Y			
GENERIC_ID1	(4506)	Y			
GENERIC_ID2	(4507)	Y			
GENERIC_STRING1	(4502)	Y			
GENERIC_STRING2	(4504)	Y			
HCPCS_MOD_ID	(2817)	Y			05/04/2005
IVE_SUB_CD	(2516)	Y			02/23/2004
IVE_SVC_TYPE_CD	(3165)	Y			08/09/2006
ORIG_PAYMENT_ID	(3067)	Y			10/21/2005
PAYING_CNTY_CD	(2871)	Y			05/04/2005
PAYMENT_ID	(3068)	Y			10/21/2005
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PMI	(1176)	Y	Integer.	This person's unique person identifier from the MAXIS system.	02/10/1999
PROV_LIC_NUM	(675)	Y		Provider license number	08/29/2001
PYMT_DOCPTS	(2865)	Y			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PROOFING_PAYMENT (4575) Data Type (NUMBER [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
PYMT_DT	(3065)	Y			10/21/2005	
PYMT_PAID_AMT	(3061)	Y			10/21/2005	
PYMT_PER_DIEM	(2985)	Y			05/04/2005	
PYMT_RATE	(3060)	Y			10/21/2005	
PYMT_SEAGR_UNITS	(3058)	Y			10/21/2005	
PYMT_SVC_END_DT	(2863)	Y			05/04/2005	
PYMT_SVC_START_DT	(2864)	Y			05/04/2005	
PYMT_TYPE_CD	(3055)	Y			10/21/2005	
PYMT_UNITS	(3054)	N			10/21/2005	
SESSION_ID	(4499)	Y				
SPECIAL_COST_ID	(2796)	Y			05/04/2005	
SVC_BUS_ORG_ID	(2834)	Y			05/04/2005	
SVC_END_AGE	(4501)	Y				
SVC_START_AGE	(4500)	Y				
UNIT_TYPE_CD	(834)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1105-3.	Unit type code: hour, week, day	04/13/1999	

PROV_LIC_DETAIL (820) Data Type (CHAR [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
APP_CLOSE_DT	(1653)	Y	YYYYMMDD		02/26/1999	
BACK_STUDY_DT	(1613)	Y	YYYYMMDD		02/18/1999	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PROV_LIC_DETAIL (820) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_ID	(2419)	Y			02/28/2003
CORP_LIC_IND	(1474)	Y	Y/N	Is this a corporate license?	02/11/1999
CORP_NUM	(1475)	Y	Integer	Corporation number. Assigned by DHS Licensing Division.	07/19/1999
DHS_PROV_NUM	(1480)	N	Field is not currently used.		02/11/1999
DUAL_LIC_IND	(1661)	Y	Y/N. See SSIS Transaction Edit Guide: 820-10.		03/22/1999
DUAL_LIC_TYPE_CD	(1662)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 820-10.		04/04/2000
FAC_NUM	(1485)	Y	Integer	Facility Number. Assigned by DHS Licensing Division. Used for corporate licenses with more than 1 physical location.	07/19/1999
FACILITY_ADDR_ID	(1861)	Y			12/07/1999
FACILITY_NAME	(1296)	Y	Free form text. See Transaction Edit Guide: 1600-10.	Name of the facility in which maltreatment allegedly occurred.	08/31/2001
FACILITY_PHONE	(2258)	Y			01/10/2001
FACILITY_TYPE_CD	(245)	Y	Field is not currently used.		11/11/1998
FIRE_INSPECT_DT	(1627)	Y	YYYYMMDD		02/18/1999
GENDER_WILL_SRV_CD	(403)	Y	See SSIS Codes Table.	Gender that this provider will serve.	04/15/1999
HOUSING_SVCS_IND	(2240)	Y			01/05/2001
IMD_IND	(421)	Y	Y/N	Is this an IMD (Institute for the Mentally Deficient)?	01/01/1998
ISSUED_BY_CD	(1205)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 820-7; 820-18; entry is required.	The state or tribal agency that issued the actual license.	08/28/2001
LIC_ACTION_TYPE_CD	(1633)	Y	See SSIS Codes Table. See Transaction Edit Guide: 820-20.		08/28/2001
LIC_CLOSE_REAS_CD	(1635)	Y	See SSIS Codes Table. See Transaction Edit Guide: 820-19.		08/28/2001
LIC_CNTY_CD	(1501)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 820-5.	The code of the licensing county agency.	04/13/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PROV_LIC_DETAIL	(820)		Data Type (NUMBER [1])			
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
LICENSE_STAT_CD	(456)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 820-4.	License status.	02/11/1999	
LICENSE_STAT_DT	(1575)	Y	YYYYMMDD	Date of the license status.	02/11/1999	
LICENSE_TYPE_CD	(457)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 820-3; 820-11; 820-13;820-14;820-15;820-16.	License type code. For example, Licensed for Family Day Care, Family Foster Home.	08/28/2001	
LICENSED_BY_CD	(1208)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 820-5; 820-17; 820-18.	The agency (county or private agency, typically) that performed the home study/facility evaluation.	08/28/2001	
LICENSED_CAPACITY	(454)	Y	Integer. See SSIS Transaction Edit Guide: 820-6; 820-20.	Total licensed capacity for this provider.	08/28/2001	
LICENSOR_NUM	(2242)	Y			01/05/2001	
MAX_AGE_WILL_SRV	(479)	N	Integer	Maximum age the provider will serve	01/01/1998	
MIN_AGE_WILL_SRV	(489)	Y	Integer	Minimum age this provider will serve	01/01/1998	
NON_RES_OCCUP_IND	(1636)	Y	Y/N		02/18/1999	
PILOT_PROJ_IND	(2252)	N			01/05/2001	
PROV_LIC_ADDR_ID	(1862)	N			12/07/1999	
PROV_LIC_DETAIL_ID	(1220)	Y	Integer	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999	
PROV_LIC_END_DT	(674)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 820-8.	Provider license end date	02/26/1999	
PROV_LIC_NUM	(675)	Y		Provider license number	08/29/2001	
PROV_LIC_NUM_VERS	(1897)	Y			01/24/2000	
PROV_LIC_START_DT	(676)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 820-9.	Provider license start date	08/28/2001	
RENT_IND	(1646)	N	Y/N		02/18/1999	
RES_TYPE_CD	(1647)	N	See SSIS Codes Table.		04/04/2000	
TRIBE_CD	(1232)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 820-18.	The tribe that issued the license.	08/28/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PROV_LIC_DETAIL (820) Data Type (CHAR [1])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
WELL_WATER_IND	(842)	Y	Y/N	Does this provider use well water?	01/01/1998
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

PROV_PLACEMENT (888) Data Type (DATE [8])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BIRTH_DT	(92)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 500-2; 500-3; 500-4; 800-2; 870-1.	Birth date Afcars FC 6, 45, 46; Afcars AD 5, 16, 17, 23, 24; Ncands 12	03/02/1999
CLIENT_NAME	(1614)	Y	Free form text.		02/18/1999
GENDER_CD	(402)	Y	See SSIS Codes Table.		11/09/1998
PLACE_AGCY_NAME	(1639)	N	Free form text.		02/18/1999
PLACE_END_DT	(1640)	Y	YYYYMMDD		02/18/1999
PLACE_START_DT	(1641)	N	YYYYMMDD		02/18/1999
PLACE_WORKER_NAME	(1642)	N	Free form text.		02/18/1999
PROV_LIC_DETAIL_ID	(1220)	N	Integer	Unique, system-generated identifier for a PROV_LIC_DETAIL table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
PROV_PLACEMT_ID	(1644)	Y	Integer	Unique, system-generated identifier for a PROV_PLACEMENT table row. May also be used as a data element. To initialize, must be set to spaces.	02/18/1999
REASON_LEAVING	(1895)	N			01/20/2000

PROVIDER (800) Data Type (NUMBER [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_ID	(2419)	N			02/28/2003
CHILD_FC_CD	(2590)	Y			05/25/2004
IV_E_ELIG_PROV_IND	(444)	Y	Y/N	Is the provider IV-E eligible?	01/01/1998
PROV_ID	(673)	N	Integer. See SSIS Transaction Edit Guide: 405-5,730-3; 800-7; 870-5; 1100-1; 1135-1.	Unique, system-generated identifier for a PROVIDER table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PROVIDER (800) Data Type (CHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
REGISTERED_CC_IND	(2591)	Y			05/25/2004
SCHOOL_DIST_NUM	(741)	N	See: http://children.state.mn.us/cfldirectory/report_c4.cgi . Required for all children ages 5 - 17 in placement. See SSIS Transaction Edit Guide: 800-3;1435-1.	The district in which the child attends school.	05/07/2002
STRUCT_FOST_FAM_CD	(2592)	N			05/25/2004

PURGE_LOG (2275) Data Type (DATE [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
APP_NUM	(67)	Y		County's application number	11/09/1998
CNTY_CASE_NUM	(132)	N		A county's internal case number.	11/09/1998
CNTY_CASE_NUMBER	(3074)	Y			11/07/2005
END_DT	(233)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.		03/24/1999
PURGE_DT	(2387)	Y			04/30/2002
PURGE_LOG_ID	(2567)	Y			05/04/2004
START_DT	(770)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.		08/29/2001
SUBPROG_ID	(2556)	N			05/04/2004
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001
WG_LABEL	(845)	Y	See SSIS Transaction Edit Guide: 400-1; 400-3.	The name of the workgroup. The label format is: last name; space; first name; space; abbreviation for BRASS program; space; workgroup status; space; and workgroup start date.	04/13/1999

PUSHPULL_LOG (2225) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACT_CD	(8)	N	See SSIS Codes Table.	Transaction Log Activity code	01/01/1998
LOGGED_DT	(1447)	N			12/26/1998
MESSAGE	(1449)	Y			12/26/1998

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PUSHPULL_LOG (2225) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
PUSHPULLLOG_ID	(1467)	Y	Integer	Unique, system-generated identifier for a PUSHPULL_LOG table row. May also be used as a data element.	01/12/1999	
SEVERITY	(1452)	N			12/26/1998	
SOURCE_CD	(1030)	N	See SSIS Codes Table.	Source code	01/01/1998	
TRANS_CD	(821)	N	100 - 999	Unique, system-generated identifier for a	01/01/1998	
TRANS_ID	(823)	Y	Integer	Unique, system-generated identifier for a Transaction table row	01/01/1998	

PYMT_ACCRUAL_CODE (3330) Data Type (NUMBER [3])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ACCRUAL_CODE	(2887)	N			05/04/2005	
ACCRUAL_DESC	(2886)	N			05/04/2005	
ACCRUAL_END_DT	(2884)	N			05/04/2005	
ACCRUAL_START_DT	(2885)	N			05/04/2005	
PYMT_ACCRUAL_CODE_ID	(2888)	Y			05/04/2005	

PYMT_BATCH (3350) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
OWNER_STAFF_ID	(2860)	N			05/04/2005	
PBATCH_CNT_AMT	(2859)	N			05/04/2005	
PBATCH_DESC	(2858)	Y			05/04/2005	
PBATCH_SCH_WARR_DT	(2857)	Y			05/04/2005	
PBATCH_SUB_STAT_CD	(3119)	Y			02/15/2006	
PYMT_BATCH_ID	(2861)	Y			05/04/2005	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PYMT_BATCH_XREF (3360) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PAYMENT_ID	(3068)	N			10/21/2005
PYMT_BATCH_ID	(2861)	N			05/04/2005
PYMT_BATCH_XREF_ID	(2874)	N			05/04/2005
PYMT_COMMENT_XREF (3320) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COMMENTS_LOG_ID	(2842)	N			05/04/2005
PAYMENT_ID	(3068)	N			10/21/2005
PYMT_COMMENT_XREF_ID	(2862)	N			05/04/2005
PYMT_CONF_IMPORT (3910) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
IMPORTED_DT	(3117)	N			02/15/2006
PAYMENT_ID	(3068)	N			10/21/2005
PCONF_IMP_STATUS_CD	(3116)	N			02/15/2006
PYMT_CONF_IMPORT_ID	(3118)	N			02/15/2006
PYMT_PAID_AMT	(3061)	Y			10/21/2005
PYMT_WARRANT_DT	(3114)	N			02/15/2006
PYMT_WARRANT_NUM	(3113)	N			02/15/2006
PYMT_WARRANT_TOT_AMT	(3112)	N			02/15/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PYMT_HDR_EXPORT (3920) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACCT_SYS_USER	(3105)	N			02/15/2006
PBATCH_SCH_WARR_D T	(2857)	N			05/04/2005
PYMT_BATCH_AMT	(3111)	N			02/15/2006
PYMT_BATCH_CNT	(3110)	N			02/15/2006
PYMT_BATCH_DESC	(3109)	N			02/15/2006
PYMT_BATCH_ID	(2861)	N			05/04/2005
PYMT_HDR_EXPORT_ID	(3103)	N			02/15/2006
SUBMITTED_DT	(3104)	N			02/15/2006
SUBMITTER_STAFF_ID	(3106)	N			02/15/2006

PYMT_REQ_EXPORT (3900) Data Type (NUMBER [3])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACCRUAL_CODE	(2887)	Y			05/04/2005
APPROVAL_DT	(65)	Y	YYYYMMDD	Claim Eligibility approval date	01/01/1998
APPROVAL_STAFF_ID	(3069)	Y			10/25/2005
BRASS_SVC_ID	(2548)	N			05/04/2004
CNTY_DEFINED_DT	(3001)	Y			05/16/2005
CNTY_DEFINED_FLD	(3089)	Y			02/09/2006
CNTY_PERSON_NUM	(140)	Y		Client number	11/09/1998
CNTY_SUBSVC_ID	(2551)	Y			05/04/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COA_CODE_ID	(2542)	Y			07/13/2004
COA_DESC	(2535)	Y			07/13/2004
COA_ELEMENT_1	(3102)	Y			02/15/2006
COA_ELEMENT_10	(3093)	Y			02/15/2006
COA_ELEMENT_11	(3092)	Y			02/15/2006
COA_ELEMENT_2	(3101)	Y			02/15/2006
COA_ELEMENT_3	(3100)	Y			02/15/2006
COA_ELEMENT_4	(3099)	Y			02/15/2006
COA_ELEMENT_5	(3098)	Y			02/15/2006
COA_ELEMENT_6	(3097)	Y			02/15/2006
COA_ELEMENT_7	(3096)	Y			02/15/2006
COA_ELEMENT_8	(3095)	Y			02/15/2006
COA_ELEMENT_9	(3094)	N			02/15/2006
CONTACT_LOC_CD	(162)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1015-3.	Contact location code.	03/22/1999
CONTRACT_NUM	(1962)	Y		Contract number of arrangement, if any. NOT USED.	05/01/2001
CREATED_DT	(188)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 300-2;1700-2.	Date this document was created	08/31/2001
CREATOR_STAFF_ID	(3064)	Y			10/21/2005
FIRST_NAME	(388)	Y	See SSIS Transaction Edit Guide: 100-1; 500-1; 505-1; 800-2.		11/19/1998
HCPCS_MOD_ID	(2817)	Y			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PYMT_REQ_EXPORT	(3900)		Data Type (NUMBER [1])		
IVE_REIMB_IND	(2993)	Y			05/04/2005
IVE_SUB_CD	(2516)	Y			02/23/2004
LAST_NAME	(452)	Y	See SSIS Transaction Edit Guide: 100-1; 500-1; 500-2; 505-1; 870-2.		12/06/1999
MIDDLE_NAME	(485)	Y			11/03/1998
NAME_SUFFIX	(499)	N	Jr, Sr, I, II, III, IV,V. See SSIS Codes Table.		10/02/2000
PAYEE_BUS_NAME	(2873)	Y			05/04/2005
PAYEE_BUS_ORG_ID	(2833)	Y			05/04/2005
PAYEE_CNTY_VEN_NUM	(2869)	Y			05/04/2005
PAYING_CNTY_CD	(2871)	Y			05/04/2005
PAYMENT_ID	(3068)	Y			10/21/2005
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PROV_LIC_NUM	(675)	Y		Provider license number	08/29/2001
PYMT_ACCRUAL_CODE_ID	(2888)	Y			05/04/2005
PYMT_BATCH_ID	(2861)	Y			05/04/2005
PYMT_DESC	(3066)	Y			10/21/2005
PYMT_DOC_PTS	(2865)	Y			05/04/2005
PYMT_INV_DT	(3000)	Y			05/16/2005
PYMT_INV_NUM	(2870)	Y			05/04/2005
PYMT_PER_DIEM	(2985)	Y			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PYMT_REQ_EXPORT	(3900)			Data Type (VARCHAR [14])	
PYMT_RATE	(3060)	Y			10/21/2005
PYMT_REQ_AMT	(3059)	Y			10/21/2005
PYMT_REQ_EXPORT_ID	(3108)	Y			02/15/2006
PYMT_SEAGR_UNITS	(3058)	Y			10/21/2005
PYMT_SVC_END_DT	(2863)	Y			05/04/2005
PYMT_SVC_START_DT	(2864)	Y			05/04/2005
PYMT_TAX_1099_CD	(2867)	Y			05/04/2005
PYMT_UNITS	(3054)	Y			10/21/2005
SA_GROUP_ID	(2777)	Y			05/04/2005
SCH_WARR_DT	(3107)	Y			02/15/2006
SPECIAL_COST_ID	(2796)	Y			05/04/2005
SUBPROG_ID	(2556)	Y			05/04/2004
SVC_ARRANGEMENT_ID	(2779)	Y			05/04/2005
SVC_BUS_NAME	(2872)	Y			05/04/2005
SVC_BUS_ORG_ID	(2834)	Y			05/04/2005
SVC_CNTY_VEN_NUM	(2868)	Y			05/04/2005
UNIT_TYPE_CD	(834)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1105-3.	Unit type code: hour, week, day	04/13/1999
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

PYMT_VENDOR_IMP (3370) Data Type (DATE [20])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CNTY_VEN_NUM	(3356)	N			01/17/2007
PYMT_VENDOR_ID	(3357)	N			01/17/2007

Q\$ERROR (4900) Data Type (VARCHAR [100])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHANGED_BY	(3554)	Y			10/22/2008
CHANGED_ON_DT	(3555)	Y			10/22/2008
CODE_NUM	(3548)	Y			10/22/2008
CREATED_BY	(3556)	Y			10/22/2008
CREATED_ON_DT	(3557)	Y			10/22/2008
ERR_DESCRIPTION	(3546)	Y			10/22/2008
ERROR_CATEGORY_NAME	(3549)	Y			10/22/2008
ERROR_NAME	(3547)	Y			10/22/2008
Q\$ERROR_ID	(3550)	Y			10/22/2008
RECOMMENDATION	(3544)	Y			10/22/2008
SUBSTITUTE_STRING	(3545)	Y			10/22/2008

Q\$ERROR_CONTEXT (4910) Data Type (VARCHAR [100])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CHANGED_BY	(3554)	Y			10/22/2008
CHANGED_ON_DT	(3555)	Y			10/22/2008
CREATED_BY	(3556)	Y			10/22/2008

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Q\$ERROR_CONTEXT (4910) Data Type (VARCHAR [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CREATED_ON_DT	(3557)	Y			10/22/2008
EC_NAME	(3559)	Y			10/22/2008
EC_VALUE	(3558)	Y			10/22/2008
Q\$ERROR_CONTEXT_I D	(3560)	Y			10/22/2008
Q\$ERROR_INSTANCE_I D	(3543)	Y			10/22/2008

Q\$ERROR_INSTANCE (4905) Data Type (VARCHAR [4000])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CALL_STACK	(3541)	Y			10/22/2008
CHANGED_BY	(3554)	Y			10/22/2008
CHANGED_ON_DT	(3555)	Y			10/22/2008
CREATED_BY	(3556)	Y			10/22/2008
CREATED_ON_DT	(3557)	Y			10/22/2008
EI_MESSAGE	(3540)	Y			10/22/2008
ENVIRONMENT_INFO	(3537)	Y			10/22/2008
ERROR_STACK	(3542)	Y			10/22/2008
Q\$ERROR_ID	(3550)	Y			10/22/2008
Q\$ERROR_INSTANCE_I D	(3543)	Y			10/22/2008
SYSTEM_ERROR_CODE	(3539)	Y			10/22/2008
SYSTEM_ERROR_MSG	(3538)	Y			10/22/2008

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Q\$LOG (4915) Data Type (VARCHAR [4000])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CALL_STACK	(3541)	Y			10/22/2008
CHANGED_BY	(3554)	Y			10/22/2008
CHANGED_ON_DT	(3555)	Y			10/22/2008
CONTEXT	(3552)	Y			10/22/2008
CREATED_BY	(3556)	Y			10/22/2008
CREATED_ON_DT	(3557)	N			10/22/2008
Q\$LOG_ID	(3553)	Y			10/22/2008
QL_TEXT	(3551)	Y			10/22/2008

RACE_ETHNIC_TRIBE (550) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
RACE_CD	(684)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 550-1;550-7.	Person Race. Afcars AD 7, 25, 27. Afcars FC 8, 52, 54. CWCDR - C 10, F 9, F 10, F 18, F 19	08/27/2001
RACE_ETHNIC_ID	(1181)	Y	Integer	Unique, system-generated identifier for a RACE_ETHNIC_TRIBE table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
RACE_SUBGRP_CD	(685)	N	See SSIS Codes Table.	Person Race subgroup; for example, race = American Indian, subgroup= Lakota	02/26/1999
TRIBAL_STAT_CD	(826)	N	See SSIS Codes Table. Required when a child's race is Native American or Alaskan Native. See SSIS Transaction Edit Guide: 550-1.	Tribal enrollment status code. CWCDR - C 16, C 18, F 13, F 15, F 22, F24	02/26/1999

RCA_BASIC_RATE (5810) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGE_HIGH	(1879)	N	Integer. See Transaction Edit Guide: 1485-2; 1490-2.	The high end of the age range to which this foster care payment rate applies.	08/31/2001
AGE_LOW	(1880)	N	Integer. See Transaction Edit Guide: 1485-3;1490-3	The low end of the age range to which this foster care payment rate applies.	08/31/2001
BASIC_MNTH_RATE	(5691)	N			12/16/2013

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

RCA_BASIC_RATE (5810) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
RCA_BASIC_RATE_ID	(5690)	N			12/16/2013

RCA_CLM (5830) Data Type (NUMBER [5])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGE	(1091)	Y	See SSIS Transaction Edit Guide: 500-2; 500-4; 800-2; 870-1.	Frequently calculated age as of the current date, based on person's date of birth. May also be entered by user (when a report of child maltreatment is received)	03/02/1999
ANNUAL_INCOME	(5684)	N			12/16/2013
ASSESS_LEVEL_CD	(5666)	N			12/16/2013
BUS_ORG_ID	(2419)	Y			02/28/2003
CLM_AMT	(3328)	N			10/02/2006
CLM_SVC_END_DT	(3799)	N			06/21/2011
CLM_SVC_START_DT	(3798)	Y			06/21/2011
CUST_TRANSFER_DT	(5664)	Y			12/16/2013
ELIG_AMT	(5843)	N			
HOUSEHOLD_SIZE	(5685)	Y			12/16/2013
MONTHLY_RCA_AMT	(5688)	N			12/16/2013
NON_ELIG_AMT	(5844)	N			
OFFSET_BLB	(5679)	N			12/16/2013
OFFSET_CHILD_SUPP	(5680)	Y			12/16/2013
OFFSET_MFIP	(5670)	N			12/16/2013
OFFSET_OTHER	(5681)	Y			12/16/2013

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

RCA_CLM (5830) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
OFFSET_RRB	(5678)	N			12/16/2013	
OFFSET_RSDI	(5677)	N			12/16/2013	
OFFSET_SSI	(5675)	N			12/16/2013	
OFFSET_TOTAL	(5682)	Y			12/16/2013	
OFFSET_VA	(5676)	N			12/16/2013	
ORIG_RCA_CLM_ID	(5841)	N				
PAYMENT_ID	(3068)	N			10/21/2005	
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
PYMT_DT	(3065)	Y			10/21/2005	
RCA_CLM_ID	(5840)	N				
RCA_SVC_TYPE_CD	(5842)	N				
RCA_WRKSHT_EFF_DT	(5665)	N			12/16/2013	
STATE_RPT_ID	(3190)	N			08/09/2006	

RCA_PERCENTAGE (5815) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
INCOME_PERCENT_HIG H	(5694)	N			12/16/2013	
INCOME_PERCENT_LO W	(5693)	N			12/16/2013	
RCA_PERCENT	(5695)	N			12/16/2013	
RCA_PERCENTAGE_ID	(5692)	N			12/16/2013	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

RCA_SUPP_RATE (5820) Data Type (NUMBER [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ASSESS_LEVEL_CD	(5666)	N			12/16/2013
ASSESS_LVL_RATE	(5697)	N			12/16/2013
RCA_SUPP_RATE_ID	(5696)	N			12/16/2013

RCA_WORKSHEET (5800) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ANNUAL_INCOME	(5684)	Y			12/16/2013
ASSESS_LEVEL_CD	(5666)	Y			12/16/2013
CUST_TRANSFER_DT	(5664)	Y			12/16/2013
FPG_AMT	(5686)	N			12/16/2013
GROSS_INCOME_PCT	(5687)	Y			12/16/2013
HOUSEHOLD_SIZE	(5685)	N			12/16/2013
MFIP_NET_RCA_AMT	(5674)	Y			12/16/2013
MFIP_NON_RCA_AMT	(5673)	Y			12/16/2013
MFIP_RCA_COUNT	(5672)	N			12/16/2013
MFIP_UNIT_AMT	(5671)	N			12/16/2013
MONTHLY_RCA_AMT	(5688)	Y			12/16/2013
OFFSET_BLB	(5679)	N			12/16/2013
OFFSET_CHILD_SUPP	(5680)	N			12/16/2013
OFFSET_MFIP	(5670)	Y			12/16/2013

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

RCA_WORKSHEET (5800) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
OFFSET_OTHER	(5681)	N			12/16/2013
OFFSET_RRB	(5678)	N			12/16/2013
OFFSET_RSDI	(5677)	Y			12/16/2013
OFFSET_SSI	(5675)	Y			12/16/2013
OFFSET_TOTAL	(5682)	N			12/16/2013
OFFSET_VA	(5676)	Y			12/16/2013
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
RCA_ASSESS_LVL_RATE	(5668)	Y			12/16/2013
RCA_BASIC_MNTH_RATE	(5667)	Y			12/16/2013
RCA_MAX_MNTH_RATE	(5669)	Y			12/16/2013
RCA_NET_MAX_RATE	(5683)	Y			12/16/2013
RCA_PERCENT	(5695)	Y			12/16/2013
RCA_WORKSHEET_ID	(5663)	N			12/16/2013
RCA_WRKSHT_EFF_DT	(5665)	N			12/16/2013
RCA_WRKSHT_STAT_CD	(5689)	Y			12/16/2013
REVISION_NUM	(5720)	N			01/06/2014

RECIPIENT_FEES (655) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_SVC_ID	(2548)	Y			05/04/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

RECIPIENT_FEES (655) Data Type (CHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CNTY_SUBSVC_ID	(2551)	Y			05/04/2004
FEE_AMT	(382)	Y	8 digits to the left of an implied decimal point, 2 to the right; for a total of 10.	Amount the client is expected to contribute	01/01/1998
FEE_ASSESSBASIS_CD	(1561)	Y	See SSIS Codes Table.	The basis of this fee assessment.	03/22/2000
FEE_COMMENTS	(1626)	Y	Free form text.		02/17/1999
FEE_END_DT	(1562)	N	YYYYMMDD	The end date for this fee.	02/10/1999
FEE_START_DT	(1564)	Y	YYYYMMDD	The start date for this fee.	02/10/1999
REC_PERSON_ID	(1732)	N	Integer. See Transaction Edit Guide: 655-2.	The PERSON_ID of the recipient.	08/27/2001
RECIPIENT_FEES_ID	(1584)	N	Integer	Unique, system-generated identifier for a RECIPIENT_FEES table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
RESP_PERSON_ID	(718)	Y	Integer	Unique, system-generated identifier for a responsible person.	02/09/1999
SUBPROG_ID	(2556)	N			05/04/2004
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

RECOMMENDED_SVCS (955) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MALT_INCIDENT_ID	(475)	Y	Integer. See SSIS Transaction Edit Guide: 905-11;955-2;960;2;965-2; 970-3.	Unique, system-generated identifier for a MALT_RPT_INCIDENT table row. May also be used as a data element. To initialize, must be set to spaces.	08/29/2001
REC_SVCS_CD	(1512)	Y	See Codes Table. See SSIS Transaction Edit Guide: 955-1.	The type of services recommended.	07/19/1999
REC_SVCS_ID	(1514)	N	Integer	Unique system-generated identifier for a RECOMMENDED_SVCS table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999

RELATION (695) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MALT_VIEW_IND	(2423)	N			02/28/2003
PERSON1_FEM_DESC	(2392)	N			02/28/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

RELATION (695) Data Type (NUMBER [50])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON1_MAS_DESC	(2393)	N			02/28/2003
PERSON1_NEU_DESC	(2394)	N			02/28/2003
PERSON2_FEM_DESC	(2389)	N			02/28/2003
PERSON2_MAS_DESC	(2390)	N			02/28/2003
PERSON2_NEU_DESC	(2391)	Y			02/28/2003
PLCMT_VIEW_IND	(2644)	N			06/04/2004
RELATION_DESC	(2395)	N			02/28/2003
RELATION_ID	(2396)	N			02/28/2003

RELATIONSHIP (600) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BFATHER_DET_CD	(3488)	N			02/07/2008
BMOTHER_MARRIED_CD	(3489)	N			02/07/2008
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PERSON_ID_2	(626)	N	Integer. See SSIS Transaction Edit Guide: 600-4.	Unique, system-generated identifier of the second person in a relationship	11/19/1998
REL_INACTIVE_DET_CD	(3490)	N			02/07/2008
REL_INACTIVE_DT	(3491)	Y			02/07/2008
REL_INACTIVE_RSN_CD	(3492)	Y			02/07/2008
REL_STATUS_CD	(3493)	N			02/07/2008
RELATION_ID	(2396)	N			02/28/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

RELATIONSHIP (600) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
RELATIONSHIP_ID	(1183)	N	Integer	Unique, system-generated identifier for a RELATIONSHIP table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999

REPORT (1700) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CREATED_DT	(188)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 300-2;1700-2.	Date this document was created	08/31/2001
REPORT_BLOB	(1886)	Y	Blob		01/05/2000
REPORT_DESC	(1887)	N	Free form text. See Transaction Edit Guide: 1700-1	Description of the report.	08/31/2001
REPORT_ID	(1888)	N	Integer. See Transaction Edit Guide: 1705-1;1710-1.	Unique, system-generated identifier for a REPORT table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
REPORT_TYPE_CD	(1889)	Y	See SSIS Codes Table. See Transaction Edit Guide: 1700-3.		08/31/2001
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

RETENTION_PERIOD (1468) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
RETENTION_CRIT_CD	(2012)	N	See SSIS Codes Table		05/11/2001
RPERIOD	(2013)	Y			10/26/2000
RPERIOD_ID	(2014)	Y			10/26/2000
RPERIOD_MIN	(2015)	Y			10/26/2000
RPERIOD_NAME	(2016)	N			10/26/2000
SUBPROG_ID	(2556)	Y			05/04/2004
TRACK_CD	(1942)	Y	See SSIS Codes Table		05/11/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

ROLE_ACTIVITY (210) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTIVITY_ID	(854)	N	Integer. See SSIS Codes Table.	Unique, system-generated identifier of an ACTIVITY table row. May also be used as a data element To initialize, must be set to spaces.	05/23/2001
STAFF_ROLE_ID	(768)	N	Integer. See SSIS Transaction Edit Guide: 100-2; 205-2.	Unique, system-generated identifier for a STAFF_ROLE table row. May also be used as a data element. To initialize, must be set to spaces.	05/13/1999

SA_AGREEMENT (3210) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
FISCAL_CONT_LANG_ID	(2751)	N			05/04/2005
LOCATION_ID	(870)	N	Integer	Unique, system-generated identifier for a LOCATION table row. A location is the physical place a staff member works. To initialize, must be set to spaces.	02/08/1999
PAYEE_BUS_ORG_ID	(2833)	N			05/04/2005
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
SA_AGREEMENT_ID	(2762)	Y			05/04/2005
SAA_ATTEN_LINE	(2804)	Y			05/04/2005
SAA_COMMENTS	(2760)	Y			05/04/2005
SAA_DESC	(2761)	N			05/04/2005
SVC_BUS_ORG_ID	(2834)	N			05/04/2005

SA_AMENDMENT (3225) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
FIS_APR_STAFF_ID	(2854)	N			05/04/2005
PAY_OTHER_VEND_IND	(2749)	N			05/04/2005
SA_AMENDMENT_ID	(2750)	N			05/04/2005
SA_STATUS_CD	(2780)	Y			05/04/2005
SAM_AMOUNT	(2748)	Y			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SA_AMENDMENT (3225) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SAM_ENTRY_DT	(2852)	N			05/04/2005
SAM_FIS_APR_DT	(2851)	N			05/04/2005
SAM_SVC_APR_DT	(2853)	Y			05/04/2005
SAM_UNITS	(2745)	Y			05/04/2005
SVC_APR_STAFF_ID	(2855)	N			05/04/2005
SVC_ARRANGEMENT_ID	(2779)	N			05/04/2005
SA_COMMENTS_XREF (3220) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
COMMENTS_LOG_ID	(2842)	N			05/04/2005
SA_COMMENTS_XREF_ID	(2847)	N			05/04/2005
SVC_ARRANGEMENT_ID	(2779)	N			05/04/2005
SA_GROUP (3205) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_ID	(2419)	N			02/28/2003
SA_GROUP_ID	(2777)	N			05/04/2005
SAG_AMOUNT	(2776)	N			05/04/2005
SAG_COMMENTS	(2775)	N			05/04/2005
SAG_CONTRACT_NUM	(2774)	Y			05/04/2005
SAG_DESC	(2773)	N			05/04/2005
SAG_END_DT	(2771)	Y			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SA_GROUP (3205) Data Type (VARCHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
SAG_MIN_GUAR	(2770)	Y			05/04/2005	
SAG_START_DT	(2772)	N			05/04/2005	
SCHOOL_DISTRICT (1435) Data Type (DATE [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
EFF_END_DT	(225)	N	YYYYMMDD	Effective end date	01/01/1998	
EFF_START_DT	(226)	N	YYYYMMDD	Effective start date	01/01/1998	
SCHOOL_DIST_NAME	(740)	N	See SSIS Transaction Edit Guide: 1435-2.	School district name	08/31/2001	
SCHOOL_DIST_NUM	(741)	N	See: http://children.state.mn.us/cfdirectory/report_c4.cgi . Required for all children ages 5 - 17 in placement. See SSIS Transaction Edit Guide: 800-3;1435-1.	The district in which the child attends school.	05/07/2002	
SDM_ANSWER (1823) Data Type (VARCHAR [1000])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ANSWER_HELP	(2363)	Y			10/16/2001	
ANSWER_ID	(2281)	N	See SSIS Codes table. See Transaction Edit Guide: 1817-3;1827-2;1842-2;1852-2;1867-3.	Identifies a unique SDM_ANSWER table row that corresponds to a unique SDM_QUESTION.	08/31/2001	
ANSWER_TEXT	(2283)	N			05/08/2001	
OTHER_ENABLED_IND	(2340)	N			05/09/2001	
QUESTION_ID	(2318)	N	Integer. See Transaction Edit Guide: 1817-2;1823-1;1824-2;1843-2;1867-2;1872-1.	Unique identifier for an SDM_QUESTION table row. May also be used as a data element.	08/31/2001	
SCORE	(2135)	N	Integer	Numeric code used to score tools	04/26/2001	
SORT_ORDER	(1694)	N		NOT USED IN VERSION 3	05/01/2001	
SDM_QUESTION (1821) Data Type (DATE [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
DISPLAY_TYPE_CD	(2291)	N	See SSIS Codes Table.		05/15/2001	
OTHER_TEXT_CAPTION	(2350)	Y			05/29/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SDM_QUESTION (1821) Data Type (NUMBER [150])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
OTHER_TEXT_ERROR	(2351)	N			05/29/2001	
OTHER_TEXT_IND	(2309)	Y			05/08/2001	
PARENT_QUESTION_ID	(2311)	N	Integer	Identifies a parent's specific SDM_QUESTION entry.	06/11/2001	
QUESTION_ABBR	(2316)	N			05/08/2001	
QUESTION_HELP	(2362)	N			10/16/2001	
QUESTION_ID	(2318)	N	Integer. See Transaction Edit Guide: 1817-2;1823-1;1824-2;1843-2;1867-2;1872-1.	Unique identifier for an SDM_QUESTION table row. May also be used as a data element.	08/31/2001	
QUESTION_MAX	(3138)	N			05/10/2006	
QUESTION_MIN	(3139)	Y			05/10/2006	
QUESTION_TEXT	(2319)	Y			05/08/2001	
SHOW_SCORE_IND	(2352)	N			05/29/2001	
SORT_ORDER	(1694)	Y		NOT USED IN VERSION 3	05/01/2001	

SDM_QUESTION_QTYPE (1824) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
QUESTION_ID	(2318)	N	Integer. See Transaction Edit Guide: 1817-2;1823-1;1824-2;1843-2;1867-2;1872-1.	Unique identifier for an SDM_QUESTION table row. May also be used as a data element.	08/31/2001	
QUESTION_QTYPE_ID	(2349)	N	Integer	Identifies a unique SDM_QUESTION_QTYPE table row.	06/11/2001	
QUESTION_TYPE_ID	(2320)	N	See SSIS Codes Table. See Transaction Edit Guide: 1824-1.	Identifies a unique SDM_QUESTION_TYPE table row.	08/31/2001	

SDM_QUESTION_TYPE (1822) Data Type (VARCHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
DEFAULT_SCORE	(2344)	Y			05/10/2001	
NONE_IND	(2303)	Y			05/08/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SDM_QUESTION_TYPE (1822) Data Type (DATE [255])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
NONE_TEXT	(2304)	N			05/08/2001
QUESTION_DESC	(2317)	N			05/08/2001
QUESTION_TYPE_ID	(2320)	Y	See SSIS Codes Table. See Transaction Edit Guide: 1824-1.	Identifies a unique SDM_QUESTION_TYPE table row.	08/31/2001
SCORE_IND	(2346)	N			05/10/2001
SCORE_TEXT	(2347)	Y			05/10/2001

SDM_RESP (1836) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ASSESS_DT	(73)	Y	YYYYMMDD	Date the assessment was performed	01/01/1998
CREATE_DT	(2290)	N	YYYYMMDD. See Transaction Edit Guide: 1816-3;1826-3;1838-3;1841-3;1851-3;1866-3;1871-4.		08/31/2001
FINALIZE_DT	(1345)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 930-1; 930-2;945-1.	The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.	03/23/1999
MALT_INCIDENT_ID	(475)	N	Integer. See SSIS Transaction Edit Guide: 905-11;955-2;960;2;965-2; 970-3.	Unique, system-generated identifier for a MALT_RPT_INCIDENT table row. May also be used as a data element. To initialize, must be set to spaces.	08/29/2001
PRIORITY_CD	(2263)	N	See SSIS Codes description	Rating level for SDM priority.	05/11/2001
SDM_RESP_ID	(2330)	N	Integer. See Transaction Edit Guide: 1861-1	Unique identifier for an SDM_RESP table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
TOOL_STATUS_CD	(2196)	N	See SSIS Codes Table Description	Indicates the completeness of the tool	

SDM_RESP_MALT (1861) Data Type (CHAR [12])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BTN_NAME	(2051)	Y		Displays previously selected (highlighted) button when viewing the entry form.	04/30/2001
PRIORITY_CD	(2263)	Y	See SSIS Codes description	Rating level for SDM priority.	05/11/2001
SDM_MALT_TYPE_CD	(2265)	N	See SSIS Codes description	Indicates type of maltreatment	04/30/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SDM_RESP_MALT (1861) Data Type (NUMBER [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SDM_RESP_ID	(2330)	N	Integer. See Transaction Edit Guide: 1861-1	Unique identifier for an SDM_RESP table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
SDM_RESP_MALT_ID	(2331)	N	Integer	Unique system-generated identifier for an SDM_RESP_MALT table row. May also be used as a data element. To initialize, must be set to spaces.	06/13/2001

SEAGR_CONV (3800) Data Type (NUMBER [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_SVC_ID	(2548)	N			05/04/2004
CLIENT_IND	(3046)	Y			08/03/2005
HCPCS_MOD_ID	(2817)	Y			05/04/2005
SC_END_DT	(3039)	N			06/29/2005
SC_START_DT	(3040)	Y			06/29/2005
SEAGR_CONV_ID	(3044)	N			06/29/2005
SEAGR_MULTIPLIER	(3042)	N			06/29/2005
UNIT_TYPE_CD	(834)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1105-3.	Unit type code: hour, week, day	04/13/1999

SERVICE_AUTH (1100) Data Type (CHAR [13])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGREEMENT_NUM	(1863)	N	See Transaction Edit Guide: 1100-4.		08/30/2001
AUTH_BY_ID	(81)	N	Integer	Identifier of the staff person authorizing this service authorization.	11/13/1998
AUTH_ID	(84)	N	Integer. See Transaction Edit Guide: 1105-7.	Unique, system-generated identifier for a SERVICE_AUTH table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001
AUTH_STAT_CD	(87)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1100-2.	Service authorization status code	04/13/1999
AUTH_STAT_DT	(1612)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 1100-3.		03/23/1999
BUS_ORG_ID	(2419)	N			02/28/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SERVICE_AUTH (1100) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CNTY_AUTH_NUM	(1620)	N			02/12/1999
CONTRACT_ID	(173)	N	Integer	Unique, system-generated identifier for a CONTRACT table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
PERS_REL_PROV_IND	(1638)	Y	Y/N		02/17/1999
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

SGR_BRASS_DETAIL (4215) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SGR_BRASS_DETAIL_ID	(3211)	Y			08/21/2006
SGR_BRASS_LINE_ID	(3210)	N			08/21/2006
SGR_DIR_HRS_STFF_S VC	(3204)	N			08/21/2006
SGR_DIR_STFF_EXPEN SE	(3203)	N			08/21/2006
SGR_EXP_PUR_SVC	(3208)	N			08/21/2006
SGR_HOURS_STAFF_S VC	(3206)	N			08/21/2006
SGR_STAFF_EXPENSE	(3205)	Y			08/21/2006
SGR_TOT_EXPENSE	(3202)	N			08/21/2006
SGR_UNITS_PUR_SVC	(3207)	N			08/21/2006
VALUE_TYPE_CD	(3209)	Y			08/21/2006

SGR_BRASS_LINE (4220) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_SVC_ID	(2548)	N			05/04/2004
SGR_BRASS_LINE_ID	(3210)	N			08/21/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SGR_BRASS_LINE (4220) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
STATE_RPT_ID	(3190)	N			08/09/2006

SGR_PAYMENT (4205) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_SVC_ID	(2548)	N			05/04/2004
PAYMENT_ID	(3068)	N			10/21/2005
PYMT_DT	(3065)	N			10/21/2005
PYMT_PAID_AMT	(3061)	N			10/21/2005
PYMT_SEAGR_UNITS	(3058)	N			10/21/2005
SGR_PAYMENT_ID	(3215)	N			08/21/2006
STATE_RPT_ID	(3190)	N			08/09/2006

SGR_REV_DEF_DETAIL (4245) Data Type (NUMBER [4])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DHS_ENTRY_NUM	(3239)	N			08/22/2006
REV_DESC	(3238)	N			08/22/2006
REV_DESC_EDIT_IND	(3234)	N			08/22/2006
REV_ORDER	(3237)	N			08/22/2006
SGR_REV_DEF_DET_ID	(3242)	N			08/22/2006
SGR_REV_DEF_MASTR_ID	(3241)	N			08/22/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SGR_REV_DEF_MASTER (4250) Data Type (VARCHAR [4])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DHS_ENTRY_NUM	(3239)	N			08/22/2006
REV_DESC	(3238)	N			08/22/2006
REV_ORDER	(3237)	N			08/22/2006
SGR_REV_DEF_MASTR_ID	(3241)	N			08/22/2006
SGR_REVENUE_CD	(3240)	N			08/22/2006
SGR_YEAR	(3235)	N			08/22/2006

SGR_REV_DEF_TOTS (4235) Data Type (NUMBER [4])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DHS_ENTRY_NUM	(3239)	N			08/22/2006
REV_DESC	(3238)	N			08/22/2006
REV_ORDER	(3237)	N			08/22/2006
SGR_REV_DEF_TOTS_ID	(3243)	N			08/22/2006
SGR_REVENUE_CD	(3240)	N			08/22/2006
SGR_YEAR	(3235)	N			08/22/2006

SGR_REV_DETAIL (4230) Data Type (NUMBER [4])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DHS_ENTRY_NUM	(3239)	N			08/22/2006
REV_AMOUNT	(3236)	N			08/22/2006
REV_DESC	(3238)	N			08/22/2006
REV_DESC_EDIT_IND	(3234)	N			08/22/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SGR_REV_DETAIL (4230) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
REV_ORDER	(3237)	N			08/22/2006
SGR_REV_DETAIL_ID	(3233)	Y			08/22/2006
SGR_REV_MASTER_ID	(3232)	N			08/22/2006
SGR_REV_MASTER (4225) Data Type (NUMBER [4])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DHS_ENTRY_NUM	(3239)	N			08/22/2006
REV_DESC	(3238)	N			08/22/2006
REV_ORDER	(3237)	N			08/22/2006
SGR_REV_MASTER_ID	(3232)	N			08/22/2006
SGR_REVENUE_CD	(3240)	N			08/22/2006
STATE_RPT_ID	(3190)	N			08/09/2006
SGR_REV_TOTS_XREF (4240) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SGR_REV_DEF_DET_ID	(3242)	N			08/22/2006
SGR_REV_DEF_TOTS_ID	(3243)	N			08/22/2006
SGR_REV_TOTS_XREF_ID	(3231)	N			08/22/2006
SGR_REVENUES_EXP (4270) Data Type (NUMBER [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CNTY_CD	(133)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998
DHS_ENTRY_NUM	(3239)	Y			08/22/2006
REV_AMOUNT	(3236)	N			08/22/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SGR_REVENUES_EXP (4270) Data Type (CHAR [65])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
REV_DESC	(3238)	N			08/22/2006
REV_ORDER	(3237)	N			08/22/2006
REV_TYPE_CD	(3258)	N			09/25/2006
SGR_REVENUES_EXP_ID	(3252)	N			09/25/2006
SGR_RPT_EXP_ID	(3259)	N			09/25/2006

SGR_RPT (4200) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SGR_RPT_ID	(3201)	N			08/21/2006
SGR_STAFF_RATE	(3213)	Y			08/21/2006
SGR_TOT_STFF_EXP_A DJ	(3212)	N			08/21/2006
SS_FUND_RPT_LN1	(3200)	N			08/21/2006
SS_STAFF_LN8	(3199)	N			08/21/2006
STATE_RPT_ID	(3190)	Y			08/09/2006
TOT_STAFF_TIME	(3198)	N			08/21/2006

SGR_RPT_EXP (4260) Data Type (NUMBER [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CNTY_CD	(133)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998
SGR_RPT_EXP_ID	(3259)	N			09/25/2006
SS_EXPENSE	(3261)	Y			09/25/2006
SS_STAFF_COST	(3260)	N			09/25/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SGR_RPT_EXP (4260) Data Type (DATE [50])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ST_CONTACT_PHONE	(3153)	N			08/09/2006
ST_RPT_CONTACT_NAME	(3154)	N			08/09/2006
ST_RPT_GEN_DT	(3156)	N			08/09/2006
ST_RPT_PERIOD_CD	(3159)	N			08/09/2006
ST_RPT_REV_NUM	(3155)	Y			08/09/2006
ST_RPT_YEAR	(3160)	N			08/09/2006

SGR_SERVICE_EXP (4265) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_SVC_ID	(2548)	N			05/04/2004
CNTY_CD	(133)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998
HOURS_SVC	(3257)	Y			09/25/2006
PURCHASED_SVC	(3256)	N			09/25/2006
SGR_RPT_EXP_ID	(3259)	N			09/25/2006
SGR_SERVICE_EXP_ID	(3262)	N			09/25/2006
STAFF_COST	(3255)	Y			09/25/2006
TOTAL_COST	(3254)	N			09/25/2006
UNITS_PURCHASED_SVC	(3253)	N			09/25/2006

SGR_TIME_RECORD (4210) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTIVITY_DT	(914)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 1000-2; 1000-5.	Activity date	08/30/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SGR_TIME_RECORD (4210) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_SVC_ID	(2548)	N			05/04/2004
DURATION	(223)	N	Small integer. See Transaction Edit Guide: 1000-1.	Duration of the activity	08/30/2001
SGR_TIME_RECORD_ID	(3214)	N			08/21/2006
STATE_RPT_ID	(3190)	Y			08/09/2006
TIME_RECORD_ID	(812)	N	Integer. See Transaction Edit Guide: 1005-1;1015-4.	Unique, system-generated identifier for a TIME_RECORD table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

SPD_CLIENT (2005) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
SPD_CLIENT_ID	(2212)	N	Integer	Unique, system-generated identifier for a SPD_CLIENT table row. May also be use as a data element. To initialize, must be set to spaces. NOT USED IN VERSION 3	05/01/2001
SVC_PLAN_DOC_ID	(2215)	N	Integer. See Transaction Edit Guide: 2005-1;2010-1;2015-1;2020-1.	Unique, system-generated identifier for a SVC_PLAN_DOC table row. May also be used as a data element. To initialize, must be set to spaces. Used only for AR in Version 3.	08/31/2001

SPD_PLACEMENT (2025) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PLCMT_LOC_ID	(2596)	N			06/04/2004
SPD_PLACEMENT_ID	(2384)	N			02/01/2002
SVC_PLAN_DOC_ID	(2215)	N	Integer. See Transaction Edit Guide: 2005-1;2010-1;2015-1;2020-1.	Unique, system-generated identifier for a SVC_PLAN_DOC table row. May also be used as a data element. To initialize, must be set to spaces. Used only for AR in Version 3.	08/31/2001

SPECIAL_COST (3235) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SPC_CNTY_DEF_IND	(2791)	Y			05/04/2005
SPC_CODE	(2795)	Y			05/04/2005
SPC_DESC	(2794)	N			05/04/2005
SPC_END_DT	(2792)	N			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SPECIAL_COST (3235) Data Type (DATE [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
SPC_START_DT	(2793)	N			05/04/2005	
SPECIAL_COST_ID	(2796)	N			05/04/2005	
SPECIAL_NEEDS (585) Data Type (CHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
PRIMARY_SN_IND	(3075)	N			12/06/2005	
SPECIAL_NEED_CD	(753)	N	See SSIS Codes Table. Required for all children whose parental rights have been terminated. See SSIS Transaction Edit Guide: 585-1.	CWCDR - C 24, C 25, C 26, C 27, C 28	11/19/1998	
SPECIAL_NEEDS_ID	(1228)	N	Integer	Unique, system-generated identifier for a SPECIAL_NEEDS table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999	
SPECIAL_STUDY (5000) Data Type (DATE [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
PERSON_LEVEL_IND	(3702)	N			06/21/2011	
SP_STUDY_DESC	(3697)	Y			06/21/2011	
SP_STUDY_END_DT	(3699)	Y			06/21/2011	
SP_STUDY_NAME	(3696)	N			06/21/2011	
SP_STUDY_ST_DT	(3698)	N			06/21/2011	
SP_STUDY_TYPE_CD	(3700)	N			06/21/2011	
SPECIAL_STUDY_ID	(3695)	N			06/21/2011	
STAFF_LEVEL_IND	(3703)	N			06/21/2011	
WG_LEVEL_IND	(3701)	Y			06/21/2011	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SSIS_DOCUMENT (375) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
AD_WARD_EVENT_ID	(3512)	N			03/11/2008	
CREATION_DT	(3623)	N			10/15/2009	
DOCUMENT_DESC	(3622)	Y			10/15/2009	
DOCUMENT_STATUS_CD	(217)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 300-3.	Documents in draft status are editable. Documents which have been finalized are not editable.	07/19/1999	
DOCUMENT_TMPL_ID	(3569)	N			07/30/2009	
FINALIZE_DT	(1345)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 930-1; 930-2;945-1.	The date on which the worker determines that the document could no longer be changed. Often this is the date that a client signed or was sent the document.	03/23/1999	
LASTEDITED_DT	(1348)	N	YYYYMMDD	System-generated. The last date on which a user made a change to the document.	12/04/1998	
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
SETUP_COMPL_IND	(3652)	N			03/23/2010	
SSIS_DOCUMENT_ID	(3616)	N			10/15/2009	
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	

SSIS_DOCUMENT_RTF (388) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
DOCUMENT_TMPL_RTF_ID	(5180)	N				
RTF_DOC	(5183)	N				
SSIS_DOCUMENT_ID	(3616)	N			10/15/2009	
SSIS_DOCUMENT_RTF_ID	(5182)	N				

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SSIS_MESSAGE (5115) Data Type (NUMBER [400])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MESSAGE_TEXT	(3913)	N			06/21/2011
MSG_HELP_TEXT	(3914)	N			06/21/2011
SSIS_MESSAGE_ID	(3911)	N			06/21/2011
SSIS_MSG_NUM	(3912)	Y			06/21/2011

SSISVNRD (3105) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
VIDELT	(2707)	Y			10/18/2004
VIVNO	(2728)	Y			10/21/2004

STAFF (100) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
AGENCY_CONTACT_IN D	(3612)	N			09/22/2009
CNTY_OF_SVC_CD	(139)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 400-10; 100-6.	County of service	03/15/2000
CNTY_STAFF_NUM	(145)	N	County-defined.	County staff number	01/01/1998
COUNTY_EMPL_CD	(1040)	N	See SSIS Codes Table.	County employee type: county employee, volunteer, collaborative staff	11/03/1998
COUNTY_ENTITY_CD	(2846)	Y			05/04/2005
DOC_CREDENTIALS	(3611)	N			09/22/2009
EMAIL_ADDRESS	(2575)	Y			05/18/2004
FIRST_NAME	(388)	Y	See SSIS Transaction Edit Guide: 100-1; 500-1; 505-1; 800-2.		11/19/1998
INTAKE_ACC_REST_CD	(2441)	Y			02/28/2003
INTAKE_UNIT_ID	(2440)	N			02/28/2003

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
STAFF	(100)		Data Type (CHAR [30])		
LAST_NAME	(452)	Y	See SSIS Transaction Edit Guide: 100-1; 500-1; 500-2; 505-1; 870-2.		12/06/1999
MHAI_IND	(2845)	Y			05/04/2005
MIDDLE_NAME	(485)	Y			11/03/1998
NAME_SUFFIX	(499)	Y	Jr, Sr, I, II, III, IV,V. See SSIS Codes Table.		10/02/2000
PASSWORD	(574)	Y		User password	01/01/1998
PASSWORD_CHG_DT	(2459)	Y			06/05/2003
PHONE_1	(632)	Y	Field is not currently used.		11/11/1998
READ_ACCESS_CD	(884)	Y	See SSIS Codes Table. See Transaction Edit Guide 100-4.	Relates to a staff member's security authorization level	11/03/1997
RTC_HOST_CNTY_CD	(2843)	N			05/04/2005
RTC_IND	(2844)	N			05/04/2005
STAFF_ACTIVITY_IND	(1666)	Y	Y/N		03/05/1999
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
STAFF_ROLE_ID	(768)	Y	Integer. See SSIS Transaction Edit Guide: 100-2; 205-2.	Unique, system-generated identifier for a STAFF_ROLE table row. May also be used as a data element. To initialize, must be set to spaces.	05/13/1999
TEMP_ROLE_ID	(1084)	N	Integer. See SSIS Edit Guide 100-3.	A unique system-generated identifier for a temporary role assigned to a staff person.	01/14/1999
TEMPROLE_END_DT	(1082)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 100-3.	Temporary role end date	03/01/1999
TEMPROLE_START_DT	(1083)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 100-3.	Temporary role start date	03/01/1999
TITLE	(897)	Y	Free form text.	Staff member title: worker, case aide, supervisor	11/13/1998
TITLE_OF_COURTESY	(1050)	Y	Dr., Miss, Mr., Mrs., Ms., Rev. See SSIS Codes Table.	Courtesy Title	03/21/2000
USER_ID	(836)	Y		County-defined user identification.	11/03/1997

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

STAFF (100) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
WG_READWRITE_IND	(1282)	N	Y/N		02/10/1999

STAFF_CLAIM_QUAL (3260) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CLAIM_CAT_CD	(2840)	Y			05/04/2005
CLAIM_IND	(129)	N	Y/N	Has a claim been filed for this service?	01/01/1998
QUAL_TYPE_CD	(3672)	N			04/28/2010
STAFF_CLAIM_END_DT	(2836)	N			05/04/2005
STAFF_CLAIM_QUAL_ID	(2841)	Y			05/04/2005
STAFF_CLAIM_ST_DT	(2837)	Y			05/04/2005
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001

STAFF_LOGGED_ON (2240) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
LOGGED_ON_DT	(1663)	Y			03/04/1999
ORA_ID	(1665)	Y			03/04/1999
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001

STAFF_PROCESS (170) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PROCESS_ID	(3508)	N			02/26/2008
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
STAFF_PROCESS_ID	(3509)	N			02/26/2008

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

STAFF_PROGRAM (155) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_PROGRAM_ID	(2566)	N			05/04/2004
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
STAFF_PROGRAM_ID	(2568)	N			05/06/2004

STAFF_ROLE (205) Data Type (NUMBER [50])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
STAFF_ROLE_DESC	(767)	N	Free form text. See SSIS Transaction Edit Guide: 205-1.	Staff role description	11/19/1998
STAFF_ROLE_ID	(768)	N	Integer. See SSIS Transaction Edit Guide: 100-2; 205-2.	Unique, system-generated identifier for a STAFF_ROLE table row. May also be used as a data element. To initialize, must be set to spaces.	05/13/1999

STAFF_SP_STUDY (5010) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SPECIAL_STUDY_ID	(3695)	N			06/21/2011
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
STAFF_SP_STDY_END_DT	(3709)	N			06/21/2011
STAFF_SP_STDY_ST_D T	(3708)	N			06/21/2011
STAFF_SP_STUDY_ID	(3707)	N			06/21/2011

STAFF_UNIT (115) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DEPT_ID	(199)	N	Integer. See SSIS Transaction Edit Guide: 115-2.	Unique, system-generated identifier for a DEPARTMENT table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999
LOCATION_ID	(870)	N	Integer	Unique, system-generated identifier for a LOCATION table row. A location is the physical place a staff member works. To initialize, must be set to spaces.	02/08/1999
READ_RESTRICT_CD	(885)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 115-3.	Relates to a staff member's security authorization level	03/23/1999
UNIT_ID	(831)	N	Integer. See SSIS Transaction Edit Guide: 400-4.	Unique, system-generated identifier for a STAFF_UNIT table row. Also may be used as a data element. To initialize, must be set to spaces.	05/18/1999
UNIT_NAME	(832)	N	Free form text.	County-assigned security section name	11/13/1998

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

STAFF_WG (125) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
END_DT	(233)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.		03/24/1999
PRIMARY_IND	(1159)	N	Y/N. See SSIS Transaction Edit Guide: 125-2.	Indicates whether this staff is the primary worker for this workgroup.	08/20/1999
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
STAFF_WG_ID	(1168)	N	Integer.	Unique, system-generated identifier for a STAFF_WG table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999
START_DT	(770)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.		08/29/2001
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

STAGING_MESSAGES (10020) Data Type (NUMBER [1000])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ERROR_MESSAGE_TEXT	(5941)	N			
ERROR_MSG_XPATH	(5943)	N			
MSG_SOURCE_CD	(5942)	N			
STAGING_MESSAGES_ID	(5940)	N			

STATE_RPT (4000) Data Type (VARCHAR [50])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ST_CONTACT_PHONE	(3153)	N			08/09/2006
ST_RPT_CONTACT_NAME	(3154)	N			08/09/2006
ST_RPT_GEN_DT	(3156)	N			08/09/2006
ST_RPT_PERIOD_CD	(3159)	N			08/09/2006
ST_RPT_REV_NUM	(3155)	N			08/09/2006
ST_RPT_STATUS_CD	(3158)	Y			08/09/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

STATE_RPT (4000) Data Type (DATE [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ST_RPT_STATUS_DT	(3157)	N			08/09/2006	
ST_RPT_TYPE_CD	(3161)	N			08/09/2006	
ST_RPT_YEAR	(3160)	Y			08/09/2006	
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	
STATE_RPT_ID	(3190)	Y			08/09/2006	

STATE_RPT_RECOVERY (4050) Data Type (NUMBER [12])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
FFP_RECOVERY_AMT	(8901)	N				
FFP_TYPE_CD	(8091)	N				
RECOVERY_AMT	(3809)	N			06/21/2011	
STATE_RPT_ID	(3190)	N			08/09/2006	
STATE_RPT_RECOV_ID	(5845)	N				

SUB_PROGRAM (1450) Data Type (DATE [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CNTY_DEFINED_IND	(916)	Y	Y/N	Is this field county-defined? yes/no	01/01/1998	
DESCRIPTION	(200)	N	Free form text. See SSIS Transaction Edit Guide: 120-1; 1400-1; 1405-1;1430-3.	Text description	08/31/2001	
EFF_END_DT	(225)	Y	YYYYMMDD	Effective end date	01/01/1998	
EFF_START_DT	(226)	Y	YYYYMMDD	Effective start date	01/01/1998	
IMPLEMENTED_IND	(1067)	N	Y/N	Is this BRASS service used by this county (either alone or in combination with a sub-program)?	05/29/1998	
PROG_ABBR	(1450)	Y		Program abbreviation - appears in Workgroup Name.	02/15/1999	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SUB_PROGRAM (1450) Data Type (CHAR [5])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PROG_SUB_CD	(668)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 400-3; 820-21.	Program sub-code is part of a 9-digit BRASS service code. BRASS program (P), sub-program (BB), county sub-program (bb) = PBBbb.	08/28/2001

SUBPROG (2840) Data Type (DATE [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_PROGRAM_ID	(2566)	N			05/04/2004
EFF_END_DT	(225)	Y	YYYYMMDD	Effective end date	01/01/1998
EFF_START_DT	(226)	N	YYYYMMDD	Effective start date	01/01/1998
SUBPROG_ABBR	(2553)	N			05/04/2004
SUBPROG_DESC	(2552)	N			05/04/2004
SUBPROG_ID	(2556)	Y			05/04/2004
SUBPROG_NUM	(2554)	N			05/04/2004

SUBPROG_SVC (2830) Data Type (NUMBER [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BRASS_SVC_ID	(2548)	N			05/04/2004
EFF_END_DT	(225)	N	YYYYMMDD	Effective end date	01/01/1998
EFF_START_DT	(226)	N	YYYYMMDD	Effective start date	01/01/1998
SUBPROG_ID	(2556)	Y			05/04/2004
SUBPROG_SVC_ID	(2557)	N			05/04/2004

SUBPROG_SVC_ACT (2845) Data Type (NUMBER [10])

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SUBPROG_SVC_ACT_ID	(2555)	N			05/04/2004
SUBPROG_SVC_ID	(2557)	N			05/04/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SUBPROG_SVC_ACT (2845) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
TR_ACTIVITY_ID	(968)	N	Integer. See SSIS Codes Table. See Transaction Edit Guide: 1410-2; 1455-1.	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.	11/19/2001
SVC_ARRANGEMENT (3200) Data Type (NUMBER [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADJ_FROM_MAPCY_CD	(6440)	Y			
BRASS_SVC_ID	(2548)	Y			05/04/2004
CNTY_SUBSVC_ID	(2551)	Y			05/04/2004
COA_CODE_ID	(2542)	Y			07/13/2004
CONTACT_LOC_CD	(162)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1015-3.	Contact location code.	03/22/1999
CONTRACT_NUM	(1962)	N		Contract number of arrangement, if any. NOT USED.	05/01/2001
DEFAULT_1099_CD	(2664)	Y			08/17/2004
HCPCS_MOD_ID	(2817)	Y			05/04/2005
IVE_REIMB_IND	(2993)	Y			05/04/2005
IVE_SUB_CD	(2516)	Y			02/23/2004
MAPCY_LEVEL_CD	(5317)	Y			
PAY_CLIENT_SPEC_IND	(2789)	Y			05/04/2005
PAYEE_BUS_ORG_ID	(2833)	Y			05/04/2005
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
PREPRTD_VOUCHER_I ND	(2788)	Y			05/04/2005
PROV_LIC_NUM	(675)	Y		Provider license number	08/29/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SVC_ARRANGEMENT	(3200)	Data Type	(NUMBER	[255])		
Field Name	(FLD_ID)	Nullable	Notes		Description	Last Changed
REMIT_ADV_DESC	(2787)	Y				05/04/2005
SA_AGREEMENT_ID	(2762)	Y				05/04/2005
SA_DESC	(2786)	Y				05/04/2005
SA_DOC_PTS	(2785)	Y				05/04/2005
SA_END_DT	(2781)	Y				05/04/2005
SA_ENTRY_DT	(2849)	Y				05/04/2005
SA_GROUP_ID	(2777)	Y				05/04/2005
SA_PAYING_CNTY_CD	(2784)	Y				05/04/2005
SA_PER_DIEM	(2783)	Y				05/04/2005
SA_RATE	(1988)	Y			NOT USED IN VERSION 3	05/01/2001
SA_START_DT	(2782)	Y				05/04/2005
SA_STATUS_CD	(2780)	Y				05/04/2005
SA_SUPP_RATE	(6201)	Y				
SPECIAL_COST_ID	(2796)	Y				05/04/2005
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.		Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
SUBPROG_ID	(2556)	Y				05/04/2004
SVC_ARRANGEMENT_ID	(2779)	Y				05/04/2005
SVC_BUS_ORG_ID	(2834)	Y				05/04/2005
UNIT_TYPE_CD	(834)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1105-3.		Unit type code: hour, week, day	04/13/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SVC_ARRANGEMENT (3200) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

SVC_PLAN_DOC (2000) Data Type (CHAR [0])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PLAN_DOC	(2211)	Y	Blob field	Contains to plan document. Only used for AR Plan in Version 3.	
PLAN_EFF_FROM_DT	(1413)	N	YYYYMMDD	The first date on which this plan will be effective.	12/30/1998
PLAN_EFF_TO_DT	(1414)	N	YYYYMMDD	The last date on which this plan is effective.	12/30/1998
PLAN_STATUS_CD	(1416)	N	See SSIS Codes Table.		05/01/2001
PLAN_STATUS_DT	(2383)	N			01/25/2002
PLAN_TYPE_CD	(1417)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1120-2.	The specific plan type for this plan, e.g., Out-of Home Placement, Child Protective Service, Social Services Plan, AR Service Plan.	05/01/2001
SSIS_DOCUMENT_ID	(3616)	Y			10/15/2009
SVC_PLAN_DOC_ID	(2215)	Y	Integer. See Transaction Edit Guide: 2005-1;2010-1;2015-1;2020-1.	Unique, system-generated identifier for a SVC_PLAN_DOC table row. May also be used as a data element. To initialize, must be set to spaces. Used only for AR in Version 3.	08/31/2001
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

SW_CASE_ACCESS (3000) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACCESS_APPROVED_I ND	(2655)	Y			06/30/2004
ACCESS_END_DT	(2650)	N			06/30/2004
ACCESS_START_DT	(2674)	N			09/09/2004
APPROVING_STAFF_ID	(2657)	N			06/30/2004
AUTHORIZED_STAFF_I D	(2656)	Y			06/30/2004
FIRST_NAME	(388)	Y	See SSIS Transaction Edit Guide: 100-1; 500-1; 505-1; 800-2.		11/19/1998

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SW_CASE_ACCESS (3000) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
FOLDER_ID	(390)	Y	Integer	Unique, system-generated identifier for a WG_FOLDER table row. May also be used as a data element. Is a collection of work groups (a case); county defined. To initialize, must be set to spaces.	02/09/1999
LAST_NAME	(452)	N	See SSIS Transaction Edit Guide: 100-1; 500-1; 500-2; 505-1; 870-2.		12/06/1999
MIDDLE_NAME	(485)	N			11/03/1998
NAME_SUFFIX	(499)	N	Jr, Sr, I, II, III, IV,V. See SSIS Codes Table.		10/02/2000
PASSWORD	(574)	N		User password	01/01/1998
PHONE_1	(632)	N	Field is not currently used.		11/11/1998
REQUEST_DT	(2652)	N			06/30/2004
REQUEST_REASON_CD	(3473)	N			11/13/2007
REQUESTING_CNTY_CD	(2654)	Y			06/30/2004
REQUESTING_STAFF_ID	(2653)	Y			06/30/2004
RESPONSE_DT	(2651)	Y			06/30/2004
SW_CASE_ACCESS_ID	(2658)	N			06/30/2004
SW_INDEX_ID	(1457)	N	Integer.	Statewide SSIS Index ID. Unique system-generated identifier for a person on the statewide client index for SSIS.	02/10/1999
TITLE	(897)	N	Free form text.	Staff member title: worker, case aide, supervisor	11/13/1998
TITLE_OF_COURTESY	(1050)	N	Dr., Miss, Mr., Mrs., Ms., Rev. See SSIS Codes Table.	Courtesy Title	03/21/2000
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

SW_CONTPLCMT (2985) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONTPLCMT_END_DT	(2628)	N			06/04/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SW_CONTPLCMT (2985) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONTPLCMT_ID	(2614)	N			06/04/2004
CONTPLCMT_START_D T	(2629)	N			06/04/2004
FROM_CNTY_CD	(3694)	N			01/26/2011
SW_CONTPLCMT_ID	(3693)	N			01/26/2011
SW_INDEX_ID	(1457)	N	Integer.	Statewide SSIS Index ID. Unique system-generated identifier for a person on the statewide client index for SSIS.	02/10/1999

SYSTEM_ACT_PROFILE (4100) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTION_DT	(2951)	Y			05/04/2005
BIT_ARCH_CD	(8761)	Y			
CNTY_CD	(133)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998
CPU	(3222)	Y			08/21/2006
CPU_MHZ	(3221)	Y			08/21/2006
ELAPSED_MSEC	(3227)	Y			08/21/2006
MEMORY_FREE_MB	(3219)	Y			08/21/2006
MEMORY_TOTAL_MB	(3220)	Y			08/21/2006
OS_PLATFORM	(3373)	Y			05/01/2007
OS_VERSION	(3372)	Y			05/01/2007
PULLED_IND	(3216)	Y			08/21/2006
SAP_CATEGORY	(3226)	Y			08/21/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SYSTEM_ACT_PROFILE (4100) Data Type (NUMBER [30])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SAP_METHOD	(3224)	Y			08/21/2006
SAP_NAME	(3225)	Y			08/21/2006
SAP_PARAMS	(3223)	Y			08/21/2006
SAP_USER_NAME	(3228)	Y			08/21/2006
SAP_VERSION	(3217)	Y			08/21/2006
SAP_VIEW	(3246)	Y			09/07/2006
SERVER_IP	(3218)	Y			08/21/2006
SYS_ACT_PROFILE_ID	(3230)	Y			08/21/2006
WORKSTATION_NAME	(3229)	Y			08/21/2006

SYSTEM_CONTROL (1465) Data Type (CHAR [100])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADDR_1	(1676)	Y			03/23/1999
ADDR_2	(1677)	Y			03/23/1999
AGENCY_NAME	(2446)	Y			03/12/2003
AGENCY_PHONE	(2360)	Y			09/26/2001
APPEAL_PHONE	(2385)	Y			02/07/2002
BUSORG_SVC_REQ_IN D	(2797)	Y			05/04/2005
CNTY_CD	(133)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998
CNTY_DSH_PROV_NUM	(2821)	Y			05/04/2005

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SYSTEM_CONTROL		(1465)	Data Type (VARCHAR	[9])	
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CNTY_EMP_ID_NUM	(2820)	Y			05/04/2005
CNTY_IND_1	(1699)	Y			09/16/1999
CNTY_IND_2	(1700)	N			09/16/1999
DB_GUID2	(3663)	Y			04/07/2010
DB_VERSION	(1670)	N			03/12/1999
DEF_INTK_ACC_REST_CD	(2442)	Y			02/28/2003
DIRECTOR_FIRST	(1608)	Y			02/05/1999
DIRECTOR_LAST	(1609)	Y			02/05/1999
HOURS_PER_DAY	(1890)	Y			01/11/2000
INTAKE_UNIT_ID	(2440)	Y			02/28/2003
NEXT_SEQ_NUM	(1664)	Y			03/04/1999
PURGE_RUNDAY	(1940)	Y			10/04/2000
PYMT_INT_REQOWNR_IND	(3091)	Y			02/10/2006
SYS_CITY	(2825)	Y			05/04/2005
SYS_STATE_CD	(2824)	Y			05/04/2005
SYS_ZIP_CODE	(2823)	N			05/04/2005
SYS_ZIP_CODE_EXT	(2822)	Y			05/04/2005
TR_LOG_PREV_MONTHS	(2280)	N			04/17/2001
TR_PERIOD_CD	(1338)	N	See SSIS Codes Table.	The time reporting period used by the agency.	04/13/1999

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

SYSTEM_CONTROL	(1465)		Data Type (VARCHAR [8])		
----------------	----------	--	----------------------------	--	--

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
WEEKLY_START_DT	(1442)	Y	YYYYMMDD	The date on which weekly reporting is to start.	01/04/1999

TCM_CSR_CLIENT	(4410)		Data Type (NUMBER [10])		
----------------	----------	--	----------------------------	--	--

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
RTC_HOST_CNTY_CD	(2843)	N			05/04/2005
TCM_CSR_CLIENT_ID	(3297)	N			09/28/2006
TCM_CSR_CLNT_INCL_CD	(3302)	N			09/28/2006
TCM_CSR_LINE_ID	(3304)	N			09/28/2006
TCM_CSR_MONTH_CD	(3303)	N			09/28/2006

TCM_CSR_LINE	(4405)		Data Type (DATE [10])		
--------------	----------	--	--------------------------	--	--

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
STATE_RPT_ID	(3190)	N			08/09/2006
TCM_CSR_LINE_CD	(3300)	N			09/28/2006
TCM_CSR_LINE_ID	(3304)	N			09/28/2006
TCM_CSR_QTR_CD	(3301)	N			09/28/2006

TCM_CSR_STAT	(4400)		Data Type (DATE [10])		
--------------	----------	--	--------------------------	--	--

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
MONTH_1_CNT	(3168)	N			08/09/2006
MONTH_2_CNT	(3167)	N			08/09/2006
MONTH_3_CNT	(3166)	N			08/09/2006
TCM_CSR_ADJ_TYPE_CD	(3298)	N			09/28/2006

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

TCM_CSR_STAT (4400) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
TCM_CSR_LINE_ID	(3304)	Y			09/28/2006
TCM_CSR_STAT_ID	(3305)	N			09/28/2006
TCM_CSR_VAL_TYPE_CD	(3299)	N			09/28/2006

TEMPLATE (305) Data Type (CHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTIVE_IND	(1273)	Y	Y/N		07/19/1999
DOC_CAT_CD	(1196)	N	See SSIS Codes Table.	Used to distinguish letters and notices from other documents.	05/11/2001
DOCUMENT	(213)	Y	Blob	Document Blob	01/01/1998
HEADER_PRINT_CD	(1656)	N	See SSIS Codes Table.		02/25/1999
TEMPL_ID	(803)	N	Integer	Unique, system-generated identifier for a TEMPLATE table row. May also be used as a data element. To initialize, must be set to spaces.	07/19/1999
TEMPLATE_DESC	(802)	N	Free form text.	Template description	11/13/1998

TI_ANSWER (5310) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_ANSWER_ID	(3847)	Y			06/21/2011
DT_QUESTION_ID	(3811)	N			06/21/2011
EXCL_FROM_SCORE_IND	(3851)	N			06/21/2011
PRIORITY_IND	(2315)	N			05/08/2001
TI_ANSWER_ID	(3846)	N			06/21/2011
TI_ANSWER_SCORE	(3849)	N			06/21/2011
TI_ANSWER_TEXT	(3850)	N			06/21/2011

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

TI_ANSWER (5310) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
TI_PERSON_ID	(3848)	N			06/21/2011
TI_TOOL_ID	(3856)	N			06/21/2011

TI_DECISION (5305) Data Type (NUMBER [5])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CALCULATED_SCORE	(3853)	N			06/21/2011
DECISION_CD	(3854)	N			06/21/2011
DT_DECISION_TREE_ID	(3826)	N			06/21/2011
OVERRIDE_CD	(3855)	Y			06/21/2011
TI_DECISION_ID	(3852)	Y			06/21/2011
TI_PERSON_ID	(3848)	Y			06/21/2011
TI_TOOL_ID	(3856)	N			06/21/2011

TI_PERSON (5315) Data Type (NUMBER [6])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
PERSON_DT_ROLE_CD	(3837)	N			06/21/2011
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
TI_PERSON_ID	(3848)	N			06/21/2011
TI_TOOL_ID	(3856)	N			06/21/2011

TI_RPT (5350) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CP_RPT_ID	(3280)	N			09/27/2006
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

TI_RPT (5350) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
REVIEW_DT	(724)	Y	YYYYMMDD. See Transaction Edit Guide: 720-1.	Plan review date	08/28/2001
REVIEWER_STAFF_ID	(6151)	N			
RISK_TOOL_ID	(6149)	Y			
SAFETY_TOOL_ID	(6150)	Y			
TI_RPT_DT	(6153)	Y			
TI_RPT_ID	(6148)	N			
TI_RPT_SCORE	(6154)	N			
TI_RPT_SCORE_CD	(6155)	Y			
TI_RPT_TYPE_CD	(6152)	Y			
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

TI_RPT_ANSWER (5345) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
DT_RPT_QUESTION_ID	(6140)	N			
QUEST_DISP_SEQ	(6157)	N			
TI_QUESTION_ANSWER	(6160)	Y			
TI_QUESTION_PREFIX	(6158)	N			
TI_QUESTION_SCORE	(6161)	N			
TI_QUESTION_TEXT	(6159)	N			
TI_RPT_ANSWER_ID	(6156)	N			

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

TI_RPT_ANSWER (5345) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
TI_RPT_ID	(6148)	Y			

TI_TOOL (5300) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
APPROVE_STAFF_ID	(4079)	N			02/06/2012
DT_TOOL_TEMPLATE_ID	(3833)	Y			06/21/2011
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
TI_TOOL_ID	(3856)	Y			06/21/2011
TOOL_ASSESSMENT_DT	(3858)	N			06/21/2011
TOOL_CREATE_DT	(3857)	N			06/21/2011
TOOL_FINALIZE_DT	(3859)	Y			06/21/2011
TOOL_STATUS_CD	(2196)	Y	See SSIS Codes Table Description	Indicates the completeness of the tool	
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

TICKLER (1230) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ALERT_CD	(1601)	N	See SSIS Codes Table.		04/03/1999
CREATED_BY_ID	(4359)	N			06/04/2012
PERSON_ID	(625)	N	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
TICKLER_DESC	(807)	N	Free form text.	Tickler description: the event or reason for the tickler	11/13/1998
TICKLER_DT	(808)	N	YYYYMMDD	Tickler date: date the tickler alert should begin	01/01/1998

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

TICKLER (1230) Data Type (DATE [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
TICKLER_DUE_DT	(809)	N	YYYYMMDD	Date the tickler action is due	01/01/1998	
TICKLER_ID	(810)	N	Integer	Unique, system-generated identifier for a Tickler table row. May also be used as a data element. To initialize, must be set to spaces.	02/09/1999	
TICKLER_TYPE_ID	(1594)	N	Integer. See Transaction Edit Guide: 1230-1.	Unique, system-generated identifier for a TICKLER_TYPE table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	

TICKLER_ERROR (1240) Data Type (NUMBER [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
TICKLER_ERROR_ID	(3650)	Y			02/10/2010	
TICKLER_ERROR_MSG	(3651)	Y			02/10/2010	
TICKLER_NAME	(1589)	Y	Free form text.	Name assigned to this particular tickler.	02/15/1999	
TICKLER_TYPE_ID	(1594)	N	Integer. See Transaction Edit Guide: 1230-1.	Unique, system-generated identifier for a TICKLER_TYPE table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	

TICKLER_TYPE (1235) Data Type (NUMBER [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ALERT_CD	(1601)	N	See SSIS Codes Table.		04/03/1999	
ENABLED_IND	(3649)	Y			02/10/2010	
NEXT_GEN_DT	(1580)	N	YYYYMMDD	Next generation date for a tickler.	02/15/1999	
TICKLER_LEADTIME	(1588)	Y	Integer	Number of days prior to the due date that a tickler will appear.	02/15/1999	
TICKLER_NAME	(1589)	N	Free form text.	Name assigned to this particular tickler.	02/15/1999	
TICKLER_PERIOD	(1590)	N	Integer		02/15/1999	
TICKLER_SQL1	(1591)	Y	Free form text.	SQL statement.	02/15/1999	
TICKLER_SQL2	(1592)	N	Free form text.	SQL statement.	02/15/1999	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

TICKLER_TYPE (1235) Data Type (VARCHAR [4000])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
TICKLER_SQL3	(1593)	Y	Free form text.	SQL statement.	02/15/1999	
TICKLER_TYPE_ID	(1594)	N	Integer. See Transaction Edit Guide: 1230-1.	Unique, system-generated identifier for a TICKLER_TYPE table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	
TIME_RECORD (1000) Data Type (NUMBER [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ACTIVITY_DT	(914)	Y	YYYYMMDD. See SSIS Transaction Edit Guide: 1000-2; 1000-5.	Activity date	08/30/2001	
BRASS_SVC_ID	(2548)	Y			05/04/2004	
CNTY_ACCTG_CODE	(2276)	N			03/19/2001	
CNTY_OF_SVC_CD	(139)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 400-10; 100-6.	County of service	03/15/2000	
CNTY_SUBSVC_ID	(2551)	Y			05/04/2004	
CONTACT_LOC_CD	(162)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1015-3.	Contact location code.	03/22/1999	
CONTACT_METHOD_CD	(163)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1015-2;1455-2.	The method of contact.	08/31/2001	
CONTACT_STATUS_CD	(169)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1015-1.	Attempted or completed.	02/11/1999	
DOCUMENT_ID	(215)	N	Integer. See Transaction Edit Guide: 320-2.	Unique, system-generated identifier for a DOCUMENT table row. May also be used as a data element. To initialize, must be set to spaces.	02/08/1999	
DURATION	(223)	Y	Small integer. See Transaction Edit Guide: 1000-1.	Duration of the activity	08/30/2001	
HCPCS_CD	(409)	N	See SSIS Codes Table. See Transaction Edit Guide: 1460-1.	Health Care Common Procedural Coding System	08/31/2001	
NUM_PERS_REC_SVC	(516)	Y	01 - 99	Number of persons receiving the service	01/01/1998	
PURPOSE	(1049)	N	Free form text.	Text entry describing why a Contact Event took place.	11/13/1998	
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	
SUBPROG_ID	(2556)	Y			05/04/2004	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

TIME_RECORD (1000) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
TIME_RECORD_ID	(812)	N	Integer. See Transaction Edit Guide: 1005-1;1015-4.	Unique, system-generated identifier for a TIME_RECORD table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001
TR_ACTIVITY_ID	(968)	Y	Integer. See SSIS Codes Table. See Transaction Edit Guide: 1410-2; 1455-1.	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.	11/19/2001
TR_STAT_CD	(969)	Y	Y = Time record has been signed off; blank/null = Time record has not been signed off. See SSIS Codes Table.	Time Report Status Codes	08/10/1999
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

TIME_RECORD_MOD (1050) Data Type (DATE [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CPT_MODIFIER	(2449)	N			03/13/2003
TIME_RECORD_ID	(812)	N	Integer. See Transaction Edit Guide: 1005-1;1015-4.	Unique, system-generated identifier for a TIME_RECORD table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001
TIME_RECORD_MOD_ID	(2453)	N			03/13/2003

TR_ACT_SVC_METHOD (1455) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CONTACT_METHOD_CD	(163)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 1015-2;1455-2.	The method of contact.	08/31/2001
EFF_END_DT	(225)	N	YYYYMMDD	Effective end date	01/01/1998
EFF_START_DT	(226)	N	YYYYMMDD	Effective start date	01/01/1998
HCPCS_CD	(409)	N	See SSIS Codes Table. See Transaction Edit Guide: 1460-1.	Health Care Common Procedural Coding System	08/31/2001
SUBPROG_SVC_ID	(2557)	Y			05/04/2004
TR_ACT_SVC_METH_ID	(2452)	N			03/13/2003
TR_ACTIVITY_ID	(968)	N	Integer. See SSIS Codes Table. See Transaction Edit Guide: 1410-2; 1455-1.	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.	11/19/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

TR_ACTIVITY (1405) Data Type (DATE [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACT_TYPE_CD	(915)	Y	See SSIS Codes Table.	Activity type code	06/19/1998
CNTY_VIS_IND	(2543)	N			05/04/2004
CONT_REQ_IND	(1079)	N	Y/N. See SSIS Transaction Edit Guide: 1410-1.	Does this activity require a contact?	03/22/1999
DESCRIPTION	(200)	N	Free form text. See SSIS Transaction Edit Guide: 120-1; 1400-1; 1405-1;1430-3.	Text description	08/31/2001
EFF_END_DT	(225)	N	YYYYMMDD	Effective end date	01/01/1998
EFF_START_DT	(226)	Y	YYYYMMDD	Effective start date	01/01/1998
TR_ACTIVITY_ID	(968)	N	Integer. See SSIS Codes Table. See Transaction Edit Guide: 1410-2; 1455-1.	Unique identifier for a TR_ACTIVITY table row. May also be used as a data element. TR_ACTIVITY refers to Time Reporting Activities.	11/19/2001

TRACT_SVC_METH_MOD (1457) Data Type (DATE [2])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CPT_MODIFIER	(2449)	N			03/13/2003
EFF_END_DT	(225)	N	YYYYMMDD	Effective end date	01/01/1998
EFF_START_DT	(226)	N	YYYYMMDD	Effective start date	01/01/1998
TR_ACT_SVC_METH_ID	(2452)	N			03/13/2003
TR_SVCMETH_MOD_ID	(2451)	N			03/13/2003

TRANS_DEF (2215) Data Type (CHAR [30])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ID_NAME	(1927)	Y			
PARENT_OBJ	(1938)	Y			
RECIEVE_IND	(2458)	Y			06/05/2003
SEND_IND	(1029)	Y	Y/N	Send indicator	01/01/1998

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

TRANS_DEF (2215) Data Type (VARCHAR [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
SEQ_IND	(1332)	Y			11/09/1998	
STATUS	(1941)	Y			10/04/2000	
SUB_CD	(786)	Y	Integer	Transaction sub code: A sub-division of Trans_Cd	01/01/1998	
TABLE_OBJ	(1033)	N	Free form text.	Table Object		
TRANS_CD	(821)	Y	100 - 999	Unique, system-generated identifier for a	01/01/1998	

TRANS_LOG (2220) Data Type (DATE [1])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
ACT_CD	(8)	Y	See SSIS Codes Table.	Transaction Log Activity code	01/01/1998	
CNTY_CD	(133)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998	
DATA_ID	(2803)	Y			05/04/2005	
ERR_CD	(236)	Y		Transaction error code on the Transaction log	01/01/1998	
PROCESSED_IND	(1025)	N	Y/N	Has this transaction been processed? Transaction Log	01/01/1998	
SEQ_NUM	(748)	Y	Integer	Sequence number on the transaction log	01/01/1998	
SOURCE_CD	(1030)	Y	See SSIS Codes Table.	Source code	01/01/1998	
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	
SUB_CD	(786)	Y	Integer	Transaction sub code: A sub-division of Trans_Cd	01/01/1998	
TRANS_CD	(821)	Y	100 - 999	Unique, system-generated identifier for a	01/01/1998	
TRANS_DT	(822)	Y	YYYYMMDD	Transaction date	01/01/1998	
TRANS_ID	(823)	Y	Integer	Unique, system-generated identifier for a Transaction table row	01/01/1998	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

TRANS_TEMPLATE (2205) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTIVE_IND	(1273)	N	Y/N		07/19/1999
ALT_DESCRIPTION	(1300)	N	Free form text.		11/13/1998
FIELD_ID	(1245)	Y			09/17/1998
REQ_INS	(1307)	Y			10/23/1998
REQ_UPD_DEL	(1308)	N			10/23/1998
SEQ_NUM	(748)	Y	Integer	Sequence number on the transaction log	01/01/1998
SUB_CD	(786)	Y	Integer	Transaction sub code: A sub-division of Trans_Cd	01/01/1998
TRANS_CD	(821)	Y	100 - 999	Unique, system-generated identifier for a	01/01/1998

TRANSMISS_DEFERRED (2245) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
KEY	(1692)	N			06/22/1999
TABLE_NAME	(1696)	N			06/22/1999

TRANSMISS_ERR_TYPE (2270) Data Type (VARCHAR [100])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ERROR_DESCRIPTION	(2364)	Y			10/19/2001
ERROR_TYPE_CD	(1275)	N			10/13/1998
SCREEN	(2365)	N			10/19/2001

TRANSMISS_ERROR (2250) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACT_CD	(8)	Y	See SSIS Codes Table.	Transaction Log Activity code	01/01/1998
CNTY_CD	(133)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 110-2; 120-2.		11/19/1998

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

TRANSMISS_ERROR (2250) Data Type (NUMBER [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
CREATED_DT	(188)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 300-2;1700-2.	Date this document was created	08/31/2001	
ERROR_TEXT	(1274)	Y	Free form text.		11/13/1998	
ERROR_TYPE_CD	(1275)	Y			10/13/1998	
INCLUSION_DT	(2298)	Y			05/08/2001	
PERSON_ID	(625)	Y	Integer. See SSIS Transaction Edit Guide:320-1;460-3;500-5;537-1;550-6;585-2;595-1;600-3;625-1;625-2;635-1;650-1;655-2;665-2;675-2;700-1; 870-6; 1105-1; 1153-1; 1165-1;1190-2;1300-1;1605-1;1846-2;2005-2;2010-2.	Unique, system-generated identifier for a PERSON row. May also be used as a data element. To initialize, must be set to spaces.	08/28/2001	
PERTINENT_DT	(1891)	Y			01/11/2000	
PERTINENT_DT_TYPE	(2278)	Y			04/17/2001	
REPORT_ELEMENT	(2279)	Y			04/17/2001	
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001	
SUB_CD	(786)	Y	Integer	Transaction sub code: A sub-division of Trans_Cd	01/01/1998	
TRANS_CD	(821)	Y	100 - 999	Unique, system-generated identifier for a	01/01/1998	
TRANSMISS_ERROR_ID	(1281)	Y			10/13/1998	
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	
TRANSMISS_STATUS (2255) Data Type (VARCHAR [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
PERCENT_ERRORS	(1637)	Y			02/12/1999	
RUN_COUNT	(1648)	Y			02/12/1999	
STATUS_TEXT	(1650)	N			02/12/1999	
TRANSMISS_STAT_ID	(1652)	Y			02/12/1999	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

UNIT_STAFF_XREF (130) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
STAFF_ID	(763)	N	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
UNIT_ID	(831)	N	Integer. See SSIS Transaction Edit Guide: 400-4.	Unique, system-generated identifier for a STAFF_UNIT table row. Also may be used as a data element. To initialize, must be set to spaces.	05/18/1999
UNIT_SUPERVISOR (150) Data Type (NUMBER [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
SUPERVISOR_ID	(789)	N	Integer	The Staff ID of the supervisor of this unit.	01/14/1999
UNIT_ID	(831)	N	Integer. See SSIS Transaction Edit Guide: 400-4.	Unique, system-generated identifier for a STAFF_UNIT table row. Also may be used as a data element. To initialize, must be set to spaces.	05/18/1999
VAR_STORAGE (2260) Data Type (VARCHAR [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
VAR_ID	(1818)	Y			11/18/1999
VAR_NAME	(1819)	Y			11/18/1999
VAR_VALUE	(1820)	Y			11/18/1999
VENDOR_SVC_HCPCS (1460) Data Type (DATE [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
EFF_END_DT	(225)	N	YYYYMMDD	Effective end date	01/01/1998
EFF_START_DT	(226)	N	YYYYMMDD	Effective start date	01/01/1998
HCPCS_CD	(409)	N	See SSIS Codes Table. See Transaction Edit Guide: 1460-1.	Health Care Common Procedural Coding System	08/31/2001
SUBPROG_SVC_ID	(2557)	N			05/04/2004
VNIMPORT (3100) Data Type (VARCHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
VI1099	(2713)	Y			10/21/2004
VIA_CD	(2708)	Y			10/21/2004
VIADD1	(2726)	N			10/21/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

VNIMPORT (3100) Data Type (NUMBER [100])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
VIADD2	(2725)	N			10/21/2004
VIADD3	(2735)	Y			12/07/2004
VICITY	(2724)	Y			10/21/2004
VICNTY	(2711)	Y			10/21/2004
VIDESC	(2736)	Y			12/15/2004
VIEMAL	(2717)	Y			10/21/2004
VIFAX	(2718)	Y			10/21/2004
VIFSSN	(2721)	Y			10/21/2004
VIKEY	(2720)	Y			10/21/2004
VIMAID	(2714)	Y			10/21/2004
VINAME	(2727)	Y			10/21/2004
VINPI	(2712)	Y			10/21/2004
VIP_DT	(2710)	Y			10/21/2004
VIPAYE	(2715)	Y			10/21/2004
VIPHON	(2719)	N			10/21/2004
VIR_CD	(2709)	Y			10/21/2004
VIST	(2723)	Y			10/21/2004
VISTAT	(2716)	Y			10/21/2004
VIVNO	(2728)	Y			10/21/2004

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

VNIMPORT (3100) Data Type (VARCHAR [9])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
VIZIP	(2722)	Y			10/21/2004

WG_CLOSE (2265) Data Type (NUMBER [30])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
CATEGORY	(1668)	Y			03/12/1999
CLIENT_NAME	(1614)	Y	Free form text.		02/18/1999
ENTRY_SCREEN	(1671)	Y			03/12/1999
MISSING_DATA	(1672)	Y			03/12/1999
STAFF_ID	(763)	Y	Integer. See SSIS Transaction Edit Guide: 300-1; 730-2; 1000-3; 1120-4;1230-2;1816-2;1826-2;1838-2;1841-2;1851-2;1866-2;1871-2;2015-2.	Unique, system-generated identifier for a STAFF table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
WG_CLOSE_ID	(1673)	Y			03/12/1999
WG_ID	(843)	Y	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

WG_FOLDER (405) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
BUS_ORG_ID	(2419)	N			02/28/2003
CNTY_CASE_NUM	(132)	N		A county's internal case number.	11/09/1998
END_DT	(233)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.		03/24/1999
FOLDER_DESC	(3338)	N			10/25/2006
FOLDER_ID	(390)	N	Integer	Unique, system-generated identifier for a WG_FOLDER table row. May also be used as a data element. Is a collection of work groups (a case); county defined. To initialize, must be set to spaces.	02/09/1999
FOLDER_LABEL	(391)	N	Free form text: last name, space, first name, space, SSIS.Folder_ID. See SSIS Transaction Edit Guide: 405-1.	The folder name or case name.	10/11/1999
FOLDER_STAT_CD	(392)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 405-2.	Folder status code.	02/10/1999
START_DT	(770)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.		08/29/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

WG_RELATIONSHIP (425) Data Type (DATE [8])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
WG_ASSOCIATION_DT	(3293)	N			09/28/2006	
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	
WG_ID2	(844)	N	Integer	Unique, system-generated identifier for a WORK GROUP table row (2nd reference). May also be used as a data element. To initialize, must be set to spaces.	02/08/1999	
WG_RELATIONSHIP_ID	(3294)	N			09/28/2006	

WG_SP_STUDY (5015) Data Type (DATE [10])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
SPECIAL_STUDY_ID	(3695)	N			06/21/2011	
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	
WG_SP_STDY_END_DT	(3712)	N			06/21/2011	
WG_SP_STDY_ST_DT	(3711)	N			06/21/2011	
WG_SP_STUDY_ID	(3710)	Y			06/21/2011	

WG_SWITCH (1875) Data Type (NUMBER [64])						
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed	
OTHER_REASON	(2094)	N	Freeform text.	Text description of other reason. Required if switch reason is 'other'	05/01/2001	
SWITCH_EFF_DT	(3365)	N			02/07/2007	
SWITCH_REASON_CD	(2195)	Y	See SSIS Codes Table. See Transaction Edit Guide: 1875-3	Reason for track switch	08/31/2001	
SWITCH_TYPE_CD	(3366)	Y			02/07/2007	
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001	
WG_SWITCH_COMMENT	(2207)	N	Freeform field.	Optional text comment.	05/01/2001	
WG_SWITCH_ID	(2208)	Y	Integer	Unique, system-generated identifier for a WG_SWITCH table row. May also be use as a data element. To initialize, must be set to spaces.	05/01/2001	

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

WG_SWITCH_OPTIONS (1880) Data Type (DATE [10])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ACTIVITY_ID	(854)	Y	Integer. See SSIS Codes Table.	Unique, system-generated identifier of an ACTIVITY table row. May also be used as a data element. To initialize, must be set to spaces.	05/23/2001
FROM_WGTYPE_ID	(2059)	N	Integer. See Transaction Edit Guide: 1880-2.	Identifies the "from" workgroup type,	08/31/2001
ROLLBACK_IND	(2439)	Y			02/28/2003
SWITCH_MODULE_ID	(2193)	N	Integer	Identifies the module that will perform the switch (points to the Module Table).	05/01/2001
SWITCH_REASONS	(2194)	Y	Freeform text.	Subset of reasons for a particular switch direction.	05/01/2001
TO_WGTYPE_ID	(2201)	Y	Integer. See Transaction Edit Guide: 1880-3.	Identifies the "to" workgroup type.	08/31/2001
WGSO_ID	(2205)	Y	Integer. See Transaction Edit Guide: 1875-2.	Unique, system-generated identifier for a WG_SWITCH_OPTIONS table row. May also be use a s a data element. To initialize, must be set to spaces.	08/31/2001
WGSO_NAME	(2206)	Y	Freeform text. See Transaction Edit Guide: 1880-1.	Workgroup switch option name	08/31/2001

WILL_SERVE_PREFS (2360) Data Type (NUMBER [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
GENDER_WILL_SRV_CD	(403)	N	See SSIS Codes Table.	Gender that this provider will serve.	04/15/1999
MAX_AGE_WILL_SRV	(479)	Y	Integer	Maximum age the provider will serve	01/01/1998
MIN_AGE_WILL_SRV	(489)	N	Integer	Minimum age this provider will serve	01/01/1998
PREF_CLIENTS_CD	(1509)	Y	See SSIS Codes Table. See Transaction Edit Guide: 820-15;820-16	Client disability this facility prefers to serve.	08/28/2001
WILL_SERVE_PREFS_ID	(2582)	N			05/18/2004

WORK_GROUP (400) Data Type (NUMBER [8])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
APP_COMPL_DT	(66)	Y	YYYYMMDD	Date a client completed the application for service.	05/13/1998
APP_NUM	(67)	Y		County's application number	11/09/1998
APP_SIGNED_DT	(68)	N	YYYYMMDD	Date a client signed the application for service.	05/13/1998

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
APP_STATUS_CD	(69)	N	See SSIS Codes Table.	Application Status Code	06/19/1998
ASSIGNED_IND	(1157)	Y	Y/N. See SSIS Transaction Edit Guide: 400-9; 400-11.	Indicates whether a workgroup has been assigned to a primary worker. If No, the workgroup will appear on the Assignment Log.	08/20/1999
CNTY_CASE_NUM	(132)	Y		A county's internal case number.	11/09/1998
CNTY_DESTDT_MOD_IN D	(3535)	Y			09/23/2008
CNTY_FIN_RESP_CD	(136)	Y	See SSIS Codes Table. See SSIS Transaction Edit Guide: 400-10.	County of Financial Responsibility	03/15/2000
CNTY_OF_SVC_CD	(139)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 400-10; 100-6.	County of service	03/15/2000
CONVERSION_CD	(1667)	Y	See SSIS Codes Table. 0 = Converted, but not yet verified; 1 = Converted and verified; 2 = Internal/created using the application. The default for converted workgroup is 0.		04/14/1999
CURR_STATUS_CD	(1158)	Y	See SSIS Codes Table.	The current status of the workgroup.	02/10/1999
DESTRUCTION_DT	(201)	Y	YYYYMMDD	Destruction date is the date after which records can be destroyed according to current data retention guidelines	01/01/1998
END_DT	(233)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 730-8.		03/24/1999
FOLDER_ID	(390)	Y	Integer	Unique, system-generated identifier for a WG_FOLDER table row. May also be used as a data element. Is a collection of work groups (a case); county defined. To initialize, must be set to spaces.	02/09/1999
READ_RESTRICT_CD	(885)	N	See SSIS Codes Table. See SSIS Transaction Edit Guide: 115-3.	Relates to a staff member's security authorization level	03/23/1999
REASON_ENDED_CD	(706)	N	See SSIS Codes Table.	Reason services under this program ended.	01/01/1998
SPECIAL_STUDIES_CD	(754)	Y	Not currently used.	County defined. For example, were these people in a flood?	01/01/1998
START_DT	(770)	N	YYYYMMDD. See SSIS Transaction Edit Guide: 125-1; 400-2; 400-12; 405-3; 405-4; 435-3; 510-1; 700-2; 730-1; 815-2; 1105-6.		08/29/2001
SUBPROG_ID	(2556)	N			05/04/2004
UNIT_ID	(831)	N	Integer. See SSIS Transaction Edit Guide: 400-4.	Unique, system-generated identifier for a STAFF_UNIT table row. Also may be used as a data element. To initialize, must be set to spaces.	05/18/1999
WG_DESC	(3140)	Y			09/26/2006
WG_ID	(843)	N	Integer. See SSIS Transaction Edit Guide: 600-5;655-1;820-21; 900-6; 930-4;1000-4; 1000-5;1120-5;1826-1;1841-1;1851-1;1866-1;1871-1;1875-1;2000-1.	Unique, system-generated identifier for a WORK_GROUP table row. May also be used as a data element. To initialize, must be set to spaces.	08/30/2001

2015 SSIS Data Dictionary by Table -- As of 12/14/2015

Sort = by Table Name

WORK_GROUP (400) Data Type (CHAR [80])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
WG_LABEL	(845)	Y	See SSIS Transaction Edit Guide: 400-1; 400-3.	The name of the workgroup. The label format is: last name; space; first name; space; abbreviation for BRASS program; space; workgroup status; space; and workgroup start date.	04/13/1999
WG_TYPE_CD	(1184)	Y	See SSIS Codes Table. See Transaction Edit Guide: 1800-3.	Assessment or Case Management.	08/31/2001

WORKGROUP_TYPE (1800) Data Type (CHAR [1])					
Field Name	(FLD_ID)	Nullable	Notes	Description	Last Changed
ADMIN_CONFIG_IND	(2216)	Y	Y/N	Indicates if WG type appears in County Preferences as countyt configurable.	04/26/2001
INTAKE_IND	(1522)	N	Y/N	Was this allegation from the intake? ('N' if identified by investigating worker rather than via Intake).	02/11/1999
SUBPROG_ID	(2556)	N			05/04/2004
TRACK_CD	(1942)	N	See SSIS Codes Table		05/11/2001
WG_TYPE_CD	(1184)	N	See SSIS Codes Table. See Transaction Edit Guide: 1800-3.	Assessment or Case Management.	08/31/2001
WGTYPE_ABBR_NAME	(1944)	Y	See Transaction Edit Guide: 1800-2.		08/31/2001
WGTYPE_ID	(1945)	N	Integer. See Transaction Edit Guide: 1810-2.	Unique system-generated identifier for a WORKGROUP_TYPE table row. May also be used as a data element. To initialize, must be set to spaces.	08/31/2001
WGTYPE_NAME	(1946)	N	See Transaction Edit Guide: 1800-1	Workgroup type description. For example, "CP Traditional Assessment."	08/31/2001